

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Char		Issue date: 03/09/2018 Revision date: 07/19/2024 Supersedes: 07/19/2024 Version: 1.9
SECTION 1: I	dentification	
1.1. Identifi	cation	
Product form		: Substance
Product name		: CINNAMON BARK ORGANIC OIL
CAS-No.		: 8015-91-6
Product code		: 50-5075-02
1.2. Recom	mended use and res	strictions on use
4.0 0		
T 574-259-7000 -	ompany Drive 6628 - United States	.com
1.4. Emerge	ency telephone num	ber
Emergency numb	ber	: CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 CCN 13010
SECTION 2: I	Hazard(s) identif	ication
2.1. Classif	ication of the substa	ance or mixture
GHS US classifie	cation	
	rmal) Category 3 tation Category 2 age/eye irritation Cate , Category 1 category 1B	Combustible liquid Toxic in contact with skin Causes skin irritation egory 2A Causes serious eye irritation May cause an allergic skin reaction May cause cancer May be fatal if swallowed and enters airways
2.2. GHS La	abel elements, inclu	ding precautionary statements
GHS US labeling	1	
Hazard pictogram	ns (GHS US)	CHS06 CHS07 CHS08
Signal word (GHS	SUS)	: Danger
Hazard statement	ts (GHS US)	<ul> <li>Combustible liquid May be fatal if swallowed and enters airways Toxic in contact with skin Causes skin irritation May cause an allergic skin reaction Causes serious eye irritation May cause cancer</li> </ul>
Precautionary sta	tements (GHS US)	<ul> <li>Obtain special instructions before use.</li> <li>Do not handle until all safety precautions have been read and understood.</li> <li>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>Avoid breathing dust/fume/gas/mist/vapors/spray.</li> <li>Wash hands, forearms and face thoroughly after handling.</li> <li>Contaminated work clothing must not be allowed out of the workplace.</li> <li>Wear protective gloves/protective clothing/eye protection/face protection.</li> <li>If swallowed: Immediately call a poison center or doctor.</li> <li>If on skin: Wash with plenty of water.</li> <li>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> </ul>

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

If exposed or concerned: Get medical advice/attention. Call a poison center or doctor if you feel unwell. Specific treatment (see supplemental first aid instruction on this label). Specific treatment (see supplemental first aid instruction on this label) Do NOT induce vomiting. If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off immediately all contaminated clothing and wash it before reuse. Take off contaminated clothing and wash it before reuse. Wash contaminated clothing before reuse. In case of fire: Use media other than water to extinguish. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards which do not result in classification

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## SECTION 3: Composition/Information on ingredients

3.1. Substances			
Name	Product identifier	%	GHS US classification
CINNAMON BARK OIL	(CAS-No.) 8015-91-6	100	Flam. Liq. 4, H227 Acute Tox. 3 (Dermal), H311 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Carc. 1B, H350 Asp. Tox. 1, H304

Full text of hazard classes and H-statements : see section 16

3.2. Mixtures			
Not applicable			
SECTION 4: First-aid measures			
4.1. Description of first aid measures			
First-aid measures general	Call a physician immediately.		
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing.		
First-aid measures after skin contact	Wash skin with plenty of water. Remove/Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.		
First-aid measures after eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.		
First-aid measures after ingestion	Do not induce vomiting. Call a physician immediately.		
4.2. Most important symptoms and effects	acute and delayed)		
Symptoms/effects after inhalation	Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.		
Symptoms/effects after skin contact :	Irritation. May cause an allergic skin reaction.		
Symptoms/effects after eye contact	Eye irritation.		
Symptoms/effects after ingestion :	Risk of lung edema.		
4.3. Immediate medical attention and spec	ial treatment, if necessary		
Treat symptomatically.			
SECTION 5: Fire-fighting measures			
5.1. Suitable (and unsuitable) extinguishin	g media		
Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.			
Unsuitable extinguishing media	Do not use a heavy water stream.		
5.2. Specific hazards arising from the cher	mical		
Fire hazard : Combustible liquid.			

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Explosion hazard	: No direct explosion hazard.
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
5.3. Special protective equipment and pr	recautions for fire-fighters
Firefighting instructions	<ul> <li>Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.</li> </ul>
Protection during firefighting	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release meas	sures
6.1. Personal precautions, protective equ	
General measures	: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.
6.1.1. For non-emergency personnel	
Protective equipment	: Wear recommended personal protective equipment.
Emergency procedures	: No open flames, no sparks, and no smoking. Only qualified personnel equipped with suitable protective equipment may intervene. Avoid breathing dust/fume/gas/mist/vapors/spray.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Evacuate unnecessary personnel. Stop leak if safe to do so.
6.2. Environmental precautions	
Avoid release to the environment. Notify authoriti	es if product enters sewers or public waters.
6.3. Methods and material for containme	nt and cleaning up
For containment	: Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk.
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Not expected to present a significant hazard under anticipated conditions of normal use.
Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Do not get in eyes, on skin, or on clothing. Avoid breathing dust/fume/gas/mist/vapors/spray.
Hygiene measures	: Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, includir	ng any incompatibilities
Technical measures	: Keep in a cool, well-ventilated place away from heat.
Storage conditions	: Store in a well-ventilated place. Keep cool. Store locked up.
	: Store always product in container of same material as original container.

## SECTION 8: Exposure controls/personal protection

8.1. Control parameters

CINNAMON BARK OIL (8015-91-6)	
No additional information available	

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 8.2. Appropriate engineering controls

Appropriate engineering controls

Ensure good ventilation of the work station.Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Environmental exposure controls

Wear recommended personal protective equipment.

#### Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

#### **Respiratory protection:**

[In case of inadequate ventilation] wear respiratory protection.



#### **SECTION 9: Physical and chemical properties** 9.1. Information on basic physical and chemical properties Physical state : Liquid Color : YELLOW LIQUID CINNAMON, SWEET, SPICY, FLORAL Odor Odor threshold No data available pН No data available Not applicable Melting point Freezing point No data available Boiling point : No data available Flash point : 87.7 °C Relative evaporation rate (butyl acetate=1) : No data available Flammability : Not applicable. Vapor pressure : No data available Relative vapor density at 20°C : No data available Relative density 1.005 (1 - 1.033) : Solubility : Insoluble. Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : No data available : No data available Decomposition temperature Viscosity, kinematic : No data available Viscosity, dynamic : No data available Explosion limits : No data available : No data available Explosive properties Oxidizing properties No data available 9.2. Other information Refractive index : 1.578 (1.566 - 1.596)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition. None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information			
11.1. Information on toxicological effects			
Acute toxicity (oral)	: Not classified		
Acute toxicity (dermal)	: Toxic in contact with skin.		
Acute toxicity (inhalation)	: Not classified		
ATE US (oral)	3800 mg/kg body weight		
ATE US (dermal)	700 mg/kg body weight		
Skin corrosion/irritation	: Causes skin irritation.		
Serious eye damage/irritation	: Causes serious eye irritation.		
Respiratory or skin sensitization	: May cause an allergic skin reaction.		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: May cause cancer.		
Reproductive toxicity	: Not classified		
STOT-single exposure	: Not classified		
STOT-repeated exposure	: Not classified		
Aspiration hazard	: May be fatal if swallowed and enters airways.		
Viscosity, kinematic	: No data available		
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.		
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.		
Symptoms/effects after eye contact	: Eye irritation.		
Symptoms/effects after ingestion	: Risk of lung edema.		

## SECTION 12: Ecological information

**12.1. Toxicity** Ecology - general

: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

12.2.	Persistence and degradability
No additi	onal information available
12.3.	Bioaccumulative potential
No additi	onal information available
12.4.	Mobility in soil
No additi	onal information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 12.5. Other adverse effects

No additional information available

SECTION 13: Disposal consideration	15
13.1. Disposal methods	
Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.
Additional information	: Do not re-use empty containers.
<b>SECTION 14: Transport information</b>	
Department of Transportation (DOT)	
In accordance with DOT	
Transport document description (DOT)	: UN2810 Toxic, liquids, organic, n.o.s. (Cinnamon Bark Oil), 6.1, III
UN-No.(DOT)	: UN2810
Proper Shipping Name (DOT)	: Toxic, liquids, organic, n.o.s.
	(Cinnamon Bark Oil)
Class (DOT)	: 6.1 - Class 6.1 - Poisonous materials 49 CFR 173.132
Packing group (DOT)	: III - Minor Danger
Hazard labels (DOT)	: 6.1 - Poison
	POISON
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 241
DOT Special Provisions (49 CFR 172.102)	<ul> <li>IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).</li> <li>T7 - 4 178.274(d)(2) Normal 178.275(d)(3)</li> <li>TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.</li> <li>TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.</li> </ul>
DOT Packaging Exceptions (49 CFR 173.xxx)	: 153
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
Emergency Response Guide (ERG) Number	: 153
Other information	: No supplementary information available.
Transportation of Dangerous Goods	
Transport document description (TDG)	: UN2810 TOXIC LIQUID, ORGANIC, N.O.S. (Cinnamon Bark Oil), 6.1, III
UN-No. (TDG)	: UN2810
Proper Shipping Name (TDG)	: TOXIC LIQUID, ORGANIC, N.O.S.
07/19/2024	EN (English US) 6/8

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Packing group (TDG)	: III - Minor Danger			
TDG Special Provisions	<ul> <li>III - Minor Danger</li> <li>16 - (1) The technical name of at least one of the most dangerous substances that predominantly contributes to the danger or dangers posed by the dangerous goods must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(ii)(A). The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3).</li> <li>(2) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a shipping document or on a small means of containment when Canadian law for domestic transport or an international convention for international transport prohibits the disclosure of the technical name: <ul> <li>(a) UN1544, ALKALOID SALTS, SOLID, N.O.S. or ALKALOIDS, SOLID, N.O.S;</li> <li>(b) UN1851, MEDICINE, LIQUID, TOXIC, N.O.S;</li> <li>(c) UN3140, ALKALOID SALTS, LIQUID, N.O.S. or ALKALOIDS, LIQUID, N.O.S;</li> <li>(d) UN3248, MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S; or</li> <li>(e) UN3249, MEDICINE, SOLID, TOXIC, N.O.S.</li> <li>(f) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a small means of containment;</li> <li>(a) UN2814, INFECTIOUS SUBSTANCE, AFFECTING HUMANS; or</li> <li>(b) UN2900, INFECTIOUS SUBSTANCE, AFFECTING ANIMALS.</li> </ul> </li> </ul>			
Explosive Limit and Limited Quantity Index	: 5L			
Passenger Carrying Road Vehicle or Passenge Carrying Railway Vehicle Index	r : 60 L			
Transport by sea				
Transport document description (IMDG)	: UN 2810 TOXIC LIQUID, ORGANIC, N.O.S. (Cinnamon Bark Oil), 6.1, III			
UN-No. (IMDG)	: 2810			
Proper Shipping Name (IMDG)	: TOXIC LIQUID, ORGANIC, N.O.S.			
Class (IMDG)	: 6.1 - Toxic substances			
Packing group (IMDG)	: III - substances presenting low danger			
Limited quantities (IMDG)	: 5L			
Air transport				
Transport document description (IATA)	: UN 2810 Toxic liquid, organic, n.o.s. (Cinnamon Bark Oil), 6.1, III			
UN-No. (IATA)	: 2810			
Proper Shipping Name (IATA)	: Toxic liquid, organic, n.o.s.			
Class (IATA)	6.1 - Toxic Substances			
Packing group (IATA)	: III - Low danger			

SECTION 15: Regulatory information	
15.1. US Federal regulations	
CINNAMON BARK OIL (8015-91-6)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

### 15.2. International regulations

### CANADA

### CINNAMON BARK OIL (8015-91-6)

Listed on the Canadian DSL (Domestic Substances List)

### **EU-Regulations**

No additional information available

### National regulations

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations

This product can expose you to beta-myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

🗥 WARNING:

This product can expose you to safrole, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

This product can expose you to methyl eugenol, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

## SECTION 16: Other information

Revision date	: 07/19/2024
Full text of H-phrases:	
H227	Combustible liquid
H304	May be fatal if swallowed and enters airways
H311	Toxic in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H350	May cause cancer

#### SDS US (GHS HazCom 2012) - Lebermuth

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.