

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 07/31/2018 Revision date: 06/28/2024 Supersedes: 12/14/2020

Version: 1.6

e la	6	Issue date: 07/31/2018	Revision date: 06/28/2024	Supersedes: 12/14/2020	Version: 1.6
SECTION 1	Identification				
	ification				
Product form	insution	: Substance			
Product name			/EET ORGANIC OIL		
CAS-No.		: 8006-84-6			
Product code		: 50-6115-02			
	mmended use and r				
1.3. Supp	lier				
The Lebermuth					
T 574-259-7000	yy Drive 46628 - United State ) - F 574-258-7450 <u>com</u> - <u>www.lebermu</u>				
1.4. Emer	gency telephone nu	mber			
Emergency num	nber	: CHEMTREC CCN 13010	- USA: 800-424-9300 Intern	ational: +1 703-527-3887 / 1-8	300-424-9300
SECTION 9		ification			
	Hazard(s) ident				
GHS US classi					
Flammable liqui		Com	bustible liquid		
Skin corrosion/ir	rritation Category 2	Caus	ses skin irritation		
Skin sensitizatio		May	cause an allergic skin reaction		
Germ cell mutac Carcinogenicity	genicity Category 2 Category 1B		pected of causing genetic defect cause cancer	ts	
2.2. GHS	Label elements, incl	uding precautionary state	ments		
GHS US labelir					
Hazard pictogra	•	:	<b>^</b>		
1 3	()				
		GHS07	GHS08		
Signal word (GF	IS US)	: Danger			
Hazard stateme	,	: Combustible	liquid		
		Causes skin			
			n allergic skin reaction f causing genetic defects		
		May cause of			
Precautionary st	tatements (GHS US)		al instructions before use.		
·			le until all safety precautions ha		
		Keep away f smoking.	rom heat, hot surfaces, sparks,	open flames and other ignition	n sources. No
		Avoid breath	ing dust/fume/gas/mist/vapors/		
		Wash hands	, forearms and face thoroughly	after handling.	
			d work clothing must not be all tive gloves/protective clothing/e		
		If on skin: W	ash with plenty of water.		
		If exposed o	r concerned: Get medical advic		
			tment (see supplemental first a on occurs: Get medical advice/a		
			on or rash occurs: Get medical		
		Take off con	taminated clothing and wash it		
			ninated clothing before reuse. e: Use media other than water	to extinguish	
		III Case Of III		o exiliyusii.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

# SECTION 3: Composition/Information on ingredients

3.1. Substances			
Name	Product identifier	%	GHS US classification
FENNEL SWEET OIL	(CAS-No.) 8006-84-6	100	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Skin Sens. 1, H317 Muta. 2, H341 Carc. 1B, H350

Full text of hazard classes and H-statements : see section 16

3.2. Mixtures				
Not applicable				
SECTION 4: First-aid measures				
4.1. Description of first aid measures				
First-aid measures general	: IF exposed or concerned: Get medical advice/attention.			
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing.			
First-aid measures after skin contact	Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.			
First-aid measures after eye contact	Rinse eyes with water as a precaution.			
First-aid measures after ingestion	Call a poison center/doctor/physician if you feel unwell.			
4.2. Most important symptoms and effects	acute and delayed)			
Symptoms/effects after inhalation	Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.			
Symptoms/effects after skin contact	May cause an allergic skin reaction. Irritation.			
Symptoms/effects after eye contact	None under normal conditions.			
Symptoms/effects after ingestion	None under normal conditions.			
4.3. Immediate medical attention and spec	ial treatment, if necessary			
Treat symptomatically.				
SECTION 5: Fire-fighting measures				
5.1. Suitable (and unsuitable) extinguishir	ng media			
	: Water spray. Dry powder. Foam. Carbon dioxide.			
Unsuitable extinguishing media	Do not use a heavy water stream.			
5.2. Specific hazards arising from the che	mical			
	Combustible liquid.			
	No direct explosion hazard.			
	The product is non-reactive under normal conditions of use, storage and transport.			
5.3. Special protective equipment and pre	cautions for fire-fighters			
5.3. Special protective equipment and precautions for fire-fighters Firefighting instructions Firefighting instructions Fight fire from safe distance and protected location. Do not enter fire area without proper				
	protective equipment, including respiratory protection.			
Protection during firefighting	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.			
SECTION 6: Accidental release measu	ires			
6.1. Personal precautions, protective equipment and emergency procedures				
General measures	General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb			

spillage to prevent material-damage.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.1.	For non-emergency personnel	
Protectiv	e equipment :	Wear recommended personal protective equipment.
Emerger	cy procedures :	Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2.	For emergency responders	
Protectiv	e equipment :	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emerger	cy procedures :	Evacuate unnecessary personnel. Stop leak if safe to do so.
6.2.	Environmental precautions	
Avoid rel	ease to the environment. Notify authorities	s if product enters sewers or public waters.
6.3.	Methods and material for containment	t and cleaning up
For conta	ainment :	Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk.
Methods	for cleaning up :	Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other inf	ormation :	Dispose of materials or solid residues at an authorized site.
6.4.	Reference to other sections	
For furth	er information refer to section 13.	
SECTI	ON 7: Handling and storage	
7.1.	Precautions for safe handling	
Additiona	al hazards when processed :	Not expected to present a significant hazard under anticipated conditions of normal use.
Precautio	ons for safe handling :	Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Floors, walls and other surfaces in the hazard area must be cleaned regularly.
Hygiene	measures :	Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Separate working clothes from town clothes. Launder separately.
7.2.	Conditions for safe storage, including	any incompatibilities
Technica	Il measures	Keep in a cool, well-ventilated place away from heat.
<b>A</b> /	conditions :	Store in a well-ventilated place. Keep cool. Store locked up.

# SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Packaging materials

FENNE	EL SWEET OIL (8006-84-6)		
No add	No additional information available		
8.2.	Appropriate engineering controls		
Appropri	ate engineering controls	: Ensure good ventilation of the work station.	
Environr	nental exposure controls	: Avoid release to the environment.	
8.3.	Individual protection measures/Per	sonal protective equipment	

: Store always product in container of same material as original container.

Personal protective equipment:

Wear recommended personal protective equipment.

### Hand protection:

Protective gloves

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

### **Respiratory protection:**

[In case of inadequate ventilation] wear respiratory protection.



## SECTION 9: Physical and chemical properties

9.1. Information on basic physical and o	chemical properties
Physical state	: Liquid
Color	: COLORLESS TO AMBER
Odor	: SWEET AROMATIC ANISEED-LIKE ODOR
Odor threshold	: No data available
pH	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 62 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: 0.981 (0.946 – 0.985)
Solubility	: Insoluble.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	

```
Refractive index
```

: 1.553 (1.524 - 1.56)

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## 10.5. Incompatible materials

### No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological informat	ion
11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Suspected of causing genetic defects.
Carcinogenicity	: May cause cancer.
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact	: May cause an allergic skin reaction. Irritation.
Symptoms/effects after eye contact	: None under normal conditions.
Symptoms/effects after ingestion	: None under normal conditions.

# SECTION 12: Ecological information

SLOH		
12.1.	Toxicity	
Ecology	- general :	The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
12.2.	Persistence and degradability	
No addit	ional information available	
12.3.	Bioaccumulative potential	
No addit	ional information available	

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations			
13.1. Disposal methods			
Regional waste regulation	: Disposal must be done according to official regulations.		
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.		
Sewage disposal recommendations	: Disposal must be done according to official regulations.		
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.		
Additional information	: Do not re-use empty containers.		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# **SECTION 14: Transport information**

Department of Transportation (DOT)	
Transport document description (DOT)	: UN1197 Extracts, flavoring, liquid (Regulated for Bulk only), Comb Liq, III
UN-No.(DOT)	: UN1197
Proper Shipping Name (DOT)	: Extracts, flavoring, liquid (Regulated for Bulk only)
Class (DOT)	: Comb Liq - Combustible liquid
Packing group (DOT)	: III - Minor Danger
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Special Provisions (49 CFR 172.102)	<ul> <li>B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.</li> <li>IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HD2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).</li> <li>T2 - 1.5 178.274(d)(2) Normal</li></ul>
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Emergency Response Guide (ERG) Number	: 127
Other information	: No supplementary information available.

### **Transportation of Dangerous Goods**

Not regulated

### Transport by sea

Not regulated

## Air transport

Not regulated

SECTION 15: Regulatory information	
15.1. US Federal regulations	
FENNEL SWEET OIL (8006-84-6)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## 15.2. International regulations

#### CANADA

### FENNEL SWEET OIL (8006-84-6)

Listed on the Canadian DSL (Domestic Substances List)

### **EU-Regulations**

No additional information available

#### **National regulations**

No additional information available

### 15.3. US State regulations

This product can expose you to beta-myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

This product can expose you to estragole, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

### **SECTION 16: Other information**

Revision date		: 06/28/2024	
Full text	t of H-phrases:		
H2	227	Combustible liquid	
H	315	Causes skin irritation	
H	317	May cause an allergic skin reaction	
H	341	Suspected of causing genetic defects	
H	350	May cause cancer	

#### SDS US (GHS HazCom 2012) - Lebermuth

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.