

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 05/17/2018 Revision date: 05/09/2024 Supersedes: 03/14/2023

Version: 1.9

lss lss	ue date: 05/17/2018	Revision date: 05/09/2024	Supersedes: 03/14/2023	Version: 1.9
SECTION 1: Identification				
1.1. Identification				
Product form	: Substance			
Product name	: SPEARMINT	ORGANIC INDIAN OIL		
CAS-No.	: 8008-79-5			
Product code	: 50-6250-15			
1.2. Recommended use and restric	tions on use			
1.3. Supplier				
The Lebermuth Company 4004 Technology Drive South Bend, IN 46628 - United States T 574-259-7000 - F 574-258-7450 info@lebermuth.com - www.lebermuth.com	<u>1</u>			
1.4. Emergency telephone number				
Emergency number	: CHEMTREC CCN 13010	- USA: 800-424-9300 Intern	ational: +1 703-527-3887 / 1-8	300-424-9300
SECTION 2: Hazard(s) identifica	tion			
2.1. Classification of the substance	e or mixture			
GHS US classification				
	Comb	ustible liquid		
Flammable liquids Category 4	001110			
Flammable liquids Category 4 Skin corrosion/irritation Category 2	Cause	es skin irritation		
Skin corrosion/irritation Čategory 2 Skin sensitization, category 1B Aspiration hazard Category 1	Cause May c May b	es skin irritation ause an allergic skin reaction e fatal if swallowed and enters	s airways	
	Cause May c May b	es skin irritation ause an allergic skin reaction e fatal if swallowed and enters	s airways	
Skin corrosion/irritation Category 2 Skin sensitization, category 1B Aspiration hazard Category 1 2.2. GHS Label elements, including	Cause May c May b	es skin irritation ause an allergic skin reaction e fatal if swallowed and enters	s airways	
Skin corrosion/irritation Category 2 Skin sensitization, category 1B Aspiration hazard Category 1 2.2. GHS Label elements, including GHS US labeling Hazard pictograms (GHS US)	Cause May c May b precautionary statem	es skin irritation ause an allergic skin reaction e fatal if swallowed and enters	s airways	
Skin corrosion/irritation Category 2 Skin sensitization, category 1B Aspiration hazard Category 1 2.2. GHS Label elements, including GHS US labeling Hazard pictograms (GHS US) Signal word (GHS US)	Cause May c May b Precautionary statem : GHS07 : Danger	es skin irritation ause an allergic skin reaction the fatal if swallowed and enters ments GHS08	s airways	
Skin corrosion/irritation Category 2 Skin sensitization, category 1B Aspiration hazard Category 1 2.2. GHS Label elements, including GHS US labeling Hazard pictograms (GHS US)	Cause May c May b precautionary statem : GHS07 : Danger : Combustible li May be fatal if Causes skin in	es skin irritation ause an allergic skin reaction the fatal if swallowed and enters thents GHS08 iquid f swallowed and enters airways ritation		
Skin corrosion/irritation Category 2 Skin sensitization, category 1B Aspiration hazard Category 1 2.2. GHS Label elements, including GHS US labeling Hazard pictograms (GHS US) Signal word (GHS US)	Cause May c May b I precautionary statem : GHS07 : Danger : Combustible li May be fatal if Causes skin ir May cause an : Keep away fro smoking. Avoid breathir Wash hands, Contaminated	es skin irritation ause an allergic skin reaction the fatal if swallowed and enters the fatal if swallowed and enters the fatal if swallowed and enters airway (GHS08 GHS08 iquid is swallowed and enters airway ritation allergic skin reaction om heat, hot surfaces, sparks, or dust/fume/gas/mist/vapors/s forearms and face thoroughly work clothing must not be allo	s open flames and other ignition spray. after handling. owed out of the workplace.	n sources. No
Skin corrosion/irritation Category 2 Skin sensitization, category 1B Aspiration hazard Category 1 2.2. GHS Label elements, including GHS US labeling Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US)	Cause May c May b precautionary statem : GHS07 : Danger : Combustible li May be fatal if Causes skin ir May cause an : Keep away fro smoking. Avoid breathir Wash hands, Contaminated Wear protectiv If swallowed: I fon skin: Was Specific treatr	es skin irritation ause an allergic skin reaction the fatal if swallowed and enters the fatal if swallowed and enters the fatal if swallowed and enters of the swallowed and enters airways of the swallowed and enters airways if allergic skin reaction on heat, hot surfaces, sparks, ang dust/fume/gas/mist/vapors/s forearms and face thoroughly work clothing must not be allow ye gloves/protective clothing/e Immediately call a poison cent sh with plenty of water. nent (see supplemental first ai	s open flames and other ignition spray. after handling. owed out of the workplace. ye protection/face protection. er or doctor.	n sources. No
Skin corrosion/irritation Category 2 Skin sensitization, category 1B Aspiration hazard Category 1 2.2. GHS Label elements, including GHS US labeling Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US)	Cause May c May b precautionary statem : : : : : : : : : : : : : : : : : : :	es skin irritation ause an allergic skin reaction be fatal if swallowed and enters nents	s open flames and other ignition spray. after handling. owed out of the workplace. ye protection/face protection. rer or doctor. d instruction on this label). attention. advice/attention.	n sources. No
Skin corrosion/irritation Category 2 Skin sensitization, category 1B Aspiration hazard Category 1 2.2. GHS Label elements, including GHS US labeling Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US)	Cause May c May b precautionary statem : : : : : : : : : : : : : : : : : : :	es skin irritation ause an allergic skin reaction be fatal if swallowed and enters nents	s open flames and other ignition spray. after handling. owed out of the workplace. ye protection/face protection. er or doctor. d instruction on this label). attention. advice/attention. before reuse.	n sources. No
Skin corrosion/irritation Category 2 Skin sensitization, category 1B Aspiration hazard Category 1 2.2. GHS Label elements, including GHS US labeling Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US)	Cause May c May b precautionary statem : : : : : : : : : : : : : : : : : : :	es skin irritation ause an allergic skin reaction the fatal if swallowed and enters the fatal if swallowed and enters the fatal if swallowed and enters the fatal if swallowed and enters of the swallowed and enters airways of swallowed and enters airways is allergic skin reaction on heat, hot surfaces, sparks, allergic skin reaction on heat, hot surfaces, sparks, of dust/fume/gas/mist/vapors/s forearms and face thoroughly work clothing must not be allow work clothing must not be allow the gloves/protective clothing/e immediately call a poison cent sh with plenty of water. nent (see supplemental first ai the vomiting. no occurs: Get medical advice/a no rash occurs: Get medical advice/a aninated clothing before reuse. Use media other than water to I-ventilated place. Keep cool.	s open flames and other ignition spray. after handling. owed out of the workplace. ye protection/face protection. er or doctor. d instruction on this label). attention. advice/attention. before reuse.	n sources. No

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

with local, regional, national and/or international regulation.

2.4. Unknown acute toxicity (GHS US				
Not applicable)			
	tion on ingradianta			
SECTION 3: Composition/Informa 3.1. Substances	ition on ingrealents			
		Due du et identifien	0/	CUC UC alegation
Name SPEARMINT OIL		Product identifier (CAS-No.) 8008-79-5	% 100	GHS US classification Flam. Liq. 4, H227
			100	Skin Irrit. 2, 14315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
Full text of hazard classes and H-statements	: see section 16			
3.2. Mixtures				
Not applicable				
SECTION 4: First-aid measures				
1.1. Description of first aid measures	\$			
First-aid measures general	: Call a physician immediatel	5		
First-aid measures after inhalation	: Remove person to fresh air	•		•
irst-aid measures after skin contact	: Wash skin with plenty of wa Get medical advice/attentio		ted clothin	g. If skin irritation or rash occurs:
First-aid measures after eye contact	: Rinse eyes with water as a	•		
First-aid measures after ingestion	: Do not induce vomiting. Cal	ll a physician immediate	ly.	
I.2. Most important symptoms and e	ffects (acute and delayed)			
Symptoms/effects after inhalation	: Although no appropriate hu expected to be an inhalation		fects data	are known to exist, this material is
Symptoms/effects after skin contact	: Irritation. May cause an alle	rgic skin reaction.		
Symptoms/effects after eye contact	: None under normal condition	ons.		
Symptoms/effects after ingestion	: Risk of lung edema.			
4.3. Immediate medical attention and	I special treatment, if necessary			
Treat symptomatically.				
SECTION 5: Fire-fighting measure	es			
5.1. Suitable (and unsuitable) exting	uishing media			
Suitable extinguishing media	: Water spray. Dry powder. F	oam. Carbon dioxide.		
Jnsuitable extinguishing media	: Do not use a heavy water s	tream.		
5.2. Specific hazards arising from th	e chemical			
Fire hazard	: Combustible liquid.			
Explosion hazard	: No direct explosion hazard.			
5.3. Special protective equipment an	d precautions for fire-fighters			
Firefighting instructions	: Fight fire from safe distance protective equipment, include			nter fire area without proper
Protection during firefighting	: Do not attempt to take action apparatus. Complete protect		ctive equip	oment. Self-contained breathing
SECTION 6: Accidental release m	easures			
6.1. Personal precautions, protective	equipment and emergency proc	edures		
General measures	: Stop leak if safe to do so. N spillage to prevent material-		ct enters s	sewers or public waters. Absorb
6.1.1. For non-emergency personnel				
Protective equipment	: Wear recommended persor	nal protective equipmen	t.	
Emergency procedures	: Ventilate spillage area. No and eyes. Avoid breathing of			noking. Avoid contact with skin

Safety Data Sheet

a

ccording to F	ederal Register / Vol. 77, No. 58 / Monday, N	larch 26, 2012 / Rules and Regulations
6.1.2. F	For emergency responders	
Protective e	equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency	/ procedures	: Evacuate unnecessary personnel. Stop leak if safe to do so.
6.2. E	Environmental precautions	
Avoid relea	ase to the environment.	
6.3. N	Methods and material for containmer	t and cleaning up
For contain	nment	: Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk.
Methods fo	or cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other inform	mation	: Dispose of materials or solid residues at an authorized site.
6.4. F	Reference to other sections	
For further	information refer to section 13.	
SECTIO	N 7: Handling and storage	
	Precautions for safe handling	
Additional h	hazards when processed	: Not expected to present a significant hazard under anticipated conditions of normal use.
Precaution	s for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.
Hygiene m	easures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. 0	Conditions for safe storage, including	any incompatibilities
Technical r	neasures	: Keep in a cool, well-ventilated place away from heat.
Storage co	nditions	: Store in a well-ventilated place. Keep cool. Store locked up.
Packaging	materials	: Store always product in container of same material as original container.
SECTIO	N 8: Exposure controls/perso	nal protection
8.1. C	Control parameters	
SPEARM	IINT OIL (8008-79-5)	
	onal information available	
	Appropriate engineering controls	
	e engineering controls	Ensure good ventilation of the work station.
Environme	ntal exposure controls	: Avoid release to the environment.
8.3. li	ndividual protection measures/Perso	nal protective equipment
Personal p	protective equipment:	
Wear recor	mmended personal protective equipme	nt.
Hand prote	ection:	
Protective g	gloves	
Eye protec	ction:	
Safety glas	sses	
Skin and b	oody protection:	

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations



SECTION 9: Physical and chemical properties Information on basic physical and chemical properties 9.1. Physical state : Liquid Color : COLORLESS TO YELLOW LIQUID Odor : CHARACTERISTIC SPEARMINT ODOR Odor threshold No data available No data available pН : Not applicable Melting point Freezing point No data available Boiling point : No data available · 66 °C Flash point Relative evaporation rate (butyl acetate=1) : No data available Flammability : Not applicable. Vapor pressure : No data available Relative vapor density at 20°C : No data available Relative density : 0.928 (0.915 - 0.934) : Insoluble. Solubility Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : No data available : No data available Decomposition temperature Viscosity, kinematic : No data available Viscosity, dynamic : No data available **Explosion** limits : No data available Explosive properties : No data available Oxidizing properties : No data available 9.2. **Other information** Refractive index : 1.49 (1.484 - 1.491) **SECTION 10: Stability and reactivity** 10.1. Reactivity No additional information available 10.2. **Chemical stability** No additional information available Possibility of hazardous reactions 10.3. No additional information available 10.4. **Conditions to avoid** Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition. 10.5. Incompatible materials No additional information available Hazardous decomposition products 10.6. No additional information available SECTION 11: Toxicological information

Acute tox	icity (dermal)	: Not classified	
A	isity (demonst)	. National final	
Acute tox	icity (oral)	: Not classified	
11.1.	Information on toxicological effects		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: May be fatal if swallowed and enters airways.
Viscosity, kinematic	No data available
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: None under normal conditions.
Symptoms/effects after ingestion	: Risk of lung edema.

SECTI	ON 12: Ecological information	
12.1.	Toxicity	
Ecology	- general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
12.2.	Persistence and degradability	
No addit	tional information available	
12.3.	Bioaccumulative potential	

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations			
13.1. Disposal methods			
Regional waste regulation	: Disposal must be done according to official regulations.		
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.		
Sewage disposal recommendations	: Disposal must be done according to official regulations.		
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.		
Additional information	: Do not re-use empty containers.		
SECTION 14: Transport information			
Department of Transportation (DOT)			
In accordance with DOT			
Transport document description (DOT)	: UN1197 Extracts, flavoring, liquid (Regulated for Bulk only), Comb Liq, III		

Transport document description (DOT)	: UN1197 Extracts, flavoring, liquid (Regulated for Bulk only), Comb Liq, III
UN-No.(DOT)	: UN1197
Proper Shipping Name (DOT)	: Extracts, flavoring, liquid
	(Regulated for Bulk only)
Class (DOT)	: Comb Liq - Combustible liquid
Packing group (DOT)	: III - Minor Danger
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 242

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	 B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T2 - 1.5 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Emergency Response Guide (ERG) Number	: 127
Other information	: No supplementary information available.

Transportation of Dangerous Goods

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

SECTION 15: Regulatory information
15.1. US Federal regulations
SPEARMINT OIL (8008-79-5)
Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations	
CANADA	
SPEARMINT OIL (8008-79-5)	
Listed on the Canadian DSL (Domestic Substances List)	

EU-Regulations No additional information available

National regulations

No additional information available

15.3. US State regulations

WARNING:

This product can expose you to beta-myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information		
Revision date	: 05/09/2024	
05/09/2024	EN (English US)	6/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:	
H227	Combustible liquid
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction

SDS US (GHS HazCom 2012) - Lebermuth

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.