



# OIL, VANILLA NON-DISCOLORING\*

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Issue date: 08/06/2018

Revision date: 03/14/2024

Supersedes: 08/06/2019

Version: 1.3

### SECTION 1: Identification

#### 1.1. Product identifier

Product form : Mixture  
Product name : OIL, VANILLA NON-DISCOLORING\*  
CAS-No. : N/A  
Product code : 90-2756-29  
Product group : Trade product

#### 1.2. Recommended use and restrictions on use

#### 1.3. Supplier

The Lebermuth Company  
4004 Technology Drive  
46628 South Bend, IN - United States  
T 574-259-7000 - F 574-258-7450  
[info@lebermuth.com](mailto:info@lebermuth.com) - [www.lebermuth.com](http://www.lebermuth.com)

#### 1.4. Emergency telephone number

Emergency number : CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300  
CCN 13010

### SECTION 2: Hazard identification

#### 2.1. Classification of the substance or mixture

##### Classification (GHS CA)

Skin sensitization, H317  
Category 1

Full text of H statements : see section 16

#### 2.2. GHS Label elements, including precautionary statements

##### GHS CA labeling

Hazard pictograms (GHS CA) :



Signal word (GHS CA) : Warning

Hazard statements (GHS CA) : H317 - May cause an allergic skin reaction

Precautionary statements (GHS CA) : P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.  
P272 - Contaminated work clothing should not be allowed out of the workplace.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P302+P352 - IF ON SKIN: Wash with plenty of water.  
P321 - Specific treatment (see supplemental first aid instruction on this label).  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.  
P362+P364 - Take off contaminated clothing and wash it before reuse.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity (GHS CA)

No data available

### SECTION 3: Composition/Information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

# OIL, VANILLA NON-DISCOLORING\*

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS CA)
COUMARIN		(CAS-No.) 91-64-5	10 – 25	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Skin Sens. 1B, H317
p-Anisyl acetate		(CAS-No.) 104-21-2	1 – 5	Skin Sens. 1B, H317
PIPERONAL	1,3-Benzodioxole-5-carboxaldehyde / 3,4-(methylenedioxy)benzaldehyde / 3,4-benzodioxole-5-carboxaldehyde / 3,4-dihydroxybenzaldehydemethyleneket al / 3,4-dimethylenedioxybenzaldehyde / 3,4-methylene-dihydroxybenzaldehyde / 3,4-methylenedioxybenzaldehyde / 5-formyl-1,3-benzodioxole / benzaldehyde, 3,4-(methylenedioxy)- / dioxymethylene-protocatechuic aldehyde / FEMA No 2911 / geliotropin / heliotropin / piperonal / piperonaldehyde / piperonyl aldehyde / protocatechuic aldehyde methylene ether	(CAS-No.) 120-57-0	1 – 5	Skin Sens. 1B, H317
ETHYL MALTOL	2-ethyl pyromeconic acid / 2-ethyl-3-hydroxy-4H-pyran-4-one / 3-hydroxy-2-ethyl-4-pyrone / 4H-pyran-4-one, 2-ethyl-3-hydroxy- / ethyl maltol / veltol plus	(CAS-No.) 4940-11-8	1 – 5	Acute Tox. 4 (Oral), H302
ETHYL VANILLIN		(CAS-No.) 121-32-4	1 – 5	Eye Irrit. 2B, H320
GERANYL ACETATE	2,6-dimethyl-2,6-octadien-8-yl ethanoate, trans- / 2,6-dimethyl-2,6-octadiene-8-yl acetate, trans / 2,6-Octadien-1-ol, 3,7-dimethyl-, acetate, (E)- / 2,6-octadien-1-ol, 3,7-dimethyl-, acetate, trans- / 3,7-dimethyl-2,6-octadien-1-ol, acetate, trans- / 3,7-dimethyl-2,6-octadien-1-yl acetate,trans / 3,7-dimethyl-2,6-octadienyl acetate, trans- / 3,7-dimethyl-2-trans, 6-octadienyl acetate / 3,7-dimethylocta-2,6-dien-1-yl-acetate, trans / 3,7-dimethyl-trans-2,6-octadien-1-yl-acetate, mixture of isomers / acetic acid, geraniol ester, trans / bay pine (oyster) oil, trans / beta-geranyl acetate / FEMA number 2509 / geraniol acetate, trans / geranyl acetate / geranyl acetate, trans- / geranyl ethanoate, trans / trans-, geranyl ethanoate / trans-2,6-dimethyl-2,6-octadien-8-yl ethanoate / trans-3,7-dimethyl-2,6-octadien-1-ol, acetate / trans-3,7-dimethyl-2,6-octadien-1-yl acetate / trans-3,7-dimethyl-2,6-octadienyl acetate / trans-3,7-dimethylocta-2,6-dien-1-yl-acetate	(CAS-No.) 105-87-3	1 – 5	Skin Irrit. 2, H315 Skin Sens. 1B, H317
ETHYL METHYLPHENYLGLYCIDATE		(CAS-No.) 77-83-8	1 – 5	Skin Sens. 1B, H317

Full text of hazard classes and H-statements : see section 16

### SECTION 4: First-aid measures

#### 4.1. Description of first aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
- First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
- First-aid measures after eye contact : Rinse eyes with water as a precaution.
- First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

#### 4.2. Most important symptoms and effects (acute and delayed)

- Symptoms/effects after skin contact : May cause an allergic skin reaction.

#### 4.3. Immediate medical attention and special treatment, if necessary

- Other medical advice or treatment : Treat symptomatically.

# OIL, VANILLA NON-DISCOLORING\*

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

### SECTION 5: Fire-fighting measures

#### 5.1. Suitable extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

#### 5.2. Unsuitable extinguishing media

#### 5.3. Specific hazards arising from the hazardous product

#### 5.4. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

#### 6.2. Methods and materials for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Wear personal protective equipment.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

#### 8.3. Individual protection measures/Personal protective equipment

##### Hand protection:

Protective gloves

##### Eye protection:

Safety glasses

##### Skin and body protection:

Wear suitable protective clothing

##### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### Personal protective equipment symbol(s):



### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

# OIL, VANILLA NON-DISCOLORING\*

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Appearance	: No data available
Color	: COLORLESS TO YELLOW
Odor	: CHARACTERISTIC, MATCHING THE RETAINER SAMPLE.
Odor threshold	: No data available
pH	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 132 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapor pressure	: No data available
Vapor pressure at 50°C	: No data available
Relative density	: 0.924 (0.914 – 0.934)
Solubility	: Insoluble.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Explosion limits	: No data available

### 9.2. Other information

Refractive index : 1.462 (1.452 – 1.472)

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: None under recommended storage and handling conditions (see section 7).
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

COUMARIN CRYSTALS (91-64-5)	
LD50 oral rat	293 mg/kg body weight Animal: rat, Guideline: other:
LD50 oral	290 mg/kg body weight
LD50 dermal rat	293 mg/kg body weight Animal: rat, Guideline: other:
ATE CA (oral)	290 mg/kg body weight
ATE CA (Dermal)	293 mg/kg body weight
HELIOTROPINE CRYSTALS (120-57-0)	
LD50 oral rat	2700 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other:, 95% CL: 2350 - 3100
LD50 oral	2700 mg/kg body weight
LD50 dermal rat	> 5000 mg/kg body weight Animal: rat, Guideline: other:, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:
ATE CA (oral)	2700 mg/kg body weight
VELTOL PLUS (4940-11-8)	
LD50 oral rat	1220 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Experimental value, Oral)
LD50 oral	1200 mg/kg body weight
LD50 dermal rabbit	> 5000 mg/kg body weight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: no indication of skin irritation up to the relevant limit dose level
ATE CA (oral)	1200 mg/kg body weight

# OIL, VANILLA NON-DISCOLORING\*

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

ETHYL VANILLIN NF (121-32-4)	
LD50 oral rat	> 3160 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other:
LD50 oral	3000 mg/kg body weight
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
ATE CA (oral)	3000 mg/kg body weight

GERANYL ACETATE PRIME (105-87-3)	
LD50 oral rat	6300 mg/kg (Rat, Oral)
ATE CA (oral)	6300 mg/kg body weight

Skin corrosion/irritation : Not classified  
Serious eye damage/irritation : Not classified  
Respiratory or skin sensitization : May cause an allergic skin reaction.  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

: Not classified

STOT-repeated exposure

COUMARIN CRYSTALS (91-64-5)	
NOAEL (subchronic,oral,animal/female,90 days)	> 138.3 mg/kg body weight Animal: mouse, Animal sex: female

HELIOTROPINE CRYSTALS (120-57-0)	
NOAEL (oral, rat, 90 days)	300 mg/kg body weight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test), Guideline: other:

VELTOL PLUS (4940-11-8)	
NOAEL (oral, rat, 90 days)	≥ 200 mg/kg body weight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)

GERANYL ACETATE PRIME (105-87-3)	
NOAEL (oral, rat, 90 days)	2000 mg/kg body weight Animal: rat, Guideline: other:

Aspiration hazard : Not classified

Symptoms/effects after skin contact : May cause an allergic skin reaction.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

COUMARIN CRYSTALS (91-64-5)	
LC50 - Fish [1]	2.94 mg/l Test organisms (species):
LC50 - Fish [2]	1324 mg/l Test organisms (species):
EC50 - Crustacea [1]	8012 mg/l Test organisms (species): Daphnia sp.
EC50 96h - Algae [1]	1452 mg/l Test organisms (species):
NOEC chronic fish	0.191 mg/l Test organisms (species): Duration: '30 d'
NOEC (chronic)	0.5 mg/l Test organisms (species): Duration: '21 d'

HELIOTROPINE CRYSTALS (120-57-0)	
LC50 - Fish [1]	2.5 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio, Static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	52 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Nominal concentration)

# OIL, VANILLA NON-DISCOLORING\*

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

<b>HELIOTROPINE CRYSTALS (120-57-0)</b>	
ErC50 algae	31 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
EC50 72h - Algae [1]	31 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	6.8 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
Partition coefficient n-octanol/water (Log Pow)	1.2 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 35 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.1 (log Koc, Calculated value)

<b>VELTOL PLUS (4940-11-8)</b>	
LC50 - Fish [1]	> 85 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value)
EC50 - Crustacea [1]	27 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)
ErC50 algae	7.2 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
EC50 72h - Algae [1]	7.2 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
Partition coefficient n-octanol/water (Log Pow)	2.9 (Practical experience/observation, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)

<b>ETHYL VANILLIN NF (121-32-4)</b>	
LC50 - Fish [1]	87.6 mg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	26.2 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
NOEC (chronic)	5.9 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
LOEC (chronic)	10 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

<b>GERANYL ACETATE PRIME (105-87-3)</b>	
LC50 - Fish [1]	68.12 mg/l (DIN 38412: German standard methods for the examination of water, waste water and sludge, 96 h, Leuciscus idus, Static system, Fresh water, Read-across)
EC50 - Crustacea [1]	14.1 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
EC50 72h - Algae [1]	3.72 mg/l (OECD 201: Alga, Growth Inhibition Test, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP)
BCF - Other aquatic organisms [1]	1500 (Estimated value)
Partition coefficient n-octanol/water (Log Pow)	4.04 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.06 (log Koc, SRC PCKOCWIN v2.0, Calculated value)

### 12.2. Persistence and degradability

<b>HELIOTROPINE CRYSTALS (120-57-0)</b>	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.
ThOD	1.71 g O <sub>2</sub> /g substance

<b>VELTOL PLUS (4940-11-8)</b>	
Persistence and degradability	Readily biodegradable in water.

<b>GERANYL ACETATE PRIME (105-87-3)</b>	
Persistence and degradability	Readily biodegradable in water.
ThOD	2.6 g O <sub>2</sub> /g substance

### 12.3. Bioaccumulative potential

<b>HELIOTROPINE CRYSTALS (120-57-0)</b>	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
Partition coefficient n-octanol/water (Log Pow)	1.2 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 35 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.1 (log Koc, Calculated value)

<b>VELTOL PLUS (4940-11-8)</b>	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
Partition coefficient n-octanol/water (Log Pow)	2.9 (Practical experience/observation, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)

# OIL, VANILLA NON-DISCOLORING\*

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

<b>GERANYL ACETATE PRIME (105-87-3)</b>	
Bioaccumulative potential	Potential for bioaccumulation ( $4 \leq \text{Log Kow} \leq 5$ ).
BCF - Other aquatic organisms [1]	1500 (Estimated value)
Partition coefficient n-octanol/water (Log Pow)	4.04 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.06 (log Koc, SRC PCKOCWIN v2.0, Calculated value)

### 12.4. Mobility in soil

<b>HELIOTROPINE CRYSTALS (120-57-0)</b>	
Ecology - soil	Highly mobile in soil.
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.1 (log Koc, Calculated value)
Partition coefficient n-octanol/water (Log Pow)	1.2 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 35 °C)

<b>VELTOL PLUS (4940-11-8)</b>	
Ecology - soil	No (test)data on mobility of the substance available.
Partition coefficient n-octanol/water (Log Pow)	2.9 (Practical experience/observation, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)

<b>GERANYL ACETATE PRIME (105-87-3)</b>	
Ecology - soil	Low potential for mobility in soil.
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.06 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Partition coefficient n-octanol/water (Log Pow)	4.04 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)

### 12.5. Other adverse effects

Ozone : Not classified

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## SECTION 14: Transport information

### 14.1. Basic shipping description

In accordance with TDG

#### Transportation of Dangerous Goods

Not regulated for transport

### 14.2. Transport information/DOT

#### Department of Transport

Not regulated for transport

### 14.3. Air and sea transport

#### IMDG

Not regulated for transport

#### IATA

Not regulated for transport

## SECTION 15: Regulatory information

### 15.1. National regulations

<b>COUMARIN CRYSTALS (91-64-5)</b>
Listed on the Canadian DSL (Domestic Substances List)
<b>HELIOTROPINE CRYSTALS (120-57-0)</b>
Listed on the Canadian DSL (Domestic Substances List)
<b>VELTOL PLUS (4940-11-8)</b>
Listed on the Canadian DSL (Domestic Substances List)
<b>ETHYL VANILLIN NF (121-32-4)</b>
Listed on the Canadian DSL (Domestic Substances List)

# OIL, VANILLA NON-DISCOLORING\*

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

### ethyl methylphenylglycidate (77-83-8)

Listed on the Canadian DSL (Domestic Substances List)

### ANISYL ACETATE (104-21-2)

Listed on the Canadian DSL (Domestic Substances List)

### GERANYL ACETATE PRIME (105-87-3)

Listed on the Canadian DSL (Domestic Substances List)

## 15.2. International regulations

### COUMARIN CRYSTALS (91-64-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### HELIOTROPINE CRYSTALS (120-57-0)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

### VELTOL PLUS (4940-11-8)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

### ETHYL VANILLIN NF (121-32-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### ANISYL ACETATE (104-21-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### GERANYL ACETATE PRIME (105-87-3)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

## SECTION 16: Other information

SDS Major/Minor : None  
Issue date : 08/06/2018  
Revision date : 03/14/2024  
Supersedes : 08/06/2019

Full text of H-phrases:

H301	Toxic if swallowed
H302	Harmful if swallowed
H311	Toxic in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H320	Causes eye irritation

SDS Canada (GHS) - Lebermuth

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*