

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 09/11/2020 Revision date: 05/02/2024 Supersedes: 11/28/2022

SECTION 1: Identification Identification 1.1. Product form : Mixture Product name **OIL, OCEAN BREEZE*** CAS-No. N/A Product code 90-3044-24 1.2. Recommended use and restrictions on use 1.3. **Supplier** The Lebermuth Company 4004 Technology Drive South Bend, IN 46628 - United States T 574-259-7000 - F 574-258-7450 info@lebermuth.com - www.lebermuth.com 1.4. **Emergency telephone number** Emergency number : CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 CCN 13010 SECTION 2: Hazard(s) identification 2.1. **Classification of the substance or mixture GHS US classification** Skin corrosion/irritation Category 2 Causes skin irritation Causes serious eye irritation Serious eye damage/eye irritation Category 2A Skin sensitization, Category 1 May cause an allergic skin reaction Suspected of damaging fertility or the unborn child Reproductive toxicity Category 2 Specific target organ toxicity (repeated exposure) May cause damage to organs through prolonged or repeated exposure Category 2 GHS Label elements, including precautionary statements 2.2. **GHS US labeling** Hazard pictograms (GHS US) GHS07 GHS08 Signal word (GHS US) : Warning Hazard statements (GHS US) Causes skin irritation May cause an allergic skin reaction Causes serious eye irritation Suspected of damaging fertility or the unborn child May cause damage to organs through prolonged or repeated exposure Obtain special instructions before use. Precautionary statements (GHS US) Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands, forearms and face thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If on skin: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Get medical advice/attention if you feel unwell. Specific treatment (see supplemental first aid instruction on this label). If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention.

Version: 1.5

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
LINALOOL	(CAS-No.) 78-70-6	5 – 10	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317
PHENYLETHYL ALCOHOL	(CAS-No.) 60-12-8	1 – 5	Acute Tox. 4 (Oral), H302 Eye Irrit. 2A, H319
DIHYDROMYRCENOL	(CAS-No.) 18479-58-8	1 – 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES	(CAS-No.) 54464-57-2	1 – 5	Skin Irrit. 2, H315 Skin Sens. 1B, H317
α-Methyl-1,3-benzodioxole-5-propionaldehyde	(CAS-No.) 1205-17-0	1 – 5	Skin Sens. 1B, H317 Repr. 2, H361
ALPHA HEXYLCINNAMALDEHYDE	(CAS-No.) 101-86-0	1 – 5	Skin Sens. 1B, H317
2-Methyl-3-(p-isopropylphenyl)propionaldehyde	(CAS-No.) 103-95-7	1 – 5	Skin Irrit. 2, H315 Skin Sens. 1B, H317
2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol	(CAS-No.) 63500-71-0	1 – 5	Eye Irrit. 2A, H319
METHYL GAMMA-IONONE	(CAS-No.) 127-51-5	1 – 5	Skin Sens. 1B, H317 STOT RE 2, H373
HYDROXYCITRONELLAL	(CAS-No.) 107-75-5	1 – 5	Eye Irrit. 2A, H319 Skin Sens. 1B, H317
NEROL	(CAS-No.) 106-25-2	1 – 5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317
DL-CITRONELLOL	(CAS-No.) 106-22-9	1 – 5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317
p-Methylanisole	(CAS-No.) 104-93-8	0.1 – 1	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Inhalation:vapour), H331 Skin Irrit. 2, H315 Repr. 2, H361

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.
4.2. Most important symptoms and effects	s (acute and delayed)
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.

OIL, OCEAN BREEZE* Safety Data Sheet

Treat symptomatically. SECTION 5: Fire-fighting measures 5.1. Suitable (and unsuitable) exinguishing media Suitable exinguishing media : Water spray. Dry powder, Foam. Carbon dioxide. Unsuitable exinguishing media : Do not use a heavy water stream. 5.2. Special chazards arising from the chemical Fire hazard : No fire hazard. Explosion hazard : No fire form safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. Special protective equipment and precautions for fire-fighters : Do not attempt to take action without suitable protective equipment. Scholing respiratory protective. Sectivity : Do not attempt to take action without suitable protective equipment. Self-contained breathing appratus. Complexity exploredon. Sectivity : Do not attempt to take action without suitable protective equipment. Self-contained breathing appratus. Sectivity : Wear recommended personal proceutive equipment. Self-protective equipment. 6.1.1. For non-emergency presonnel : Wear recommended personal protective equipment. For further information refer to section 3: "Explosure controls/personal procection". 6.1.2. For emergency responders : Evacuate unnecessary personnel. Stop leak if safe to do so. Frotective equipment :	Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
4.3. Immediato medical attention and special treatment, if necessary Treat symptomalically. SECTION 5: Fire-fighting measures 5.1. Suitable extinguishing media Suitable extinguishing media Suitable extinguishing media Extension Suitable extinguishing media Suitable extinguishing media Extension Suitable extinguishing media Extension Suitable extinguishing media Extension Suitable extinguishing media Extension Suitable extinguishing media Explosion hazard		
Treat symptomatically. SECTION 5: Fire-fighting measures 5.1. Suitable (and unsuitable) exinguishing media Suitable exinguishing media : Water spray. Dry powder, Foam. Carbon dioxide. Unsuitable exinguishing media : Do not use a heavy water stream. 5.2. Special chazards arising from the chemical Fire hazard : No fire hazard. Explosion hazard : No fire form safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. Special protective equipment and precautions for fire-fighters : Do not attempt to take action without suitable protective equipment. Scholing respiratory protective. Sectivity : Do not attempt to take action without suitable protective equipment. Self-contained breathing appratus. Complexity exploredon. Sectivity : Do not attempt to take action without suitable protective equipment. Self-contained breathing appratus. Sectivity : Wear recommended personal proceutive equipment. Self-protective equipment. 6.1.1. For non-emergency presonnel : Wear recommended personal protective equipment. For further information refer to section 3: "Explosure controls/personal procection". 6.1.2. For emergency responders : Evacuate unnecessary personnel. Stop leak if safe to do so. Frotective equipment :		
Section 5: Fire-fighting media Suitable (and unsuitable) extinguishing media 5.1 Suitable (and unsuitable) extinguishing media : Do not use a heavy water stream. 5.2 Specific hazards arising from the chemical Fire hazard : No fire hazard. Explosion hazard : No fire hazard. Explosion hazard : No fire hazard. Explosion fazard : No fire hazard. Explosion fazard : No fire fazard. Firefighting instructions : Fight fire from safe distance and protective outpment. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. SECTION 6: Accidental release measures : Stop leak if safe to do so. Notify authorities if product enters severs or public waters. Absort spillage to prevent material-damage. 6.1. For non-amergency personnel : Wear recommended personal protective equipment. Protective equipment : Wear recommended personal protective equipment. For further information refer to section 8 : "Exposure controls/personal protective equipment. Protective equipment : Wear recommended personal protective equipment. For further information refer to section 8 : "Exposure controls/personal protective equipment. For further information refer to section 8 : "Exposure controls/personal protective equipment. For further information refer to section 8 : "Exposure controls/personal protective equipment.		special treatment, if necessary
Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide. Unsuitable extinguishing media : Do not use a heavy water stream. 5.2 Specific hazards arising from the chemical Fire hazard : No fire hazard. Reactivity : The product is non-reactive under normal conditions of use, storage and transport. 5.3 Specific hazards : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective coluting. SECTION 6: Accidential release measures : Stop leak if safe to do so. Notify authorities if product enters severs or public waters. Absort spillage to prevent material-damage. 6.1.1. For non-emergency personnel : Wear recommended personal protective equipment. Protective equipment : Wear recommended personal protective equipment. Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so. For containment and eyes. 6.1.2. For emergency responders Protective equipment : Woar recommended personal protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Emergency procedures : Evacuate unnecessary personnel. Stop lea	Treat symptomatically.	
Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide. Unsuitable extinguishing media : Do not use a heavy water stream. 5.2 Specific hazards arising from the chemical Fire hazard : No fire hazard. Reactivity : The product is non-reactive under normal conditions of use, storage and transport. 5.3 Specific hazards : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective coluting. SECTION 6: Accidential release measures : Stop leak if safe to do so. Notify authorities if product enters severs or public waters. Absort spillage to prevent material-damage. 6.1.1. For non-emergency personnel : Wear recommended personal protective equipment. Protective equipment : Wear recommended personal protective equipment. Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so. For containment and eyes. 6.1.2. For emergency responders Protective equipment : Woar recommended personal protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Emergency procedures : Evacuate unnecessary personnel. Stop lea	SECTION 5: Fire-fighting measure	es
Unsuitable extinguishing media : Do not use a heavy water stream. 5.2. Specific hazards arising from the chemical Fire hazard : No fire hazard. Explosion hazard : No fire reactive under normal conditions of use, storage and transport. 5.3. Specific hazards arising from the chemical Fieldphting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment. Including respiratory protection. Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective equipment. Self-contained breathing apparatus. Complete protective equipment. Self-contained breathing apparatus. Complete protective equipment. SECTION 5: Accidental releases measures : Stop leak if safe to do so. Notify authonties if product enters sewers or public waters. Absort spillage to prevent material-damage. 6.1.1. For non-emergency personnel : Wear recommended personal protective equipment. Protective equipment : Wear recommended personal protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Emergency procedures : Ventilate spillage area. Do not breathe dust/fume/gas/misit/vapors/spray. Avoid contact with self-containent procedures 6.1.1. For emergency responders : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure con	, ,	
5.2. Specific hazards arising from the chemical Fire hazard No fire hazard. Explosion hazard No direct explosion hazard. Reactivity The product is non-reactive under normal conditions of use, storage and transport. 5.3. Special protective equipment and precautions for fire-fighters Firefighting instructions Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment. Including respiratory protection. Protection during firefighting Do not attempt to take action without suitable protective equipment. Self-contained breathing aparatus. Complete protective equipment. SECTION 6: Accidental release measures Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absort spillage to prevent material-damage. 6.1.1. For non-emergency personnel Protective equipment Wear recommended personal protective equipment. Evolution waters. Absort spillage to prevent material-damage. 6.1.2. For emergency responders Protective equipment Wear recommended personal protective equipment. For further information refer to section %: "Exposure controls/personal protection". Emergency procedures E Vacuate unnecessary personnel. Stop leak if safe to do so. 6.2. Environmental procautions 6.3. Methods and material for containment and cleanin		
Fire hazard : No fire hazard, Explosion hazard : No direct explosion hazard, Reactivity : The product is non-reactive under normal conditions of use, storage and transport. 5.3. Special protective equipment and precations for fire-fighters Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing aparatus. Complete protective clothing. SECTION 6: Accidental release measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absort spillage to prevent material-damage. 6.1.1. For non-emergency personnel : Wear recommended personal protective equipment. Protective equipment : Wear recommended personal protective equipment. For further information refer to section 8: "Exposure controls/personal protection". 6.1.2. For emergency responders : Evacuate unnecessary personnel. Stop leak if safe to do so. 6.2. Environmental precautions : Evacuate unnecessary personnel. Stop leak if safe to do so. 6.3. Methods and material for containment and cleaning up : Take up liquid spill into absorbert material. Notify authorities if product enters severs or public waters in your waters. 6.4. Reference to other sections : Dispose	Unsuitable extinguishing media	: Do not use a heavy water stream.
Explosion hazard : No direct explosion hazard. Reactivity : The product is non-reactive under normal conditions of use, storage and transport. 5.3. Special protective equipment and precautions for fine-fighters Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protective. Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. SECTION 6: Accidental release measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absort splilage to prevent material-damage. 6.1.1. For non-emergency personnel Protective equipment : Wear recommended personal protective equipment. Energency procedures : Ventilate splilage area. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. 6.1.2. For emergency responders Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to dos os. 6.2. Environmental precautions Avoid release to the environment. : Absort spliled ration and with sind s		
Reactivity : The product is non-reactive under normal conditions of use, storage and transport. 5.3. Special protective equipment and precautions for fire-fighters Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective equipment. Self-contained breathing apparatus. Complete protective equipment. Self-contained breathing apparatus. SECTION 6: Accidental release measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absort spillage to prevent material-damage. 61.1. For non-emergency personnel Protective equipment. Protective equipment : Wear recommended personal protective equipment. For further information refer to section 8: "Exposure control/spersonal protection". 6.1.2. For emergency responders : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure control/spersonal protection". 6.2. Environmental precautions : Evacuate unnecessary personnel. Stop leak if safe to do so. 6.3. Methods and material for containment and cleaning up autor into severes. Stop leak, if possible without is subor by into severes. Stop leak, if possible without is safe or prevent migration and entry into severes or streams. Stop		
5.3. Special protective equipment and precautions for fire-fighters Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment. Including respiratory protection. Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. SECTION 6: Accidental release measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absort spillage to prevent material-damage. 6.1. For non-emergency personnel Protective equipment : Wear recommended personal protective equipment. Emergency procedures : Ventilate spillage area. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. 6.1. For emergency responders Protective equipment : Ventilate spillage area. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. 6.1.2. For emergency responders Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so. 6.2. Environmental precautions Avoid release to the environment. : Absorb spilled material	•	•
Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protective. Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing aparatus. Complete protective clothing. SECTION 6: Accidental release measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absort spillage to prevent material-damage. 6.1.1. For non-emergency personnel : Wear recommended personal protective equipment. Protective equipment : Wear recommended personal protective equipment. 6.1.2. For emergency responders : Ventilate spillage area. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. 6.1.3. For emergency responders : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so. 6.2. Environmental procautions : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk. 6.3. Methods and material for containment and cleaning up : Take up liquid spill with ashor or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk. <tr< td=""><td>Reactivity</td><td>: The product is non-reactive under normal conditions of use, storage and transport.</td></tr<>	Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Protective equipment, including respiratory protection. Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective ciothing. SECTION 6: Accidental release measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absort spillage to prevent material-damage. 6.1. For non-emergency personnel Protective equipment : Wear recommended personal protective equipment. Protective equipment : Wear recommended personal protective equipment. : Ventilate spillage area. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. 6.1.1. For emergency responders : Ventilate spillage area. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. 6.1.2. For emergency responders : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so. 6.2. Environmental precautions : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk. For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk.	5.3. Special protective equipment an	d precautions for fire-fighters
apparatus. Complete protective clothing. SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures General measures Stop leak if safe to do so. Nolify authorities if product enters sewers or public waters. Absort spillage to prevent material-damage. 6.1.1. For non-emergency personnel Protective equipment Protective equipment Wear recommended personal protective equipment. Emergency procedures Ventilate spillage area. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. 6.1.2. For emergency responders Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Ermergency procedures Evacuate unnecessary personnel. Stop leak if safe to do so. 6.2. Environment1 Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into severs or streams. Stop leak, if possible without risk. Methods for cleaning up Take up liquid spill into absorbent material. Notify authorities if product enters severs or pub waters. Cother information Dispose of materials or solid residues at an authorized site. 6.4. Reforence to other section 3. SECTION 7: Handling and storage 7.1. Precautions for safe handling Not expected to present a significant hazard under anticipated conditions	Firefighting instructions	protective equipment, including respiratory protection.
6.1. Personal precautions, protective equipment and emergency procedures General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absort spillage to prevent material-damage. 6.1.1. For non-emergency personnel Protective equipment Protective equipment : Wear recommended personal protective equipment. Emergency procedures : Ventilate spillage area. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. 6.1.2. For emergency responders Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so. 6.2. Environmental precautions Avoid release to the environment. 6.3. Methods and material for containment and cleaning up For containment For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into severs or streams. Stop leak, if possible without risk. Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or pub waters. 6.4. Reference to other sections : Dispose of materials or solid residues at an authorized site. 6.4. Reference to other sections 13. SECTION 7: Handling and storage <td>Protection during firefighting</td> <td></td>	Protection during firefighting	
General measures Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absort spillage to prevent material-damage. 6.1.1. For non-emergency personnel Protective equipment : Wear recommended personal protective equipment. Emergency procedures : Ventilate spillage area. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. 6.1.2. For emergency responders Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so. 6.2. Environmental precautions Avoid release to the environment. - 6.3. Methods and material for containment and cleaning up For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk. Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or pub waters. Other information : Dispose of materials or solid residues at an authorized site. 6.4. Reference to other sections For further information refer to section 13. SECTION 7: Handling a	SECTION 6: Accidental release m	easures
6.1.1. For non-emergency personnel Protective equipment : Wear recommended personal protective equipment. Emergency procedures : Ventilate spillage area. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. 6.1.2. For emergency responders Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so. 6.2. Environmental precautions Avoid release to the environment. 6.3. Methods and material for containment and cleaning up . For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk. Methods for cleaning up : Dispose of materials or solid residues at an authorized site. 6.4. Reference to other sections . For further information refer to section 13. . SECTION 7: Handling and storage : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Not expected to present a significant hazard under anticipated conditions ported use equipment. Do not breathe dust/fume/gas/mis/vapors/spray. Avoid contact with skin and eye Hygiene measures	6.1. Personal precautions, protective	equipment and emergency procedures
Protective equipment : Wear recommended personal protective equipment. Emergency procedures : Ventilate spillage area. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. 6.1.2. For emergency responders : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so. 6.2. Environmental precautions Avoid release to the environment. 6.3. Methods and material for containment and cleaning up : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk. Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or pub waters. Other information : Dispose of materials or solid residues at an authorized site. 6.4. Reference to other sections : Stop tesent a significant hazard under anticipated conditions of normal use. SteCTION 7: Handling and storage : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid con	General measures	: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.
Protective equipment : Wear recommended personal protective equipment. Emergency procedures : Ventilate spillage area. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. 6.1.2. For emergency responders : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so. 6.2. Environmental precautions Avoid release to the environment. 6.3. Methods and material for containment and cleaning up : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk. Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or pub waters. Other information : Dispose of materials or solid residues at an authorized site. 6.4. Reference to other sections : Stop easte handling For further information refer to section 13. : Stepted to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have	6.1.1. For non-emergency personnel	
Emergency procedures : Ventilate spillage area. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. 6.1.2. For emergency responders : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so. 6.2. Environmental precautions Avoid release to the environment. 6.3. Methods and material for containment and cleaning up : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk. Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or pub waters. Other information : Dispose of materials or solid residues at an authorized site. 6.4. Reference to other sections For further information refer to section 13. SECTION 7: Handling and storage : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Not expected to present a significant hazard under and understood. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes Yiepiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowe		: Wear recommended personal protective equipment.
Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so. 6.2. Environmental precautions Avoid release to the environment. 6.3. 6.3. Methods and material for containment and cleaning up For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk. Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or pub waters. Other information : Dispose of materials or solid residues at an authorized site. 6.4. Reference to other sections For further information refer to section 13. SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Do not breathe dust/tume/gas/mist/vapors/spray. Avoid contact with skin and equipment. Do not breathe dust/tume/gas/		: Ventilate spillage area. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with
Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so. 6.2. Environmental precautions Avoid release to the environment. 6.3. 6.3. Methods and material for containment and cleaning up For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk. Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or pub waters. Other information : Dispose of materials or solid residues at an authorized site. 6.4. Reference to other sections For further information refer to section 13. SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Do not breathe dust/tume/gas/mist/vapors/spray. Avoid contact with skin and equipment. Do not breathe dust/tume/gas/	6.1.2 For emergency responders	
Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so. 6.2. Environmental precautions Avoid release to the environment. 6.3. 6.3. Methods and material for containment and cleaning up For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk. Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or pub waters. Other information : Dispose of materials or solid residues at an authorized site. 6.4. Reference to other sections For further information refer to section 13. SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Not expected to present a significant hazard under anticipated conditions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eye Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowe		
Avoid release to the environment. 6.3. Methods and material for containment and cleaning up For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk. Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or pub waters. Other information : Dispose of materials or solid residues at an authorized site. 6.4. Reference to other sections For further information refer to section 13. SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eye Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowe	Emergency procedures	
Avoid release to the environment. 6.3. Methods and material for containment and cleaning up For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk. Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or pub waters. Other information : Dispose of materials or solid residues at an authorized site. 6.4. Reference to other sections For further information refer to section 13. SECTION 7: Handling and Storage 7.1. Precautions for safe handling Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Do not breathe dust/furme/gas/mist/vapors/spray. Avoid contact with skin and eye Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed	6.2. Environmental precautions	
For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk. Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or pub waters. Other information : Dispose of materials or solid residues at an authorized site. 6.4. Reference to other sections : Dispose of materials or solid residues at an authorized site. For further information refer to section 13. : SECTION 7: Handling and storage 7.1. Precautions for safe handling : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eye : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowe		
For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk. Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or pub waters. Other information : Dispose of materials or solid residues at an authorized site. 6.4. Reference to other sections : Dispose of materials or solid residues at an authorized site. For further information refer to section 13. : SECTION 7: Handling and storage 7.1. Precautions for safe handling : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eye : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowe	6.3 Methods and material for contain	ment and cleaning up
Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or pub waters. Other information : Dispose of materials or solid residues at an authorized site. 6.4. Reference to other sections : Dispose of materials or solid residues at an authorized site. For further information refer to section 13. : SECTION 7: Handling and storage 7.1. Precautions for safe handling : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eye : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowe		: Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to
6.4. Reference to other sections For further information refer to section 13. SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eye to work clothing should not be allowe Hygiene measures	Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public
For further information refer to section 13. SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eye Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowe	Other information	: Dispose of materials or solid residues at an authorized site.
SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eye to work clothing should not be allowe	6.4. Reference to other sections	
7.1. Precautions for safe handling Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eye : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed	For further information refer to section 13.	
7.1. Precautions for safe handling Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eye : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed	SECTION 7: Handling and storage	e
Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eye Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowe		
handle until all safety precautions have been read and understood. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eye Hygiene measures Wash contaminated clothing before reuse. Contaminated work clothing should not be allowe	· · · · · · · · · · · · · · · · · · ·	: Not expected to present a significant hazard under anticipated conditions of normal use.
Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowe	Precautions for safe handling	handle until all safety precautions have been read and understood. Wear personal protective
after handling the product.	Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Storage conditions

: Store locked up.

Packaging materials

: Store always product in container of same material as original container.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

IL, OCEAN BREEZE* (N/A)
o additional information available
LPHA HEXYLCINNAMALDEHYDE (101-86-0)
o additional information available
-Methyl-3-(p-isopropylphenyl)propionaldehyde (103-95-7)
o additional information available
IHYDROMYRCENOL (18479-58-8)
o additional information available
-lsobutyl-4-methyltetrahydro-2H-pyran-4-ol (63500-71-0)
o additional information available
-Methyl-1,3-benzodioxole-5-propionaldehyde (1205-17-0)
o additional information available
INALOOL (78-70-6)
o additional information available
IETHYL GAMMA-IONONE (127-51-5)
o additional information available
-Methylanisole (104-93-8)
o additional information available
EROL (106-25-2)
o additional information available
HENYLETHYL ALCOHOL (60-12-8)
o additional information available
L-CITRONELLOL (106-22-9)
o additional information available
ETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES (54464-57-2)
o additional information available
YDROXYCITRONELLAL (107-75-5)
o additional information available

8.2. Appropriate engineering controls

: Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Appropriate engineering controls

Wear recommended personal protective equipment.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

[In case of inadequate ventilation] wear respiratory protection.



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Color	: COLORLESS TO YELLOW
Odor	: CHARACTERISTIC, MATCHING RETAINER SAMPLE
Odor threshold	: No data available
рН	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 98 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: 0.936 (0.926 – 0.946)
Solubility	: Insoluble.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	
Refractive index	· 1 469 (1 459 – 1 479)

Refractive index

: 1.469 (1.459 – 1.479)

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 11: Toxicological information	ation
11.1. Information on toxicological effect	ts
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
ALPHA HEXYLCINNAMALDEHYDE (101-8	
ATE US (oral)	3100 mg/kg body weight
2-Methyl-3-(p-isopropylphenyl)propionalde	
LD50 oral rat	3810 mg/kg (Rat, Male / female, Weight of evidence, Oral, 14 day(s))
LD50 dermal rat	> 5000 mg/kg (Rat, Male, Experimental value, Dermal, 14 day(s))
ATE US (oral)	3810 mg/kg body weight
DIHYDROMYRCENOL (18479-58-8)	
ATE US (oral)	3600 mg/kg body weight
α -Methyl-1,3-benzodioxole-5-propionaldeh	ıyde (1205-17-0)
ATE US (oral)	3562 mg/kg body weight
LINALOOL (78-70-6)	
ATE US (oral)	2790 mg/kg body weight
METHYL GAMMA-IONONE (127-51-5)	
LD50 oral rat	> 2000 mg/kg body weight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Remarks on results: other:
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:
p-Methylanisole (104-93-8)	
LD50 oral rat	1920 mg/kg (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 4850 mg/kg (Equivalent or similar to OECD 403, 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 6.1 mg/l (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation, 14 day(s))
ATE US (oral)	1900 mg/kg body weight
ATE US (vapors)	3 mg/l/4h
NEROL (106-25-2)	
LD50 oral rat	4500 mg/kg (Rat, Oral)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit, Dermal)
ATE US (oral)	4500 mg/kg body weight
PHENYLETHYL ALCOHOL (60-12-8)	
LD50 oral rat	1603 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	2535 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 4.63 mg/l (4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s))
ATE US (oral)	500 mg/kg body weight
DL-CITRONELLOL (106-22-9)	
LD50 oral rat	3450 mg/kg (Rat, Inconclusive, insufficient data, Oral)
LD50 dermal rabbit	2650 mg/kg (Rabbit, Inconclusive, insufficient data, Dermal)
ATE US (oral)	3450 mg/kg body weight
ATE US (dermal)	2650 mg/kg body weight
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Serm cell mutagenicity	: Not classified
0,	: Not classified
Carcinogenicity	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Reproductive toxicity	: Suspected of damaging fertility or the unborn child.
STOT-single exposure	: Not classified
STOT-repeated exposure	: May cause damage to organs through prolonged or repeated exposure.
METHYL GAMMA-IONONE (127-51-5)	
NOAEL (oral,rat,90 days)	30 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (dermal,rat/rabbit,90 days)	50 mg/kg body weight Animal: rat, Guideline: other:, Remarks on results: other:
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard Viscosity, kinematic	: Not classified : No data available
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: None under normal conditions.
SECTION 12: Ecological informati	on

12.1. Toxicity

Ecology - general

: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

2-Methyl-3-(p-isopropylphenyl)propionaldehyde (103-95-7)	
LC50 - Fish [1] 1.092 mg/l (96 h, Calculated value)	
EC50 - Crustacea [1]	1.4 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi- static system, Fresh water, Experimental value)
LC50 - Fish [2]	2.49 mg/l Test organisms (species):

METHYL GAMMA-IONONE (127-51-5)		
LC50 - Fish [1]	10.9 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
EC50 - Crustacea [1]	9 mg/l Test organisms (species): Daphnia magna	
p-Methylanisole (104-93-8)		
LC50 - Fish [1]	68.2 mg/l (DIN 38412-15, 96 h, Leuciscus idus, Static system, Fresh water, Experimental value, Lethal)	
EC50 - Crustacea [1]	27 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Flow- through system, Fresh water, Experimental value)	
NEROL (106-25-2)		
LC50 - Fish [1]	20.3 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)	
EC50 - Crustacea [1]	32.4 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)	
ErC50 algae	9.54 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)	
PHENYLETHYL ALCOHOL (60-12-8)		
LC50 - Fish [1]	215 – 464 mg/l (DIN 38412: German standard methods for the examination of water, waste water and sludge, 96 h, Leuciscus idus, Static system, Fresh water, Experimental value, Nominal concentration)	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

PHENYLETHYL ALCOHOL (60-12-8)		
EC50 - Crustacea [1]	287.17 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)	
ErC50 algae	1300 mg/l (DIN 38412: German standard methods for the examination of water, waste water and sludge, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)	
DL-CITRONELLOL (106-22-9)		
LC50 - Fish [1]	14.66 mg/l (DIN 38412-15, 96 h, Leuciscus idus, Static system, Fresh water, Experimental value)	
EC50 - Crustacea [1]	17.48 mg/l (48 h, Daphnia magna, Static system, Fresh water, Experimental value)	

12.2. Persistence and degradability

2-Methyl-3-(p-isopropylphenyl)propionaldeh	yde (103-95-7)
Persistence and degradability	Readily biodegradable in water.
DIHYDROMYRCENOL (18479-58-8)	
Persistence and degradability	Biodegradability in water: no data available.
p-Methylanisole (104-93-8)	
Persistence and degradability	Readily biodegradable in water.
NEROL (106-25-2)	
Persistence and degradability	Readily biodegradable in water.
PHENYLETHYL ALCOHOL (60-12-8)	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.
Biochemical oxygen demand (BOD)	1.45 g O ₂ /g substance
Chemical oxygen demand (COD)	2.5 g O ₂ /g substance
ThOD	2.6 g O ₂ /g substance
DL-CITRONELLOL (106-22-9)	
Persistence and degradability	Readily biodegradable in water.
Chemical oxygen demand (COD)	2.05 g O ₂ /g substance
ThOD	2.961 g O ₂ /g substance

12.3. Bioaccumulative potential

2-Methyl-3-(p-isopropylphenyl)propionaldehy	rde (103-95-7)	
BCF - Fish [1]	155 l/kg (Calculated value)	
Partition coefficient n-octanol/water (Log Pow)	3.4 (Practical experience/observation, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 35 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	
DIHYDROMYRCENOL (18479-58-8)		
Partition coefficient n-octanol/water (Log Pow)	3.47 (Estimated value)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
p-Methylanisole (104-93-8)		
Partition coefficient n-octanol/water (Log Pow)	2.8 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 35 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
NEROL (106-25-2)		
Partition coefficient n-octanol/water (Log Pow)	3.47 (Experimental value)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
PHENYLETHYL ALCOHOL (60-12-8)		
Partition coefficient n-octanol/water (Log Pow)	1.3 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 20 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
DL-CITRONELLOL (106-22-9)		
BCF - Fish [1]	82.59 l/kg (BCFBAF v3.00, Estimated value)	
25/00/20004		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DL-CITRONELLOL (106-22-9)	
Partition coefficient n-octanol/water (Log Pow)	3.41 (Practical experience/observation, EU Method A.8: Partition Coefficient, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

12.4. Mobility in soil

2-Methyl-3-(p-isopropylphenyl)propionalde	shyde (103-95-7)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.05 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
Ecology - soil	Low potential for mobility in soil.
DIHYDROMYRCENOL (18479-58-8)	
Ecology - soil	No (test)data on mobility of the substance available.
p-Methylanisole (104-93-8)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.6 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
Ecology - soil	Low potential for adsorption in soil.
NEROL (106-25-2)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.9738 (log Koc, SRC PCKOCWIN v2.0, QSAR)
Ecology - soil	Highly mobile in soil.
PHENYLETHYL ALCOHOL (60-12-8)	
Surface tension	59.7 mN/m (20 °C, 1 g/l, OECD 115: Surface Tension of Aqueous Solutions)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.5 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
Ecology - soil	Highly mobile in soil.
DL-CITRONELLOL (106-22-9)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.85 (log Koc, EPIWIN 2.00, Estimated value)
Ecology - soil	Highly mobile in soil.

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal consideration	15
13.1. Disposal methods	
Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations : Disposal must be done according to official regulations.	
Additional information	: Do not re-use empty containers.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Not regulated

Transportation of Dangerous Goods Not regulated

Transport by sea

Not regulated

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Air transport

Not regulated

SECTION 15: Regulatory information

15.1. US Federal regulations

ALPHA HEXYLCINNAMALDEHYDE (101-86-0)	
Listed on the United States TSCA (Toxic Substan	ces Control Act) inventory
2-IsobutyI-4-methyltetrahydro-2H-pyran-4-ol (6	33500-71-0)
EPA TSCA Regulatory Flag	PMN - PMN - indicates a commenced PMN substance.
p-Methylanisole (104-93-8)	
Listed on the United States TSCA (Toxic Substan	ces Control Act) inventory
NEROL (106-25-2)	
Listed on the United States TSCA (Toxic Substan	ces Control Act) inventory

15.2. International regulations

CANADA

ALPHA HEXYLCINNAMALDEHYDE (101-86-0)
Listed on the Canadian DSL (Domestic Substances List)
2-Methyl-3-(p-isopropylphenyl)propionaldehyde (103-95-7)
Listed on the Canadian DSL (Domestic Substances List)
DIHYDROMYRCENOL (18479-58-8)
Listed on the Canadian DSL (Domestic Substances List)
2-IsobutyI-4-methyltetrahydro-2H-pyran-4-ol (63500-71-0)
Listed on the Canadian DSL (Domestic Substances List)
α-Methyl-1,3-benzodioxole-5-propionaldehyde (1205-17-0)
Listed on the Canadian DSL (Domestic Substances List)
LINALOOL (78-70-6)
Listed on the Canadian DSL (Domestic Substances List)
METHYL GAMMA-IONONE (127-51-5)
Listed on the Canadian DSL (Domestic Substances List)
p-Methylanisole (104-93-8)
Listed on the Canadian DSL (Domestic Substances List)
NEROL (106-25-2)
Listed on the Canadian DSL (Domestic Substances List)
PHENYLETHYL ALCOHOL (60-12-8)
Listed on the Canadian DSL (Domestic Substances List)
DL-CITRONELLOL (106-22-9)
Listed on the Canadian DSL (Domestic Substances List)
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES (54464-57-2)
Listed on the Canadian DSL (Domestic Substances List)
HYDROXYCITRONELLAL (107-75-5)
Listed on the Canadian DSL (Domestic Substances List)
U-Regulations

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

National regulations 2-Methyl-3-(p-isopropylphenyl)propionaldehyde (103-95-7)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active	
DIHYDROMYRCENOL (18479-58-8)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)	
2-IsobutyI-4-methyltetrahydro-2H-pyran-4-ol (63500-71-0)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)	
α-Methyl-1,3-benzodioxole-5-propionaldehyde (1205-17-0)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)	
LINALOOL (78-70-6)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)	
METHYL GAMMA-IONONE (127-51-5)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)	
PHENYLETHYL ALCOHOL (60-12-8)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)	
DL-CITRONELLOL (106-22-9)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)	
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES (54464-57-2)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)	
HYDROXYCITRONELLAL (107-75-5)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active	

15.3. US State regulations California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

Revision date

: 05/02/2024

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

text of H-phrases:	
H226	Flammable liquid and vapor
H227	Combustible liquid
H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H331	Toxic if inhaled
H361	Suspected of damaging fertility or the unborn child
H373	May cause damage to organs through prolonged or repeated exposure

SDS US (GHS HazCom 2012) - Lebermuth

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.