

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 06/05/2018 Revision date: 05/03/2024 Supersedes: 07/12/2023 Version: 1.4

SECTION 1: Identification

Identification

Product form : Mixture

Product name OIL, LEMON CREME*

CAS-No. N/A

Product code : 93-0107-63

1.2. Recommended use and restrictions on use

1.3. **Supplier**

The Lebermuth Company 4004 Technology Drive South Bend, IN 46628 - United States T 574-259-7000 - F 574-258-7450 info@lebermuth.com - www.lebermuth.com

1.4. **Emergency telephone number**

Emergency number : CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300

CCN 13010

SECTION 2: Hazard(s) identification

Classification of the substance or mixture

GHS US classification

Flammable liquids Category 4 Combustible liquid Skin corrosion/irritation Category 2 Causes skin irritation

Skin sensitization, Category 1 May cause an allergic skin reaction

Reproductive toxicity Category 2 Suspected of damaging fertility or the unborn child

Specific target organ toxicity (repeated exposure) May cause damage to organs through prolonged or repeated exposure

Category 2

Aspiration hazard Category 1 May be fatal if swallowed and enters airways

GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)





Signal word (GHS US) : Danger

Combustible liquid Hazard statements (GHS US)

May be fatal if swallowed and enters airways

Causes skin irritation

May cause an allergic skin reaction

Suspected of damaging fertility or the unborn child

May cause damage to organs through prolonged or repeated exposure

Precautionary statements (GHS US) Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smokina.

Do not breathe dust/fume/gas/mist/vapors/spray. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands, forearms and face thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Immediately call a poison center or doctor.

If on skin: Wash with plenty of water.

If exposed or concerned: Get medical advice/attention.

Get medical advice/attention if you feel unwell.

05/14/2024 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Specific treatment (see supplemental first aid instruction on this label).

Do NOT induce vomiting.

If skin irritation occurs: Get medical advice/attention.
If skin irritation or rash occurs: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.

Wash contaminated clothing before reuse.

In case of fire: Use media other than water to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container to hazardous or special waste collection point, in accordance

with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | GHS US classification |
|-----------------|---------------------|---------|---|
| D-LIMONENE | (CAS-No.) 5989-27-5 | 10 – 25 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 |
| BETA-PINENE | (CAS-No.) 127-91-3 | 1 – 5 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 |
| CITRAL | (CAS-No.) 5392-40-5 | 1 – 5 | Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 STOT RE 2, H373 |
| VANILLIN | (CAS-No.) 121-33-5 | 1 – 5 | Eye Irrit. 2A, H319 |
| GAMMA-TERPINENE | (CAS-No.) 99-85-4 | 1 – 5 | Flam. Liq. 3, H226 Repr. 2, H361 Asp. Tox. 1, H304 |
| GERANIOL | (CAS-No.) 106-24-1 | 0.1 – 1 | Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 |

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs:

Get medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this material is

expected to be an inhalation hazard.

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : None under normal conditions.

Symptoms/effects after ingestion : Risk of lung edema.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

05/14/2024 EN (English US) 2/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard : Combustible liquid.
Explosion hazard : No direct explosion hazard.

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper

protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb

spillage to prevent material-damage.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Do not breathe

dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to

prevent migration and entry into sewers or streams. Stop leak, if possible without risk.

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Obtain

flames and other ignition sources. No smoking. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

and handing the produc

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.

Storage conditions : Store in a well-ventilated place. Keep cool. Store locked up.

Packaging materials : Store always product in container of same material as original container.

05/14/2024 EN (English US) 3/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| OIL, LEMON CREME* (N/A) | | |
|--|---|--|
| No additional information available | | |
| VANILLIN (121-33-5) | | |
| No additional information available | | |
| CITRAL (5392-40-5) | | |
| USA - ACGIH - Occupational Exposure Limits | | |
| Local name | Citral | |
| ACGIH OEL TWA | 5 ppm (IFV - Inhalable fraction and vapor) | |
| Remark (ACGIH) | TLV® Basis: Body weight eff; URT irr; eye dam. Notations: Skin; DSEN; A4 (Not classifiable as a Human Carcinogen) | |
| Regulatory reference | ACGIH 2024 | |
| GERANIOL (106-24-1) | | |
| No additional information available | | |
| BETA-PINENE (127-91-3) | | |
| No additional information available | | |
| GAMMA-TERPINENE (99-85-4) | | |
| No additional information available | | |
| D-LIMONENE (5989-27-5) | | |

8.2. Appropriate engineering controls

No additional information available

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.







SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : PALE YELLOW TO YELLOW

Odor : CHARACTERISTIC, MATCHING RETAINER SAMPLE

05/14/2024 EN (English US) 4/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Odor threshold : No data available pH : No data available Melting point : Not applicable Freezing point : No data available Boiling point : No data available Flash point : 68 °C

Relative evaporation rate (butyl acetate=1) : No data available Flammability : Not applicable.

Vapor pressure : No data available

Relative vapor density at 20°C : No data available
Relative density : 0.929 (0.919 – 0.939)

Solubility : Insoluble.

Partition coefficient n-octanol/water (Log Pow) : No data available : No data available Auto-ignition temperature : No data available Decomposition temperature Viscosity, kinematic : No data available Viscosity, dynamic : No data available No data available **Explosion limits** Explosive properties : No data available Oxidizing properties : No data available

9.2. Other information

Refractive index : 1.456 (1.446 – 1.466)

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

| VANILLIN (121-33-5) | |
|---------------------|---|
| LD50 oral rat | 3300 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s)) |
| LD50 dermal rat | > 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s)) |
| ATE US (oral) | 3300 mg/kg body weight |
| ATE US (dermal) | 2600 mg/kg body weight |
| CITRAL (5392-40-5) | |

| CITRAL (5392-40-5) | |
|--------------------|--|
| LD50 oral rat | ≈ 6800 mg/kg body weight Animal: rat |
| LD50 dermal rat | > 2000 mg/kg body weight Animal: rat, Remarks on results: other: |

05/14/2024 EN (English US) 5/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| GERANIOL (106-24-1) | |
|--|---|
| ATE US (oral) | 3600 mg/kg body weight |
| BETA-PINENE (127-91-3) | |
| LD50 oral rat | 4700 mg/kg (Rat, Oral) |
| ATE US (oral) | 4700 mg/kg body weight |
| GAMMA-TERPINENE (99-85-4) | |
| ATE US (oral) | 3650 mg/kg body weight |
| D-LIMONENE (5989-27-5) | |
| LD50 oral rat | > 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 14 day(s)) |
| LD50 dermal rabbit | > 5000 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Read-across, Dermal, 7 day(s)) |
| Skin corrosion/irritation | : Causes skin irritation. |
| Serious eye damage/irritation | : Not classified |
| Respiratory or skin sensitization | : May cause an allergic skin reaction. |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| CITRAL (5392-40-5) | |
| NOAEL (chronic,oral,animal/male,2 years) | 60 mg/kg body weight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other: |
| Reproductive toxicity | : Suspected of damaging fertility or the unborn child. |

STOT-single exposure : Not classified

STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure.

| CITRAL (5392-40-5) | | |
|---|---|--|
| LOAEC (inhalation,rat,gas,90 days) | 68 ppm Animal: rat, Animal sex: female | |
| NOAEL (oral,rat,90 days) | 100 mg/kg body weight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies) | |
| NOAEC (inhalation,rat,gas,90 days) | 34 ppm Animal: rat, Animal sex: female | |
| NOAEL (subchronic,oral,animal/male,90 days) | 60 mg/kg body weight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies) | |
| STOT-repeated exposure | May cause damage to organs through prolonged or repeated exposure. | |

Aspiration hazard : May be fatal if swallowed and enters airways.

Viscosity, kinematic : No data available

Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this material is

expected to be an inhalation hazard.

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : None under normal conditions.

Symptoms/effects after ingestion : Risk of lung edema.

SECTION 12: Ecological information

| 12.1 | Toxicity | |
|------|----------|--|

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

| VANILLIN (121-33-5) | |
|----------------------|--|
| LC50 - Fish [1] | 57 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value) |
| EC50 - Crustacea [1] | 36.79 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP) |
| LC50 - Fish [2] | 123 mg/l Test organisms (species): Pimephales promelas |

05/14/2024 EN (English US) 6/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| VANILLIN (121-33-5) | 400 mm/l (OFOD 004 Alon County India North Text 70 h Developing to a significant |
|------------------------|--|
| ErC50 algae | 120 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP) |
| LOEC (chronic) | 10 mg/l Test organisms (species): Daphnia magna Duration: '21 d' |
| NOEC (chronic) | 5.9 mg/l Test organisms (species): Daphnia magna Duration: '21 d' |
| CITRAL (5392-40-5) | |
| LC50 - Fish [1] | 6.78 mg/l Test organisms (species): Leuciscus idus |
| EC50 - Crustacea [1] | 6.8 mg/l Test organisms (species): Daphnia magna |
| BETA-PINENE (127-91-3) | |
| LC50 - Fish [1] | 0.557 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio, Semi-static system, Fresh water, Weight of evidence, Other isomer) |
| ErC50 algae | 0.826 mg/l (OECD 201: Alga, Growth Inhibition Test, 48 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Weight of evidence, Other isomer) |
| D-LIMONENE (5989-27-5) | |
| LC50 - Fish [1] | 720 µg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value) |
| EC50 - Crustacea [1] | 0.307 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semistatic system, Fresh water, Experimental value, GLP) |
| LC50 - Fish [2] | 702 μg/l Test organisms (species): Pimephales promelas |
| EC50 - Crustacea [2] | 0.51 mg/l Test organisms (species): Daphnia magna |

| VANILLIN (121-33-5) | | |
|-------------------------------|------------------------------------|--|
| Persistence and degradability | Readily biodegradable in water. | |
| | | |
| BETA-PINENE (127-91-3) | | |
| Persistence and degradability | Readily biodegradable in water. | |
| D-LIMONENE (5989-27-5) | | |
| Persistence and degradability | Readily biodegradable in water. | |
| ThOD | 3.29 g O ₂ /g substance | |

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water (Log Pow)

| VANILLIN (121-33-5) | |
|---|---|
| Partition coefficient n-octanol/water (Log Pow) | 1.17 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C) |
| Bioaccumulative potential | Low potential for bioaccumulation (Log Kow < 4). |
| | |
| BETA-PINENE (127-91-3) | |
| BCF - Fish [1] | 1125 l/kg (BCFBAF v3.01, Pisces, Fresh water, QSAR, Other isomer) |

| Bioaccumulative potential | Potential for bioaccumulation (4 ≤ Log Kow ≤ 5). |
|---|---|
| D-LIMONENE (5989-27-5) | |
| BCF - Fish [1] | 864.8 l/kg (BCFBAF v3.01, Pisces, QSAR, Fresh weight) |
| Partition coefficient n-octanol/water (Log Pow) | 4.38 (Experimental value, Equivalent or similar to OECD 117, 37 °C) |

Potential for bioaccumulation (4 ≤ Log Kow ≤ 5).

4.425 (Similar product, Read-across, Equivalent or similar to OECD 107, 25 °C)

12.4. Mobility in soil

Bioaccumulative potential

| VANILLIN (121-33-5) | |
|---|-------------------------------------|
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 3.438 (log Koc, Experimental value) |
| Ecology - soil | Low potential for mobility in soil. |

| BETA-PINENE (127-91-3) | |
|---|---|
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 3.009 – 3.836 (log Koc, Calculated value, Other isomer) |
| Ecology - soil | Low potential for mobility in soil. |

05/14/2024 EN (English US) 7/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| D-LIMONENE (5989-27-5) | |
|---|--|
| Surface tension | No data available in the literature |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 3.049 – 3.801 (log Koc, SRC PCKOCWIN v2.0, Calculated value) |
| Ecology - soil | Low potential for mobility in soil. |

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

Disposal methods

Regional waste regulation : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations Disposal must be done according to official regulations. Product/Packaging disposal recommendations : Disposal must be done according to official regulations.

Additional information : Do not re-use empty containers.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Transport document description (DOT) : UN1266 Perfumery products (Regulated for Bulk only), Comb Liq, III

: UN1266 UN-No.(DOT)

Proper Shipping Name (DOT) : Perfumery products

(Regulated for Bulk only)

Class (DOT) : Comb Liq - Combustible liquid

Packing group (DOT) III - Minor Danger

DOT Packaging Non Bulk (49 CFR 173.xxx) 203 DOT Packaging Bulk (49 CFR 173.xxx) : 242

DOT Special Provisions (49 CFR 172.102) : B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the

bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this

subchapter are applicable.

IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table

2 for UN2672).

T2 - 1.5 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature

during transport, and tf is the temperature in degrees celsius of the liquid during filling.

DOT Packaging Exceptions (49 CFR 173.xxx) DOT Quantity Limitations Passenger aircraft/rail : 60 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 220 L

CFR 175.75)

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

Emergency Response Guide (ERG) Number : 127

Other information : No supplementary information available.

Transportation of Dangerous Goods

Not regulated

Transport by sea

Not regulated

05/14/2024 EN (English US) 8/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Air transport

Not regulated

SECTION 15: Regulatory information

15.1. US Federal regulations

No additional information available

15.2. International regulations

CANADA

VANILLIN (121-33-5)

Listed on the Canadian DSL (Domestic Substances List)

CITRAL (5392-40-5)

Listed on the Canadian DSL (Domestic Substances List)

BETA-PINENE (127-91-3)

Listed on the Canadian DSL (Domestic Substances List)

GAMMA-TERPINENE (99-85-4)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

VANILLIN (121-33-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

CITRAL (5392-40-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

BETA-PINENE (127-91-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

GAMMA-TERPINENE (99-85-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. US State regulations



This product can expose you to furocoumarines (e. g. trioxysalen (inn), 8-methoxypsoralen, 5-methoxypsoralen) except for normal content in natural essences used. in sunprotection and in bronzing products, furocoumarines shall be below 1 mg/kg, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

This product can expose you to beta-myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information

Revision date : 05/03/2024

05/14/2024 EN (English US) 9/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:

| text of H-phrases: | | |
|--------------------|---|--|
| H226 | Flammable liquid and vapor | |
| H304 | May be fatal if swallowed and enters airways | |
| H315 | Causes skin irritation | |
| H317 | May cause an allergic skin reaction | |
| H318 | Causes serious eye damage | |
| H319 | Causes serious eye irritation | |
| H361 | Suspected of damaging fertility or the unborn child | |
| H373 | May cause damage to organs through prolonged or repeated exposure | |

SDS US (GHS HazCom 2012) - Lebermuth

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

05/14/2024 EN (English US) 10/10