



OIL, CEDAR LEATHER PF*

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Issue date: 7/13/2023 Revision date: 4/11/2024 Supersedes version of: 7/13/2023 Version: 1.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : OIL, CEDAR LEATHER PF*
CAS-No. : N/A
Product code : 93-0138-41
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

No additional information available

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

The Lebermuth Company
4004 Technology Drive
46628 South Bend, IN
United States
T 574-259-7000, F 574-258-7450
info@lebermuth.com, www.lebermuth.com

1.4. Emergency telephone number

Emergency number : CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300
CCN 13010

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 2 H319
Skin sensitisation, Category 1 H317
Hazardous to the aquatic environment – Acute Hazard, Category 1 H400
Hazardous to the aquatic environment – Chronic Hazard, Category 2 H411
Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

GHS09

Signal word (CLP) :

Warning

OIL, CEDAR LEATHER PF*

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains	: COUMARIN CRYSTALS; MOUSSE DE METRE; citral; CASHMERAN; ETHYL LINALOOL; FLORALOZONE; GERANYL ACETATE PRIME; linalool; Linalyl acetate; D-limonene; 1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone
Hazard statements (CLP)	: H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. H410 - Very toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P302+P352 - IF ON SKIN: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 - Specific treatment (see supplemental first aid instruction on this label). P332+P313 - If skin irritation occurs: Get medical advice/attention. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P391 - Collect spillage. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	DIOCTYL ADIPATE (103-23-1), GERANYL ACETATE (105-87-3), BENZYL BENZOATE (120-51-4), D-LIMONENE (5989-27-5), PINENE (80-56-8)(¹)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	DIOCTYL ADIPATE (103-23-1), GERANYL ACETATE (105-87-3), BENZYL BENZOATE (120-51-4), D-LIMONENE (5989-27-5), PINENE (80-56-8)(¹)

(¹) Substance(s) in concentration below 0.1 % and displayed on a voluntary basis

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
DIOCTYL ADIPATE	CAS-No.: 103-23-1 EC-No.: 203-090-1	25 – 50	Aquatic Acute 1, H400
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES	CAS-No.: 54464-57-2 EC-No.: 259-174-3	10 – 25	Aquatic Chronic 1, H410 Skin Irrit. 2, H315 Skin Sens. 1B, H317

OIL, CEDAR LEATHER PF*

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
DIHYDROMYRCENOL	CAS-No.: 18479-58-8 EC-No.: 242-362-4	5 – 10	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H336
1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-HEXAMETHYLCYCLOPENTA- γ -2-BENZOPYRAN	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7	5 – 10	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
LINALYL ACETATE	CAS-No.: 115-95-7 EC-No.: 204-116-4	1 – 5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	CAS-No.: 28219-61-6 EC-No.: 248-908-8	1 – 5	Skin Irrit. 2, H315 Aquatic Chronic 2, H411
1-(2-tert.-Butyl cyclohexyloxy)-2-butanol	CAS-No.: 139504-68-0	1 – 5	Aquatic Chronic 2, H411
LINALOOL	CAS-No.: 78-70-6	1 – 5	Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1B, H317
3,7-Dimethyl-1,6-nonadien-3-ol	CAS-No.: 10339-55-6 EC-No.: 233-732-6	1 – 5	Skin Sens. 1B, H317
D-LIMONENE substance with national workplace exposure limit(s) (DE, ES)	CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-096-00-2	1 – 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
BENZYL BENZOATE	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9	1 – 5	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Allyl (cyclohexyloxy)acetate	CAS-No.: 68901-15-5 EC-No.: 272-657-3	1 – 5	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
7-acetyl-1,1,3,4,4,6-hexamethyltetralin	CAS-No.: 1506-02-1 EC-No.: 216-133-4	1 – 5	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
6,7-DIHYDRO-1,1,2,3,3-PENTAMETHYL-4(5H)-INDANONE	CAS-No.: 33704-61-9 EC-No.: 251-649-3	0.1 – 1	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7	0.1 – 1	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
3-(o-Ethylphenyl)-2,2-dimethylpropionaldehyde	CAS-No.: 67634-14-4 EC-No.: 266-818-7	0.1 – 1	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Methyl atrarate	CAS-No.: 4707-47-5 EC-No.: 225-193-0	0.1 – 1	Skin Sens. 1B, H317
Allyl (3-methylbutoxy)acetate	CAS-No.: 67634-00-8 EC-No.: 266-803-5	0.1 – 1	Acute Tox. 4 (Oral), H302 Acute Tox. 2 (Inhalation), H330 Skin Irrit. 2, H315 Aquatic Acute 1, H400

OIL, CEDAR LEATHER PF*

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
4-Methyl-3-decen-5-ol	CAS-No.: 81782-77-6 EC-No.: 279-815-0	0.1 – 1	Aquatic Acute 1, H400 Aquatic Chronic 2, H411
GERANYL ACETATE	CAS-No.: 105-87-3 EC-No.: 203-341-5	0.1 – 1	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
CITRAL substance with national workplace exposure limit(s) (BE, ES)	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3	0.1 – 1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
PINENE substance with national workplace exposure limit(s) (BE, ES)	CAS-No.: 80-56-8 EC-No.: 201-291-9	< 0.1	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: If you feel unwell, seek medical advice.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: None under normal conditions.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: No fire hazard.
Explosion hazard	: No direct explosion hazard.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

OIL, CEDAR LEATHER PF*

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

5.3. Advice for firefighters

- Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.

6.1.1. For non-emergency personnel

- Protective equipment : Wear recommended personal protective equipment.
- Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
- Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- For containment : Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
- Methods for cleaning up : Take up liquid spill into absorbent material.
- Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.
- Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.
- Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Keep in a cool, well-ventilated place away from heat.
- Storage conditions : Keep cool. Protect from sunlight.
- Packaging materials : Store always product in container of same material as original container.

7.3. Specific end use(s)

No additional information available

OIL, CEDAR LEATHER PF*

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

CITRAL (5392-40-5)	
Belgium - Occupational Exposure Limits	
Local name	Citral (vapeur et aérosol) # Citral (damp en aérosol)
OEL TWA	32 mg/m ³ 5 ppm
Remark	D: la mention "D" signifie que la résorption de l'agent, via la peau, les muqueuses ou les yeux, constitue une partie importante de l'exposition totale. Cette résorption peut se faire tant par contact direct que par présence de l'agent dans l'air. # D: de vermelding "D" betekent dat de opname van het agens via de huid, de slijmvliezen of de ogen een belangrijk deel van de totale blootstelling vormt. Deze opname kan het gevolg zijn van zowel direct contact als zijn aanwezigheid in de lucht.
Regulatory reference	Koninklijk besluit/Arrêté royal 16/11/2023
Spain - Occupational Exposure Limits	
Local name	Citral
VLA-ED (OEL TWA)	5 ppm
Remark	Vía dérmica (Indica que, en las exposiciones a esta sustancia, la aportación por la vía cutánea puede resultar significativa para el contenido corporal total si no se adoptan medidas para prevenir la absorción. En estas situaciones, es aconsejable la utilización del control biológico para poder cuantificar la cantidad global absorbida del contaminante), Sen (Sensibilizante), FIV (Fracción inhalable y vapor. La notación FIV señala a aquellos agentes químicos que se pueden presentar en el ambiente de trabajo, tanto en forma de materia particulada como vapor, por lo que las dos fases pueden coexistir, contribuyendo ambas a la exposición. Esta situación se puede dar, principalmente, en los siguientes casos: • Cuando el agente en cuestión tiene un valor "intermedio" de presión de vapor (en estos casos se tiene en cuenta la relación entre su concentración en el aire saturado de vapor y el valor del VLA-ED® y la nota se asigna, generalmente, cuando el cociente entre ambas cantidades se encuentra entre 0.1 y 10). • Por razón de la forma de uso del agente químico (por ejemplo, pulverización). • En los procesos que conlleven cambios importantes de temperatura que puedan afectar al estado físico del agente químico. • En los procesos en los que una fracción significativa del vapor puede disolverse o adsorberse en las partículas de otra sustancia, a semejanza de lo que ocurre con los agentes solubles en agua en ambientes con humedad elevada).
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2024. INSHT
USA - ACGIH - Occupational Exposure Limits	
Local name	Citral
ACGIH OEL TWA	5 ppm (IFV - Inhalable fraction and vapor)
Remark (ACGIH)	TLV® Basis: Body weight eff; URT irr; eye dam. Notations: Skin; DSEN; A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2024
D-LIMONENE (5989-27-5)	
Germany - Occupational Exposure Limits (TRGS 900)	
Local name	(R)-p-Mentha-1,8-dien (D-Limonen)
AGW (OEL TWA)	28 mg/m ³ 5 ppm

OIL, CEDAR LEATHER PF*

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

D-LIMONENE (5989-27-5)	
Peak exposure limitation factor	4(II)
Remark	DFG,H,Sh,Y
Regulatory reference	TRGS900
Spain - Occupational Exposure Limits	
Local name	d-Limoneno
VLA-ED (OEL TWA)	168 mg/m ³ d-Limoneno 30 ppm d-Limoneno
Remark	Entrada en vigor en 2018. Sen (Sensibilizante. Véase Apartado 6), Vía dérmica (Indica que, en las exposiciones a esta sustancia, la aportación por la vía cutánea puede resultar significativa para el contenido corporal total si no se adoptan medidas para prevenir la absorción. En estas situaciones, es aconsejable la utilización del control biológico para poder cuantificar la cantidad global absorbida del contaminante. Para más información véase el Apartado 5 de este documento).
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2024. INSHT
PINENE (80-56-8)	
Belgium - Occupational Exposure Limits	
Local name	Essence de térébenthine et monoterpènes sélectionés # Terpentijn en geselecteerde monoterpenen
OEL TWA	20 ppm
Regulatory reference	Koninklijk besluit/Arrêté royal 16/11/2023
Spain - Occupational Exposure Limits	
Local name	α -pineno (monoterpeno)
VLA-ED (OEL TWA)	113 mg/m ³ 20 ppm
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2024. INSHT

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment.

OIL, CEDAR LEATHER PF*

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Not available
Odour	: Not available
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Non flammable.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 96 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: Not available
Solubility	: Insoluble.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 0.931 (0.921 – 0.941)
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

OIL, CEDAR LEATHER PF*

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

9.2.2. Other safety characteristics

Refractive index : 1.468 (1.458 – 1.478)

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

COUMARIN (91-64-5)	
LD50 oral rat	293 mg/kg bodyweight Animal: rat, Guideline: other:
LD50 dermal rat	293 mg/kg bodyweight Animal: rat, Guideline: other:
7-acetyl-1,1,3,4,4,6-hexamethyltetralin (1506-02-1)	
LD50 oral	1000 mg/kg bodyweight
Methyl atrarate (4707-47-5)	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
Allyl (3-methylbutoxy)acetate (67634-00-8)	
LD50 oral	500 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat (Dust/Mist)	0.5 mg/l/4h
CITRAL (5392-40-5)	
LD50 oral rat	≈ 6800 mg/kg bodyweight Animal: rat
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Remarks on results: other:

OIL, CEDAR LEATHER PF*

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6,7-DIHYDRO-1,1,2,3,3-PENTAMETHYL-4(5H)-INDANONE (33704-61-9)	
LD50 oral	2900 mg/kg bodyweight
Allyl (cyclohexyloxy)acetate (68901-15-5)	
LD50 oral	682 mg/kg bodyweight
DIHYDROMYRCENOL (18479-58-8)	
LD50 oral	3020 mg/kg
DIOCTYL ADIPATE (103-23-1)	
LD50 oral rat	> 20000 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	16300 mg/kg bodyweight (Rabbit, Male, Experimental value, Dermal)
LC50 Inhalation - Rat	> 5.7 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s))
3,7-Dimethyl-1,6-nonadien-3-ol (10339-55-6)	
LD50 oral	5000 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit, Guideline: other:
LC50 Inhalation - Rat	> 1 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Remarks on results: other:
1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-HEXAMETHYLCYCLOPENTA-γ-2-BENZOPYRAN (1222-05-5)	
LD50 oral rat	> 4640 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other:
LD50 dermal rat	> 10000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:
GERANYL ACETATE (105-87-3)	
LD50 oral rat	6300 mg/kg (Rat, Oral)
BENZYL BENZOATE (120-51-4)	
LD50 oral rat	> 2000 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 oral	1160 mg/kg bodyweight
LD50 dermal rabbit	> 2000 mg/kg bw/day (Modification of Draize 1959 method, 4 h, Rabbit, Experimental value, Dermal)
LINALOOL (78-70-6)	
LD50 oral	2790 mg/kg
D-LIMONENE (5989-27-5)	
LD50 oral rat	> 2000 mg/kg bodyweight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 5000 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Read-across, Dermal, 7 day(s))
PINENE (80-56-8)	
LD50 oral rat	> 500 mg/kg bodyweight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 01 day(s))
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Skin, 14 day(s))

OIL, CEDAR LEATHER PF*

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Skin corrosion/irritation : Causes skin irritation.

DIOCTYL ADIPATE (103-23-1)	
pH	No data available in the literature

BENZYL BENZOATE (120-51-4)	
pH	4.5 (1.5 %, 20 °C)

Serious eye damage/irritation : Causes serious eye irritation.

DIOCTYL ADIPATE (103-23-1)	
pH	No data available in the literature

BENZYL BENZOATE (120-51-4)	
pH	4.5 (1.5 %, 20 °C)

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

COUMARIN (91-64-5)	
IARC group	3 - Not classifiable

DIOCTYL ADIPATE (103-23-1)	
IARC group	3 - Not classifiable

CITRAL (5392-40-5)	
NOAEL (chronic, oral, animal/male, 2 years)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:

Reproductive toxicity : Not classified

1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-HEXAMETHYLCYCLOPENTA- γ -2-BENZOPYRAN (1222-05-5)	
NOAEL (animal/female, F1)	20 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 426 (Developmental Neurotoxicity Study), Guideline: other:

STOT-single exposure : Not classified

DIHYDROMYRCENOL (18479-58-8)	
STOT-single exposure	May cause drowsiness or dizziness.

STOT-repeated exposure : Not classified

COUMARIN (91-64-5)	
NOAEL (subchronic, oral, animal/female, 90 days)	> 138.3 mg/kg bodyweight Animal: mouse, Animal sex: female

CITRAL (5392-40-5)	
LOAEC (inhalation, rat, gas, 90 days)	68 ppm Animal: rat, Animal sex: female
NOAEL (oral, rat, 90 days)	100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
NOAEC (inhalation, rat, gas, 90 days)	34 ppm Animal: rat, Animal sex: female
NOAEL (subchronic, oral, animal/male, 90 days)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)

DIOCTYL ADIPATE (103-23-1)	
NOAEL (oral, rat, 90 days)	200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)

OIL, CEDAR LEATHER PF*

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

3,7-Dimethyl-1,6-nonadien-3-ol (10339-55-6)	
NOAEL (dermal, rat/rabbit, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
GERANYL ACETATE (105-87-3)	
NOAEL (oral, rat, 90 days)	2000 mg/kg bodyweight Animal: rat, Guideline: other:
Aspiration hazard	: Not classified
DIHYDROMYRCENOL (18479-58-8)	
Viscosity, kinematic	12.2 mm ² /s (20 °C, OECD 114: Viscosity of Liquids)
DIOCTYL ADIPATE (103-23-1)	
Viscosity, kinematic	No data available in the literature
GERANYL ACETATE (105-87-3)	
Viscosity, kinematic	2.71 mm ² /s (20 °C, OECD 114: Viscosity of Liquids)
BENZYL BENZOATE (120-51-4)	
Viscosity, kinematic	No data available in the literature
D-LIMONENE (5989-27-5)	
Viscosity, kinematic	No data available in the literature
PINENE (80-56-8)	
Viscosity, kinematic	No data available in the literature

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Very toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.

COUMARIN (91-64-5)	
LC50 - Fish [1]	2.94 mg/l Test organisms (species):
LC50 - Fish [2]	1324 mg/l Test organisms (species):
EC50 - Crustacea [1]	8012 mg/l Test organisms (species): Daphnia sp.
EC50 96h - Algae [1]	1452 mg/l Test organisms (species):
NOEC (chronic)	0.5 mg/l Test organisms (species): Duration: '21 d'
NOEC chronic fish	0.191 mg/l Test organisms (species): Duration: '30 d'
Methyl atrarate (4707-47-5)	
LC50 - Fish [1]	5.2 mg/l Test organisms (species): not specified
EC50 - Crustacea [1]	9.3 mg/l Test organisms (species): Daphnia sp.
EC50 96h - Algae [1]	3.3 mg/l Test organisms (species): other:

OIL, CEDAR LEATHER PF*

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Allyl (3-methylbutoxy)acetate (67634-00-8)	
LC50 - Fish [1]	≈ 0.768 mg/l Test organisms (species):
EC50 96h - Algae [1]	≈ 2.06 mg/l Test organisms (species):
CITRAL (5392-40-5)	
LC50 - Fish [1]	6.78 mg/l Test organisms (species): Leuciscus idus
EC50 - Crustacea [1]	6.8 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	103.8 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
DIOCTYL ADIPATE (103-23-1)	
LC50 - Fish [1]	> 0.78 mg/l (EPA 660/3 - 75/009, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Nominal concentration)
EC50 - Crustacea [1]	> 500 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
LOEC (chronic)	> 0.77 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	≥ 0.77 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
3,7-Dimethyl-1,6-nonadien-3-ol (10339-55-6)	
LC50 - Fish [1]	24 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	23 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	13.3 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	25.1 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-HEXAMETHYLCYCLOPENTA-γ-2-BENZOPYRAN (1222-05-5)	
EC50 - Crustacea [1]	0.3 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	0.723 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	> 0.854 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
LOEC (chronic)	0.075 mg/l Test organisms (species): other aquatic crustacea: Duration: '5,5 d'
NOEC chronic fish	0.068 mg/l Test organisms (species): Pimephales promelas Duration: '36 d'
GERANYL ACETATE (105-87-3)	
LC50 - Fish [1]	68.12 mg/l (DIN 38412: German standard methods for the examination of water, waste water and sludge, 96 h, Leuciscus idus, Static system, Fresh water, Read-across)
EC50 - Crustacea [1]	14.1 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
EC50 72h - Algae [1]	3.72 mg/l (OECD 201: Alga, Growth Inhibition Test, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP)
BENZYL BENZOATE (120-51-4)	
LC50 - Fish [1]	2.32 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	3.09 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)

OIL, CEDAR LEATHER PF*

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

D-LIMONENE (5989-27-5)	
LC50 - Fish [1]	720 µg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
LC50 - Fish [2]	702 µg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	0.307 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi-static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [2]	0.51 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	0.32 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	0.214 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)

PINENE (80-56-8)	
LC50 - Fish [1]	0.303 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	0.475 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi-static system, Fresh water, Experimental value, Locomotor effect)

12.2. Persistence and degradability

OIL, CEDAR LEATHER PF* (N/A)	
Persistence and degradability	Rapidly degradable

COUMARIN (91-64-5)	
Persistence and degradability	Rapidly degradable

7-acetyl-1,1,3,4,4,6-hexamethyltetralin (1506-02-1)	
Persistence and degradability	Rapidly degradable

Methyl atrarate (4707-47-5)	
Persistence and degradability	Rapidly degradable

Allyl (3-methylbutoxy)acetate (67634-00-8)	
Persistence and degradability	Rapidly degradable

2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol (28219-61-6)	
Persistence and degradability	Rapidly degradable

CITRAL (5392-40-5)	
Persistence and degradability	Rapidly degradable

6,7-DIHYDRO-1,1,2,3,3-PENTAMETHYL-4(5H)-INDANONE (33704-61-9)	
Persistence and degradability	Rapidly degradable

Allyl (cyclohexyloxy)acetate (68901-15-5)	
Persistence and degradability	Rapidly degradable

DIHYDROMYRCENOL (18479-58-8)	
Persistence and degradability	Biodegradability in water: no data available.

DIOCTYL ADIPATE (103-23-1)	
Persistence and degradability	Readily biodegradable in water.

OIL, CEDAR LEATHER PF*

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

3,7-Dimethyl-1,6-nonadien-3-ol (10339-55-6)	
Persistence and degradability	Rapidly degradable
3-(o-Ethylphenyl)-2,2-dimethylpropionaldehyde (67634-14-4)	
Persistence and degradability	Rapidly degradable
1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-HEXAMETHYLCYCLOPENTA-γ-2-BENZOPYRAN (1222-05-5)	
Persistence and degradability	Rapidly degradable
GERANYL ACETATE (105-87-3)	
Persistence and degradability	Readily biodegradable in water.
ThOD	2.6 g O ₂ /g substance
BENZYL BENZOATE (120-51-4)	
Persistence and degradability	Readily biodegradable in water.
LINALOOL (78-70-6)	
Persistence and degradability	Rapidly degradable
LINALYL ACETATE (115-95-7)	
Persistence and degradability	Rapidly degradable
D-LIMONENE (5989-27-5)	
Persistence and degradability	Readily biodegradable in water.
ThOD	3.29 g O ₂ /g substance
PINENE (80-56-8)	
Persistence and degradability	Readily biodegradable in water.
4-Methyl-3-decen-5-ol (81782-77-6)	
Persistence and degradability	Rapidly degradable
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES (54464-57-2)	
Persistence and degradability	Rapidly degradable
1-(2-tert.-Butyl cyclohexyloxy)-2-butanol (139504-68-0)	
Persistence and degradability	Rapidly degradable
12.3. Bioaccumulative potential	
DIHYDROMYRCENOL (18479-58-8)	
Partition coefficient n-octanol/water (Log Pow)	3.47 (Estimated value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
DIOCTYL ADIPATE (103-23-1)	
BCF - Fish [1]	27 (28 day(s), Lepomis macrochirus, Flow-through system, Fresh water, Experimental value, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	8.94 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
GERANYL ACETATE (105-87-3)	
BCF - Other aquatic organisms [1]	1500 (Estimated value)

OIL, CEDAR LEATHER PF*

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

GERANYL ACETATE (105-87-3)	
Partition coefficient n-octanol/water (Log Pow)	4.04 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)
Bioaccumulative potential	Potential for bioaccumulation ($4 \leq \text{Log Kow} \leq 5$).
BENZYL BENZOATE (120-51-4)	
BCF - Fish [1]	193.4 l/kg (BCFBAF v3.01, Pisces, Calculated value)
Partition coefficient n-octanol/water (Log Pow)	3.97 (Experimental value, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation ($\text{Log Kow} < 4$).
D-LIMONENE (5989-27-5)	
BCF - Fish [1]	864.8 l/kg (BCFBAF v3.01, Pisces, QSAR, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	4.38 (Experimental value, Equivalent or similar to OECD 117, 37 °C)
Bioaccumulative potential	Potential for bioaccumulation ($4 \leq \text{Log Kow} \leq 5$).
PINENE (80-56-8)	
BCF - Other aquatic organisms [1]	1233.1 – 1248 l/kg (BCFBAF v3.01, Read-across, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	4.487 (Experimental value, Equivalent or similar to OECD 107, 25 °C)
Bioaccumulative potential	Potential for bioaccumulation ($500 \leq \text{BCF} \leq 5000$).
12.4. Mobility in soil	
DIHYDROMYRCENOL (18479-58-8)	
Ecology - soil	No (test)data on mobility of the substance available.
DIOCTYL ADIPATE (103-23-1)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	4.56 (log Koc, SRC PCKOCWIN v2.0, QSAR)
Ecology - soil	Low potential for mobility in soil.
GERANYL ACETATE (105-87-3)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.06 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Low potential for mobility in soil.
BENZYL BENZOATE (120-51-4)	
Surface tension	27 mN/m (210 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)
Ecology - soil	Low potential for mobility in soil.
D-LIMONENE (5989-27-5)	
Surface tension	No data available in the literature
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.049 – 3.801 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Low potential for mobility in soil.

OIL, CEDAR LEATHER PF*

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

PINENE (80-56-8)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.009 – 3.853 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Low potential for mobility in soil. May be harmful to plant growth, blooming and fruit formation.

12.5. Results of PBT and vPvB assessment

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	DIOCTYL ADIPATE (103-23-1), GERANYL ACETATE (105-87-3), BENZYL BENZOATE (120-51-4), D-LIMONENE (5989-27-5), PINENE (80-56-8)(¹)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	DIOCTYL ADIPATE (103-23-1), GERANYL ACETATE (105-87-3), BENZYL BENZOATE (120-51-4), D-LIMONENE (5989-27-5), PINENE (80-56-8)(¹)

(¹) Substance(s) in concentration below 0.1 % and displayed on a voluntary basis

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.
Additional information	: Do not re-use empty containers.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

UN-No. (ADR)	: UN 3082
UN-No. (IMDG)	: UN 3082
UN-No. (IATA)	: UN 3082
UN-No. (ADN)	: UN 3082
UN-No. (RID)	: UN 3082

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIOCTYL ADIPATE, 1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8-HEXAMETHYLCYCLOPENTA-γ-2-BENZOPYRAN)
Proper Shipping Name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIOCTYL ADIPATE, 1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8-HEXAMETHYLCYCLOPENTA-γ-2-BENZOPYRAN)
Proper Shipping Name (IATA)	: Environmentally hazardous substance, liquid, n.o.s. (DIOCTYL ADIPATE, 1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8-HEXAMETHYLCYCLOPENTA-γ-2-BENZOPYRAN)
Proper Shipping Name (ADN)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIOCTYL ADIPATE, 1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8-HEXAMETHYLCYCLOPENTA-γ-2-BENZOPYRAN)
Proper Shipping Name (RID)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIOCTYL ADIPATE, 1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8-HEXAMETHYLCYCLOPENTA-γ-2-BENZOPYRAN)
Transport document description (ADR)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIOCTYL ADIPATE, 1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8-HEXAMETHYLCYCLOPENTA-γ-2-BENZOPYRAN), 9, III, (-)

OIL, CEDAR LEATHER PF*

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Transport document description (IMDG)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIOCTYL ADIPATE, 1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8-HEXAMETHYLCYCLOPENTA- γ -2-BENZOPYRAN), 9, III, MARINE POLLUTANT
Transport document description (IATA)	: UN 3082 Environmentally hazardous substance, liquid, n.o.s. (DIOCTYL ADIPATE, 1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8-HEXAMETHYLCYCLOPENTA- γ -2-BENZOPYRAN), 9, III
Transport document description (ADN)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIOCTYL ADIPATE, 1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8-HEXAMETHYLCYCLOPENTA- γ -2-BENZOPYRAN), 9, III
Transport document description (RID)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIOCTYL ADIPATE, 1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8-HEXAMETHYLCYCLOPENTA- γ -2-BENZOPYRAN), 9, III

14.3. Transport hazard class(es)


ADR

Transport hazard class(es) (ADR) : 9
Danger labels (ADR) :




IMDG

Transport hazard class(es) (IMDG) : 9
Danger labels (IMDG) :



IATA

Transport hazard class(es) (IATA) : 9
Danger labels (IATA) :




ADN

Transport hazard class(es) (ADN) : 9
Danger labels (ADN) :



RID

Transport hazard class(es) (RID) : 9
Danger labels (RID) :



14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III

OIL, CEDAR LEATHER PF*

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878


Packing group (ADN) : III
Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes
Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6
Special provisions (ADR) : 274, 335, 375, 601
Limited quantities (ADR) : 5L
Excepted quantities (ADR) : E1
Packing instructions (ADR) : P001, IBC03, LP01, R001
Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions (ADR) : TP1, TP29
Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading and handling (ADR) : CV13
Hazard identification number (Kemler No.) : 90
Orange plates : 
Tunnel restriction code (ADR) : -
EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969
Limited quantities (IMDG) : 5 L
Excepted quantities (IMDG) : E1
Packing instructions (IMDG) : LP01, P001
Special packing provisions (IMDG) : PP1
IBC packing instructions (IMDG) : IBC03
Tank instructions (IMDG) : T4
Tank special provisions (IMDG) : TP1, TP29
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-F
Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L
Special provisions (IATA) : A97, A158, A197, A215
ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6
Special provisions (ADN) : 274, 335, 375, 601
Limited quantities (ADN) : 5 L

OIL, CEDAR LEATHER PF*

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0

Rail transport

Classification code (RID)	: M6
Special provisions (RID)	: 274, 335, 375, 601
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Special packing provisions (RID)	: PP1
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions (RID)	: TP1, TP29
Tank codes for RID tanks (RID)	: LGBV
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Special provisions for carriage - Loading, unloading and handling (RID)	: CW13, CW31
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)	
Reference code	Applicable on
3(a)	D-LIMONENE ; PINENE
3(b)	OIL, CEDAR LEATHER PF* ; Allyl (3-methylbutoxy)acetate ; 2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol ; CITRAL ; 6,7-DIHYDRO-1,1,2,3,3-PENTAMETHYL-4(5H)-INDANONE ; Allyl (cyclohexyloxy)acetate ; DIHYDROMYRCENOL ; 3,7-Dimethyl-1,6-nonadien-3-ol ; 3-(o-Ethylphenyl)-2,2-dimethylpropionaldehyde ; GERANYL ACETATE ; BENZYL BENZOATE ; LINALOOL ; LINALYL ACETATE ; D-LIMONENE ; PINENE
3(c)	OIL, CEDAR LEATHER PF* ; Allyl (3-methylbutoxy)acetate ; 2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol ; 6,7-DIHYDRO-1,1,2,3,3-PENTAMETHYL-4(5H)-INDANONE ; Allyl (cyclohexyloxy)acetate ; DIOCTYL ADIPATE ; 3-(o-Ethylphenyl)-2,2-dimethylpropionaldehyde ; 1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-HEXAMETHYLCYCLOPENTAN-2-BENZOPYRAN ; GERANYL ACETATE ; BENZYL BENZOATE ; D-LIMONENE ; PINENE ; 4-Methyl-3-decen-5-ol
40.	D-LIMONENE ; PINENE

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

OIL, CEDAR LEATHER PF*

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Germany

Water hazard class (WGK) : Not classified according to Regulation Governing Systems for Handling Substances Hazardous to Waters (AwSV).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : ALLYL AMYL GLYCOLATE PURE, CYCLOGALBANIFF, FLORALOZONE are listed

SZW-lijst van mutagene stoffen : ALLYL AMYL GLYCOLATE PURE, CYCLOGALBANIFF, FLORALOZONE are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : None of the components are listed

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Denmark

Class for fire hazard : Class III-1

Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration

OIL, CEDAR LEATHER PF*

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:	
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.

OIL, CEDAR LEATHER PF*

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.