

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 08/22/2022 Revision date: 11/09/2023 Supersedes: 08/22/2022 Version: 1.1

SECTION 1: Identification

Identification

Product form : Mixture

Product name : OIL, FALL PUMPKIN SPICE NDV*

Product code 95-5016-62

Recommended use and restrictions on use 1.2.

1.3. **Supplier**

The Lebermuth Company 4004 Technology Drive South Bend, IN 46628 - United States T 574-259-7000 - F 574-258-7450 info@lebermuth.com - www.lebermuth.com

Emergency telephone number

: CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 **Emergency number**

CCN 13010

SECTION 2: Hazard(s) identification

Classification of the substance or mixture

GHS US classification

Acute toxicity (oral) Category 4 Serious eye damage/eye irritation Category 1

Skin sensitization, Category 1

Harmful if swallowed Causes serious eye damage May cause an allergic skin reaction

GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)





GHS05

GHS07

Signal word (GHS US) : Danger

Hazard statements (GHS US) Harmful if swallowed

> May cause an allergic skin reaction Causes serious eye damage

Precautionary statements (GHS US) Avoid breathing dust/fume/gas/mist/vapors/spray.

Wash hands, forearms and face thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center or doctor if you feel unwell.

If on skin: Wash with plenty of water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Immediately call a poison center or doctor.

Specific treatment (see supplemental first aid instruction on this label).

Rinse mouth.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Dispose of contents/container to hazardous or special waste collection point, in accordance

with local, regional, national and/or international regulation.

Other hazards which do not result in classification

No additional information available

11/09/2023 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | GHS US classification |
|--------------------------|---------------------|---------|--|
| BENZYL BENZOATE | (CAS-No.) 120-51-4 | 10 – 25 | Acute Tox. 4 (Oral), H302 |
| PHENYLETHYL ALCOHOL | (CAS-No.) 60-12-8 | 5 – 10 | Acute Tox. 4 (Oral), H302 Eye Irrit. 2A, H319 |
| 4-tert-Butylcyclohexanol | (CAS-No.) 98-52-2 | 1 – 5 | Eye Irrit. 2A, H319 |
| COUMARIN | (CAS-No.) 91-64-5 | 1 – 5 | Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Skin Sens. 1B, H317 |
| 2-Methoxy-4-propylphenol | (CAS-No.) 2785-87-7 | 1 – 5 | Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1B, H317 STOT SE 3, H335 |
| BETA CARYOPHYLLENE | (CAS-No.) 87-44-5 | 1 – 5 | Skin Sens. 1B, H317 Asp. Tox. 1, H304 |
| Cinnamonitrile | (CAS-No.) 4360-47-8 | 1 – 5 | Acute Tox. 3 (Oral), H301 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Sens. 1B, H317 |
| ETHYL VANILLIN | (CAS-No.) 121-32-4 | 1 – 5 | Eye Irrit. 2B, H320 |
| CINNAMALDEHYDE | (CAS-No.) 104-55-2 | 1 – 5 | Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1A, H317 |

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Call a poison center/doctor/physician if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs:

Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : May cause an allergic skin reaction.

Symptoms/effects after eye contact : Serious damage to eyes.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Specific hazards arising from the chemical

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

11/09/2023 EN (English US) 2/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapors/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapors/spray. Wear personal protective equipment.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated

clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

OIL, FALL PUMPKIN SPICE NDV*

No additional information available

ETHYL VANILLIN (121-32-4)

No additional information available

COUMARIN (91-64-5)

No additional information available

4-tert-Butylcyclohexanol (98-52-2)

No additional information available

2-Methoxy-4-propylphenol (2785-87-7)

No additional information available

CINNAMALDEHYDE (104-55-2)

No additional information available

BENZYL BENZOATE (120-51-4)

No additional information available

BETA CARYOPHYLLENE (87-44-5)

No additional information available

Cinnamonitrile (4360-47-8)

No additional information available

PHENYLETHYL ALCOHOL (60-12-8)

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

11/09/2023 EN (English US) 3/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : YELLOW TO AMBER TO ORANGE

Odor : CHARACTERISTIC, MATCHING RETAINER SAMPLE

Odor threshold : No data available pH : No data available Melting point : Not applicable Freezing point : No data available Boiling point : No data available

Flash point : 98 °C

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Not applicable. Vapor pressure : No data available Relative vapor density at 20°C : No data available

Relative density : 0.9753 (0.9653 – 0.9853)

Solubility : Insoluble.

Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available : No data available Viscosity, kinematic Viscosity, dynamic : No data available : No data available **Explosion limits** Explosive properties : No data available : No data available Oxidizing properties

9.2. Other information

Refractive index : 1.49951 (1.48951 – 1.50951)

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

11/09/2023 EN (English US) 4/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

| 11.1. | Inform | ation on | Anvinale | | affects. |
|--------|----------|----------|----------|--------|----------|
| 111.1. | IIIIOIII | auon on | LOXICOIC | Juicai | enecis |

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

ATE US (oral) 1445.092 mg/kg body weight

| ETHYL VANILLIN (121-32-4) | |
|---------------------------|---|
| LD50 oral rat | > 3160 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other: |
| LD50 dermal rat | > 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) |
| ATE US (oral) | 3000 mg/kg body weight |

| . , | |
|--------------------|--|
| COUMARIN (91-64-5) | |
| LD50 oral rat | 293 mg/kg body weight Animal: rat, Guideline: other: |
| LD50 dermal rat | 293 mg/kg body weight Animal: rat, Guideline: other: |
| ATE US (oral) | 290 mg/kg body weight |
| ATE US (dermal) | 293 mg/kg body weight |

| 4-tert-Butylcyclohexanol (98-52-2) | |
|------------------------------------|--|
|------------------------------------|--|

ATE US (oral) 4200 mg/kg body weight

| 2-Methoxy-4-propylphenol (2785-87-7) | |
|--------------------------------------|--|
| LD50 oral rat | 2600 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1900 - 3600 |
| LD50 dermal rat | > 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) |
| ATE US (oral) | 2600 mg/kg body weight |

| CINNAMALDEHYDE (104-55-2) | |
|---------------------------|--|
| LD50 oral rat | 2220 mg/kg (Rat, Oral) |
| LD50 dermal rabbit | 1260 ml/kg (24 h, Rabbit, Male / female, Experimental value, Dermal) |
| LC50 Inhalation - Rat | 68.88 mg/l (4 h, Rat, Male / female, QSAR, Inhalation) |
| ATE US (oral) | 2200 mg/kg body weight |
| ATE US (dermal) | 1100 mg/kg body weight |
| ATE US (vapors) | 68.88 mg/l/4h |
| ATE US (dust, mist) | 68.88 mg/l/4h |

| BENZYL BENZOATE (120-51-4) | |
|----------------------------|---|
| LD50 oral rat | > 2000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s)) |
| LD50 dermal rabbit | > 2000 mg/kg bw/day (Modification of Draize 1959 method, 4 h, Rabbit, Experimental value, Dermal) |
| ATE US (oral) | 1160 mg/kg body weight |

| Cinnamonitrile (4360-47-8) | |
|----------------------------|------------------------|
| ATE US (oral) | 100 mg/kg body weight |
| ATE US (dermal) | 1100 mg/kg body weight |
| ATE US (gases) | 4500 ppmV/4h |
| ATE US (vapors) | 11 mg/l/4h |

11/09/2023 EN (English US) 5/10

Safety Data Sheet

| Cinnamonitrile (4360-47-8) | |
|--|--|
| ATE US (dust, mist) | 1.5 mg/l/4h |
| PHENYLETHYL ALCOHOL (60-12-8) | |
| LD50 oral rat | 1603 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimenta value, Oral, 14 day(s)) |
| LD50 dermal rabbit | 2535 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s)) |
| LC50 Inhalation - Rat | > 4.63 mg/l (4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s)) |
| ATE US (oral) | 500 mg/kg body weight |
| Skin corrosion/irritation | : Not classified |
| Serious eye damage/irritation | : Causes serious eye damage. |
| Respiratory or skin sensitization | : May cause an allergic skin reaction. |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| COUMARIN (91-64-5) | |
| IARC group | 3 - Not classifiable |
| 2-Methoxy-4-propylphenol (2785-87-7) | |
| NOAEL (chronic,oral,animal/male,2 years) | 300 mg/kg body weight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 451 (Carcinogenicity Studies) |
| NOAEL (chronic,oral,animal/female,2 years) | 150 mg/kg body weight Animal: mouse, Animal sex: female, Guideline: OECD Guideline 451 (Carcinogenicity Studies) |
| Reproductive toxicity | : Not classified |
| STOT-single exposure | : Not classified |

| 2-Methoxy-4-propylphenol (2785-87-7) | |
|--------------------------------------|-----------------------------------|
| STOT-single exposure | May cause respiratory irritation. |

STOT-repeated exposure : Not classified

| COUNTACIN (31-04-3) | |
|---|--|
| NOAEL (subchronic,oral,animal/female,90 days) | > 138.3 mg/kg body weight Animal: mouse, Animal sex: female |
| 2 Methons 4 propulphonal (2705 97 7) | |
| 2-Methoxy-4-propylphenol (2785-87-7) | |
| NOAEL (subchronic,oral,animal/male,90 days) | 300 mg/kg body weight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) |
| NOAEL (subchronic,oral,animal/female,90 days) | 600 mg/kg body weight Animal: mouse, Animal sex: female, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) |

: Not classified Aspiration hazard Viscosity, kinematic : No data available

Symptoms/effects after skin contact : May cause an allergic skin reaction.

Symptoms/effects after eye contact : Serious damage to eyes.

SECTION 12: Ecological information

| 12 1 | oxicity | |
|------|-------------|--|
| | OXICIIV | |

COLIMARIN (91-64-5)

: The product is not considered harmful to aquatic organisms or to cause long-term adverse Ecology - general effects in the environment.

| ETHYL VANILLIN (121-32-4) | | |
|---------------------------|--|------|
| LC50 - Fish [1] | 87.6 mg/l Test organisms (species): Pimephales promelas | |
| EC50 - Crustacea [1] | 26.2 mg/l Test organisms (species): Daphnia magna | |
| LOEC (chronic) | 10 mg/l Test organisms (species): Daphnia magna Duration: '21 d' | |
| 11/00/2023 | EN (English US) | 6/10 |

11/09/2023 EN (English US)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| ETHYL VANILLIN (121-32-4) | |
|--------------------------------------|---|
| NOEC (chronic) | 5.9 mg/l Test organisms (species): Daphnia magna Duration: '21 d' |
| COUMARIN (91-64-5) | |
| LC50 - Fish [1] | 2.94 mg/l Test organisms (species): |
| EC50 - Crustacea [1] | 8012 mg/l Test organisms (species): Daphnia sp. |
| LC50 - Fish [2] | 1324 mg/l Test organisms (species): |
| NOEC (chronic) | 0.5 mg/l Test organisms (species): Duration: '21 d' |
| NOEC chronic fish | 0.191 mg/l Test organisms (species): Duration: '30 d' |
| 2-Methoxy-4-propylphenol (2785-87-7) | |
| LC50 - Fish [1] | 4.4 mg/l Test organisms (species): other: |
| EC50 - Other aquatic organisms [1] | 3.5 mg/l Test organisms (species): other: |
| CINNAMALDEHYDE (104-55-2) | |
| LC50 - Fish [1] | 4.15 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP) |
| EC50 - Crustacea [1] | 3.21 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect) |
| BENZYL BENZOATE (120-51-4) | |
| LC50 - Fish [1] | 2.32 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP) |
| EC50 - Crustacea [1] | 3.09 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP) |
| BETA CARYOPHYLLENE (87-44-5) | |
| EC50 - Crustacea [1] | > 0.17 mg/l Test organisms (species): Daphnia magna |
| PHENYLETHYL ALCOHOL (60-12-8) | |
| LC50 - Fish [1] | 215 – 464 mg/l (DIN 38412: German standard methods for the examination of water, waste water and sludge, 96 h, Leuciscus idus, Static system, Fresh water, Experimental value, Nominal concentration) |
| EC50 - Crustacea [1] | 287.17 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimenta value, Locomotor effect) |
| ErC50 algae | 1300 mg/l (DIN 38412: German standard methods for the examination of water, waste water and sludge, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration) |

12.2. Persistence and degradability

| CINNAMALDEHYDE (104-55-2) | | |
|---------------------------------|--|--|
| Persistence and degradability | Readily biodegradable in water. | |
| BENZYL BENZOATE (120-51-4) | | |
| Persistence and degradability | Readily biodegradable in water. | |
| | | |
| PHENYLETHYL ALCOHOL (60-12-8) | | |
| Persistence and degradability | Biodegradable in the soil. Readily biodegradable in water. | |
| Biochemical oxygen demand (BOD) | 1.45 g O ₂ /g substance | |
| Chemical oxygen demand (COD) | 2.5 g O ₂ /g substance | |
| ThOD | 2.6 g O ₂ /g substance | |

12.3. Bioaccumulative potential

| CINNAMALDEHYDE (104-55-2) | | |
|---|---|--|
| Partition coefficient n-octanol/water (Log Pow) | 2.107 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 $^{\circ}\text{C})$ | |
| Bioaccumulative potential | Low potential for bioaccumulation (Log Kow < 4). | |
| BENZYL BENZOATE (120-51-4) | | |
| BCF - Fish [1] | 193.4 l/kg (BCFBAF v3.01, Pisces, Calculated value) | |
| Partition coefficient n-octanol/water (Log Pow) | 3.97 (Experimental value, 25 °C) | |
| Bioaccumulative potential | Low potential for bioaccumulation (Log Kow < 4). | |

11/09/2023 EN (English US) 7/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| PHENYLETHYL ALCOHOL (60-12-8) | | |
|---|---|--|
| Partition coefficient n-octanol/water (Log Pow) | 1.3 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 20 °C) | |
| Bioaccumulative potential | Low potential for bioaccumulation (Log Kow < 4). | |

12.4. Mobility in soil

| CINNAMALDEHYDE (104-55-2) | | |
|---|---|--|
| Surface tension | 45.3 mN/m (20 °C, Experimental value) | |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 1.958 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value) | |
| Ecology - soil | Highly mobile in soil. | |
| BENZYL BENZOATE (120-51-4) | | |
| Surface tension | 27 mN/m (210 °C) | |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP) | |
| Ecology - soil | Low potential for mobility in soil. | |

| PHENYLETHYL ALCOHOL (60-12-8) | | |
|---|--|--|
| Surface tension | 59.7 mN/m (20 °C, 1 g/l, OECD 115: Surface Tension of Aqueous Solutions) | |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 1.5 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value) | |
| Ecology - soil | Highly mobile in soil. | |

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not regulated

Transportation of Dangerous Goods

Not applicable

μ.

Transport by sea

Not applicable

Air transport

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

ETHYL VANILLIN (121-32-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

11/09/2023 EN (English US) 8/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

COUMARIN (91-64-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

4-tert-Butylcyclohexanol (98-52-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

2-Methoxy-4-propylphenol (2785-87-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

CINNAMALDEHYDE (104-55-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

BENZYL BENZOATE (120-51-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Cinnamonitrile (4360-47-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

ETHYL VANILLIN (121-32-4)

Listed on the Canadian DSL (Domestic Substances List)

COUMARIN (91-64-5)

Listed on the Canadian DSL (Domestic Substances List)

4-tert-Butylcyclohexanol (98-52-2)

Listed on the Canadian DSL (Domestic Substances List)

2-Methoxy-4-propylphenol (2785-87-7)

Listed on the Canadian DSL (Domestic Substances List)

CINNAMALDEHYDE (104-55-2)

Listed on the Canadian DSL (Domestic Substances List)

BENZYL BENZOATE (120-51-4)

Listed on the Canadian DSL (Domestic Substances List)

BETA CARYOPHYLLENE (87-44-5)

Listed on the Canadian DSL (Domestic Substances List)

Cinnamonitrile (4360-47-8)

Listed on the Canadian DSL (Domestic Substances List)

PHENYLETHYL ALCOHOL (60-12-8)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

BETA CARYOPHYLLENE (87-44-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

PHENYLETHYL ALCOHOL (60-12-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

11/09/2023 EN (English US) 9/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations

This product can expose you to toluene, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



This product can expose you to benzene*, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

This product can expose you to methyl eugenol, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

This product can expose you to myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information

Revision date : 11/09/2023

Full text of H-phrases:

| H301 | Toxic if swallowed |
|------|--|
| H302 | Harmful if swallowed |
| H304 | May be fatal if swallowed and enters airways |
| H311 | Toxic in contact with skin |
| H312 | Harmful in contact with skin |
| H315 | Causes skin irritation |
| H317 | May cause an allergic skin reaction |
| H318 | Causes serious eye damage |
| H319 | Causes serious eye irritation |
| H320 | Causes eye irritation |
| H332 | Harmful if inhaled |
| H335 | May cause respiratory irritation |

SDS US (GHS HazCom 2012) - Lebermuth

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

11/09/2023 EN (English US) 10/10