

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Issue date: 07/10/2019 Revision date: 04/19/2024 Supersedes: 08/29/2022 Version: 1.4

#### **SECTION 1: Identification**

#### 1.1. Product identifier

Product form : Substance

Substance name : MANDARIN GREEN ORGANIC OIL

Substance type : UVCB
CAS-No. : 8008-31-9
Product code : 50-5155-07
Product group : Trade product

#### 1.2. Recommended use and restrictions on use

#### 1.3. Supplier

The Lebermuth Company
4004 Technology Drive
46628 South Bend, IN - United States
T 574-259-7000 - F 574-258-7450
info@lebermuth.com - www.lebermuth.com

#### 1.4. Emergency telephone number

Emergency number : CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300

CCN 13010

#### **SECTION 2: Hazard identification**

## 2.1. Classification of the substance or mixture

#### Classification (GHS CA)

Flammable liquids H226

Category 3
Skin corrosion/irritation

H315

H304

Category 2

Skin sensitization, H317

Category 1

Reproductive toxicity H361 Category 2

Aspiration hazard Category 1

Full text of H statements : see section 16

# 2.2. GHS Label elements, including precautionary statements

# **GHS CA labeling**

Hazard pictograms (GHS CA)







Signal word (GHS CA) : Danger

Hazard statements (GHS CA) : H226 - Flammable liquid and vapor

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H361 - Suspected of damaging fertility or the unborn child

Precautionary statements (GHS CA) : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 - Keep container tightly closed.

P240 - Ground/bond container and receiving equipment.

P241 - Use explosion-proof electrical/ventilating/lighting equipment.

P242 - Use only non-sparking tools.

P243 - Take action to prevent static discharges.

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

04/19/2024 EN (English US) Page 1

# Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water .

P308+P313 - IF exposed or concerned: Get medical advice/attention.

P321 - Specific treatment (see supplemental first aid instruction on this label).

P331 - Do NOT induce vomiting.

P332+P313 - If skin irritation occurs: Get medical advice/attention.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P370+P378 - In case of fire: Use media other than water to extinguish.

P403+P235 - Store in a well-ventilated place. Keep cool

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity (GHS CA)

No data available

## **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substances

 Substance type
 : UVCB

 Custom name
 : MANDARIN OIL

 CAS-No.
 : 8008-31-9

 EC-No.
 : 284-521-0

Name	Chemical name/Synonyms	Product identifier	%	Classification (GHS CA)
MANDARIN OIL		(CAS-No.) 8008-31-9	100	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361 Asp. Tox. 1, H304

Full text of hazard classes and H-statements : see section 16

#### 3.2 Mixtures

Not applicable

# **SECTION 4: First-aid measures**

## 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin

irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Do not induce vomiting. Call a physician immediately.

First-aid measures general : Call a physician immediately.

## 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this material is

expected to be an inhalation hazard.

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : None under normal conditions.

Symptoms/effects after ingestion : Risk of lung edema.

#### 4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment : Treat symptomatically.

# **SECTION 5: Fire-fighting measures**

## 5.1. Suitable extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

## 5.2. Unsuitable extinguishing media

Unsuitable extinguishing media : Do not use a heavy water stream.

04/19/2024 EN (English US) 2/7

# Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

#### 5.3. Specific hazards arising from the hazardous product

Fire hazard : Flammable liquid and vapor. Explosion hazard : No direct explosion hazard.

#### 5.4. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper

protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb

spillage to prevent material-damage.

6.2. Methods and materials for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to

prevent migration and entry into sewers or streams. Stop leak, if possible without risk.

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters

Other information : Dispose of materials or solid residues at an authorized site.

6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and

eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed

out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands

after handling the product.

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

Packaging materials : Store always product in container of same material as original container.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

No additional information available

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

## Personal protective equipment:

Wear recommended personal protective equipment.

# Hand protection:

Protective gloves

#### Eye protection:

Safety glasses

### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

04/19/2024 EN (English US) 3/7

# Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

#### Personal protective equipment symbol(s):







# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : No data available

Color : GREENISH-BROWN TO DARK OLIVE-BROWN LIQUID

Odor : CHARACTERISTIC OF OUTER PART OF FRESH MANDARIN PEEL

Odor threshold : No data available pH : No data available Relative evaporation rate (butyl acetate=1) : No data available Relative evaporation rate (ether=1) : No data available Melting point : No data available Freezing point : No data available Boiling point : No data available

Flash point : 46 °C

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability : Not applicable

Vapor pressure : No data available

Vapor pressure at 50°C : No data available

Relative density : 0.8495 (0.835 – 0.862)

Solubility : Insoluble.

Partition coefficient n-octanol/water (Log Pow) : No data available

Explosion limits : No data available

9.2. Other information

Refractive index : 1.475 (1.462 – 1.489)

# **SECTION 10: Stability and reactivity**

10.1. Reactivity

Reactivity : Flammable liquid and vapor.

Conditions to avoid : Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

#### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Not classified

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Suspected of damaging fertility or the unborn child.

STOT-single exposure : Not classified

: Not classified

STOT-repeated exposure

04/19/2024 EN (English US) 4/7

# Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Aspiration hazard : May be fatal if swallowed and enters airways.

Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this material is

expected to be an inhalation hazard.

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : None under normal conditions.

Symptoms/effects after ingestion : Risk of lung edema.

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-

term (acute)

: Not classified

Hazardous to the aquatic environment, long-

term (chronic)

: Not classified

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Ozone : Not classified

## **SECTION 13: Disposal considerations**

#### 13.1. Disposal methods

Regional waste regulation : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations : Disposal must be done according to official regulations. Product/Packaging disposal recommendations : Disposal must be done according to official regulations.

Additional information : Flammable vapors may accumulate in the container. Do not re-use empty containers.

## **SECTION 14: Transport information**

## 14.1. Basic shipping description

In accordance with TDG

#### **Transportation of Dangerous Goods**

UN-No. (TDG) : UN1197

Packing group (TDG) : III - Minor Danger

TDG Primary Hazard Classes : 3 - Class 3 - Flammable Liquids

Transport document description (TDG) : UN1197 EXTRACTS, FLAVOURING, LIQUID (Regulated for Bulk only), 3, III

Proper Shipping Name (TDG) : EXTRACTS, FLAVOURING, LIQUID

(Regulated for Bulk only)

Hazard labels (TDG) : 3 - Flammable Liquids



Explosive Limit and Limited Quantity Index : 5 L
Excepted quantities (TDG) : E1
Passenger Carrying Road Vehicle or Passenger : 60 L

Carrying Railway Vehicle Index

04/19/2024 EN (English US) 5/7

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

## 14.2. Transport information/DOT

**Department of Transport** 

DOT NA No : UN1197 UN-No.(DOT) : 1197

Packing group (DOT) : III - Minor Danger

Transport document description (DOT) : UN1197 Extracts, flavoring, liquid (Regulated for Bulk only), 3, III

Proper Shipping Name (DOT) : Extracts, flavoring, liquid (Regulated for Bulk only)

Contains Statement Field Selection (DOT)

Class (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Division (DOT) : 3

Hazard labels (DOT) : 3 - Flammable liquid



Marine pollutant : NO
Dangerous for the environment : No

DOT Special Provisions (49 CFR 172.102) : B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the

bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this

subchapter are applicable.

IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table

2 for UN2672).

T2 - 1.5 178.274(d)(2) Normal...... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.

DOT Packaging Exceptions (49 CFR 173.xxx) : 150
DOT Packaging Non Bulk (49 CFR 173.xxx) : 203
DOT Packaging Bulk (49 CFR 173.xxx) : 242
DOT Quantity Limitations Passenger aircraft/rail : 60 L
(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 220 L

CFR 175.75)

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

Emergency Response Guide (ERG) Number : 127

Other information : No supplementary information available.

# 14.3. Air and sea transport

**IMDG** 

UN-No. (IMDG) : 1197

Proper Shipping Name (IMDG) : EXTRACTS, LIQUID

Transport document description (IMDG) : UN 1197 EXTRACTS, LIQUID, 3, III, MARINE POLLUTANT/ENVIRONMENTALLY

**HAZARDOUS** 

Class (IMDG) : 3 - Flammable liquids

Packing group (IMDG) : III - substances presenting low danger

**IATA** 

UN-No. (IATA) : 1197

Proper Shipping Name (IATA) : Extracts, liquid

Transport document description (IATA) : UN 1197 Extracts, liquid, 3, III, ENVIRONMENTALLY HAZARDOUS

Class (IATA) : 3 - Flammable Liquids
Packing group (IATA) : III - Low danger

## **SECTION 15: Regulatory information**

04/19/2024 EN (English US) 6/7

# Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

## 15.1. National regulations

## **MANDARIN GREEN ORGANIC OIL (8008-31-9)**

Listed on the Canadian DSL (Domestic Substances List)

## 15.2. International regulations

## **MANDARIN GREEN ORGANIC OIL (8008-31-9)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory

# **SECTION 16: Other information**

 SDS Major/Minor
 : None

 Issue date
 : 07/10/2019

 Revision date
 : 04/19/2024

 Supersedes
 : 08/29/2022

#### Full text of H-phrases:

H226	Flammable liquid and vapor	
H304	May be fatal if swallowed and enters airways	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H361	Suspected of damaging fertility or the unborn child	

SDS Canada (GHS) - Lebermuth

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

04/19/2024 EN (English US) 7/7