

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 02/21/2018 Revision date: 06/07/2023 Supersedes: 10/13/2022

**SECTION 1: Identification** Identification 1.1. Product form : Substance Product name GINGER CHINESE OIL CAS-No. 8007-08-7 Product code : 50-6135-01 1.2. Recommended use and restrictions on use 1.3. **Supplier** The Lebermuth Company 4004 Technology Drive South Bend, IN 46628 - United States T 574-259-7000 - F 574-258-7450 info@lebermuth.com - www.lebermuth.com 1.4. **Emergency telephone number** Emergency number : CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 CCN 13010 SECTION 2: Hazard(s) identification 2.1. **Classification of the substance or mixture GHS US classification** Flammable liquids Category 4 Combustible liquid Skin corrosion/irritation Category 2 Causes skin irritation Serious eye damage/eye irritation Category 2A Causes serious eye irritation May cause an allergic skin reaction Skin sensitization, Category 1 Aspiration hazard Category 1 May be fatal if swallowed and enters airways 22 GHS Label elements, including precautionary statements **GHS US labeling** Hazard pictograms (GHS US) GHS07 GHS08 Signal word (GHS US) · Danger Hazard statements (GHS US) Combustible liquid May be fatal if swallowed and enters airways Causes skin irritation May cause an allergic skin reaction Causes serious eye irritation Precautionary statements (GHS US) Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands, forearms and face thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center or doctor. If on skin: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see supplemental first aid instruction on this label). Do NOT induce vomiting. If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention.

Version: 1.9

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Wash contaminated clothing before reuse. In case of fire: Use media other than water to extinguish. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

### SECTION 3: Composition/Information on ingredients

3.1.	Substances
V. I.	oussiunces

Name	Product identifier	%	GHS US classification
GINGER OIL	(CAS-No.) 8007-08-7	100	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304

Full text of hazard classes and H-statements : see section 16

3.2. Mixtures			
Not applicable			
SECTION 4: First-aid measures			
4.1. Description of first aid measures			
First-aid measures general	: Call a physician immediately.		
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.		
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.		
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.		
First-aid measures after ingestion	: Do not induce vomiting. Call a physician immediately.		
4.2. Most important symptoms and effe	ects (acute and delayed)		
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.		
Symptoms/effects after eye contact	: Eye irritation.		
Symptoms/effects after ingestion	: Risk of lung edema.		
4.3. Immediate medical attention and s	-		
Treat symptomatically.			
SECTION 5: Fire-fighting measures			
5.1. Suitable (and unsuitable) extinguis	•		
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.		
5.2. Specific hazards arising from the c	hemical		
Fire hazard	: Combustible liquid.		
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.		
5.3. Special protective equipment and	precautions for fire-fighters		
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.		
SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
6.1.1. For non-emergency personnel			
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 56 / Monday, Ma		
6.1.2. For emergency responders		
Protective equipment :	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
6.2. Environmental precautions		
Avoid release to the environment.		
6.3. Methods and material for containment	and cleaning up	
Methods for cleaning up :	Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.	
Other information :	Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		
For further information refer to section 13.		
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling :	Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.	
Hygiene measures :	Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, including	any incompatibilities	
Storage conditions :	Store in a well-ventilated place. Keep cool. Store locked up.	
<b>SECTION 8: Exposure controls/persor</b>	nal protection	
8.1. Control parameters		
GINGER OIL (8007-08-7)		
No additional information available		
8.2. Appropriate engineering controls		
	Ensure good ventilation of the work station.	
Environmental exposure controls :	Avoid release to the environment.	
8.3. Individual protection measures/Person	nal protective equipment	
Hand protection:		
Protective gloves		
Eye protection:		
Safety glasses		
Skin and body protection:		
Wear suitable protective clothing		
Respiratory protection:		
In case of insufficient ventilation, wear suitable respiratory equipment		
SECTION 9: Physical and chemical pro	operties	

9.1.	Information on basic	physical and chemical	properties

 Physical state
 : Liquid

 Color
 : PALE YELLOW TO AMBER LIQUID

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Odor	: SWEET, SPICY, EARTHY	
Odor threshold	: No data available	
Нq	: No data available	
Melting point	: Not applicable	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: 64.4 °C	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability (solid, gas)	: Not applicable.	
Vapor pressure	: No data available	
Relative vapor density at 20°C	: No data available	
Relative density	: 0.873 (0.866 – 0.878)	
Solubility	: Insoluble.	
Partition coefficient n-octanol/water (Log Pow)	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosion limits	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
9.2. Other information		
VOC content	: 18.9 %	
Refractive index	: 1.489 (1.482 – 1.496)	
SECTION 10: Stability and reactivity		

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

#### 10.5. Incompatible materials

No additional information available

#### **10.6.** Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information		
11.1. Information on toxicological eff	iects	
Acute toxicity (oral)	: Not classified	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitization	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard Viscosity, kinematic	<ul> <li>May be fatal if swallowed and enters airways.</li> <li>No data available</li> </ul>
Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion	: Irritation. May cause an allergic skin reaction. : Eye irritation. : Risk of lung edema.

#### **SECTION 12: Ecological information** 12.1. Toxicity : The product is not considered harmful to aquatic organisms or to cause long-term adverse Ecology - general effects in the environment. 12.2. Persistence and degradability No additional information available 12.3. **Bioaccumulative potential** No additional information available Mobility in soil 12.4. No additional information available 12.5. Other adverse effects

### No additional information available

13.1       Disposal methods         Waste treatment methods       : Dispose of contents/container in accordance with licensed collector's sorting instructions.         SECTION 14: Transport information         Department of Transportation (DOT)         In accordance with DOT         Transport document description (DOT)         In accordance with DOT         Transport document description (DOT)         In XA1993         Proper Shipping Name (DOT)         In Combustible liquid, n.o.s.         (Ginger oil) - Regulated for Bulk only         Class (DOT)       : Comb Liq - Combustible liquid         Packing group (DOT)       : UII - Minor Danger         DOT Packaging Non Bulk (49 CFR 173.xxx)       : 203         DOT Symbols       : D - Proper shipping name for domestic use only, or to and from Canada,G - Identifies PSN requiring a technical name         DOT Special Provisions (49 CFR 172.102)       : 148 - For domestic transportation, this entry directs to § 173.66 for: a. The standards for transporting a single bulk hazardous material for blasting by cargo tank motor vehicles (CTMV); and b. The standards for CTMVs capable of transporting multiple hazardous materials for blasting in bulk and non-bulk packagings (i.e. an utipurypose bulk truck (MBT)).         IB3 - Authorized IBCs: Metal (31A, 31B and 31H2); Rigid plastics (31H and 31H2); Composite (31H2 and 31H42, 31H42, 31H42, 31H42, 31H42, 31H2,	SECTION 13: Disposal considerations		
SECTION 14: Transport information         Department of Transportation (DOT)         In accordance with DOT         Transport document description (DOT)       : NA1993 Combustible liquid, n.o.s. (Ginger oil) - Regulated for Bulk only, Comb Liq, III         UN-No.(DOT)       : NA1993         Proper Shipping Name (DOT)       : Combustible liquid, n.o.s. (Ginger oil) - Regulated for Bulk only         Class (DOT)       : Combustible liquid         Packing group (DOT)       : UII - Minor Danger         DOT Packaging Non Bulk (49 CFR 173.xxx)       : 203         DOT Packaging Bulk (49 CFR 173.xxx)       : 203         DOT Symbols       : D - Proper shipping name for domestic use only, or to and from Canada,G - Identifies PSN requiring a technical name         DOT Special Provisions (49 CFR 172.102)       : 148 - For domestic transportation, this entry directs to § 173.66 for: a. The standards for transporting a single bulk hazardous material for blasting by cargo tank motor vehicles (CTMV); and b. The standards for CTMVs capable of transporting multiple hazardous materials for blasting in bulk and non-bulk packagings (i.e., a multipurpose bulk truck (MBT)). IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rijd plastics (31H1 and 31H2); Composite (31H21 and 31H42, 31HB2, 31HH22, 31HB2, 31HH22, 31HB2, 31HH22, MH22, 31HB2, 31HH22, MH22, MH42, 31HB2, 31H	13.1. Disposal methods		
Department of Transportation (DOT)       In accordance with DOT         Transport document description (DOT)       : NA1993 Combustible liquid, n.o.s. (Ginger oil) - Regulated for Bulk only, Comb Liq, III         UN-No.(DOT)       : NA1993         Proper Shipping Name (DOT)       : Combustible liquid, n.o.s. (Ginger oil) - Regulated for Bulk only         Class (DOT)       : Comb Liq - Combustible liquid         Packing group (DOT)       : III - Minor Danger         DOT Packaging Non Bulk (49 CFR 173.xxx)       : 203         DOT Packaging Bulk (49 CFR 173.xxx)       : 241         DOT Special Provisions (49 CFR 172.102)       : IA For domestic transportation, this entry directs to § 173.66 for: a. The standards for transporting a single bulk hazardous material for blasting by cargo tank motor vehicles (CTMV); and b. The standards for CTMVs capable of transporting multiple hazardous materials for blasting in bulk and non-bulk packaging (i.e., a multipurpose bulk truck (MBT)).         IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31H21 and 31HA2, 31HB2,	Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.	
In accordance with DDTTransport document description (DOT): NA1993 Combustible liquid, n.o.s. (Ginger oil) - Regulated for Bulk only, Comb Liq, IIIUN-No.(DOT): NA1993Proper Shipping Name (DOT): Combustible liquid, n.o.s. (Ginger oil) - Regulated for Bulk onlyClass (DOT): Comb Liq - Combustible liquidPacking group (DOT): III - Minor DangerDOT Packaging Non Bulk (49 CFR 173.xxx): 203DOT Packaging Bulk (49 CFR 173.xxx): 241DOT Symbols: D - Proper shipping name for domestic use only, or to and from Canada,G - Identifies PSN requiring a technical nameDOT Special Provisions (49 CFR 172.102): 148 - For domestic transportation, this entry directs to § 173.66 for: a. The standards for transporting a single bulk hazardous material for blasting by cargo tank motor vehicles (CTMV); and b. The standards for CTMVs capable of transporting multiple hazardous materials for blasting in bulk and non-bulk packagings (i.e. a multipurpose bulk truck (MBT)). IB 3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H and 31H2); Composite (31H21 and 31HA2, 31HB2, 31HH2,	<b>SECTION 14: Transport information</b>		
Transport document description (DOT): NA1993 Combustible liquid, n.o.s. (Ginger oil) - Regulated for Bulk only, Comb Liq, IIIUN-No.(DOT): NA1993Proper Shipping Name (DOT): Combustible liquid, n.o.s. (Ginger oil) - Regulated for Bulk onlyClass (DOT): Comb Liq - Combustible liquidPacking group (DOT): III - Minor DangerDOT Packaging Non Bulk (49 CFR 173.xxx): 203DOT Packaging Bulk (49 CFR 173.xxx): 241DOT Symbols: D - Proper shipping name for domestic use only, or to and from Canada,G - Identifies PSN requiring a technical nameDOT Special Provisions (49 CFR 172.102): 148 - For domestic transportation, this entry directs to § 173.66 for: a. The standards for transporting a single bulk hazardous material for blasting by cargo tank motor vehicles (CTMV); and b. The standards for CTMVs capable of transporting multiple hazardous materials for blasting in bulk and non-bulk packagings (i.e., a multipurpose bulk truck (MBT)). IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31H21 and 31HA2, 31HD2, 31HD2, 31HD2, 31HD2, 31HD2, 31HD2, 31HD2, 43HD2, 21HD2 and 31H2); Composite (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T1 - 1.5 178.274(d)(2) Normal	Department of Transportation (DOT)		
UN-No.(DOT)       : NA1993         Proper Shipping Name (DOT)       : Combustible liquid, n.o.s. (Ginger oil) - Regulated for Bulk only         Class (DOT)       : Comb Liq - Combustible liquid         Packing group (DOT)       : III - Minor Danger         DOT Packaging Non Bulk (49 CFR 173.xxx)       : 203         DOT Packaging Bulk (49 CFR 173.xxx)       : 203         DOT Symbols       : D - Proper shipping name for domestic use only, or to and from Canada,G - Identifies PSN requiring a technical name         DOT Special Provisions (49 CFR 172.102)       : 148 - For domestic transportation, this entry directs to § 173.66 for: a. The standards for transporting a sligle bulk hazardous material for blasting by cargo tank motor vehicles (CTMV); and b. The standards for CTMVs capable of transporting multiple hazardous materials for blasting in bulk and non-bulk packagings (i.e., a multipurpose bulk truck (MBT)).         IB3 - Authorized IBCs: Metal (31A, 31B and 31N), Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).         T1 - 1.5 178.274(d)(2) Normal	In accordance with DOT		
Proper Shipping Name (DOT): Combustible liquid, n.o.s. (Ginger oil) - Regulated for Bulk onlyClass (DOT): Comb Liq - Combustible liquidPacking group (DOT): III - Minor DangerDOT Packaging Non Bulk (49 CFR 173.xxx): 203DOT Packaging Bulk (49 CFR 173.xxx): 241DOT Symbols: D - Proper shipping name for domestic use only, or to and from Canada, G - Identifies PSN requiring a technical nameDOT Special Provisions (49 CFR 172.102): 148 - For domestic transportation, this entry directs to § 173.66 for: a. The standards for transporting a single bulk hazardous material for blasting by cargo tank motor vehicles (CTMV); 	Transport document description (DOT)	: NA1993 Combustible liquid, n.o.s. (Ginger oil) - Regulated for Bulk only, Comb Liq, III	
Class (DOT): Comb Liq - Combustible liquidPacking group (DOT): III - Minor DangerDOT Packaging Non Bulk (49 CFR 173.xxx): 203DOT Packaging Bulk (49 CFR 173.xxx): 241DOT Symbols: D - Proper shipping name for domestic use only, or to and from Canada, G - Identifies PSN requiring a technical nameDOT Special Provisions (49 CFR 172.102): 148 - For domestic transportation, this entry directs to § 173.66 for: a. The standards for transporting a single bulk hazardous material for blasting by cargo tank motor vehicles (CTMV); and b. The standards for CTMVs capable of transporting multiple hazardous materials for blasting in bulk and non-bulk packagings (i.e., a multipurpose bulk truck (MBT)). IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31H21 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HN2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T1 - 1.5 178.274(d)(2) Normal	UN-No.(DOT)	: NA1993	
Class (DOT): Comb Liq - Combustible liquidPacking group (DOT): III - Minor DangerDOT Packaging Non Bulk (49 CFR 173.xxx): 203DOT Packaging Bulk (49 CFR 173.xxx): 241DOT Symbols: D - Proper shipping name for domestic use only, or to and from Canada, G - Identifies PSN requiring a technical nameDOT Special Provisions (49 CFR 172.102): 148 - For domestic transportation, this entry directs to § 173.66 for: a. The standards for transporting a single bulk hazardous material for blasting by cargo tank motor vehicles (CTMV); and b. The standards for CTMVs capable of transporting multiple hazardous materials for blasting in bulk and non-bulk packagings (i.e, a multipurpose bulk truck (MBT)). IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31H21 and 31HA2, 31HB2, 31HD2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T1 - 1.5 178.274(d)(2) Normal	Proper Shipping Name (DOT)	: Combustible liquid, n.o.s.	
Packing group (DOT): III - Minor DangerDOT Packaging Non Bulk (49 CFR 173.xxx): 203DOT Packaging Bulk (49 CFR 173.xxx): 241DOT Symbols: D - Proper shipping name for domestic use only, or to and from Canada,G - Identifies PSN requiring a technical nameDOT Special Provisions (49 CFR 172.102): 148 - For domestic transportation, this entry directs to § 173.66 for: a. The standards for transporting a single bulk hazardous material for blasting by cargo tank motor vehicles (CTMV); and b. The standards for CTMVs capable of transporting multiple hazardous materials for blasting in bulk and non-bulk packagings (i.e., a multipurpose bulk truck (MBT)). IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31H21 and 31HA2, 31HB2, 31HB2, 31HB2, 31HD2, additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T1 - 1.5 178.274(d)(2) Normal		(Ginger oil) - Regulated for Bulk only	
DOT Packaging Non Bulk (49 CFR 173.xxx)       : 203         DOT Symbols       : 241         DOT Special Provisions (49 CFR 172.102)       : 148 - For domestic transportation, this entry directs to § 173.66 for: a. The standards for transporting a single bulk hazardous material for blasting by cargo tank motor vehicles (CTMV); and b. The standards for CTMVs capable of transporting multiple hazardous materials for blasting in bulk and non-bulk packagings (i.e., a multipurpose bulk truck (MBT)).         IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HD2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).         T1 - 1.5 178.274(d)(2) Normal	Class (DOT)	: Comb Liq - Combustible liquid	
DOT Packaging Bulk (49 CFR 173.xxx)       : 241         DOT Symbols       : D - Proper shipping name for domestic use only, or to and from Canada, G - Identifies PSN requiring a technical name         DOT Special Provisions (49 CFR 172.102)       : 148 - For domestic transportation, this entry directs to § 173.66 for: a. The standards for transporting a single bulk hazardous material for blasting by cargo tank motor vehicles (CTMV); and b. The standards for CTMVs capable of transporting multiple hazardous materials for blasting in bulk and non-bulk packagings (i.e, a multipurpose bulk truck (MBT)).         IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31H21 and 31HA2, 31HB2, 31HN2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).         T1 - 1.5 178.274(d)(2) Normal	Packing group (DOT)	: III - Minor Danger	
<ul> <li>DOT Symbols</li> <li>D - Proper shipping name for domestic use only, or to and from Canada, G - Identifies PSN requiring a technical name</li> <li>DOT Special Provisions (49 CFR 172.102)</li> <li>148 - For domestic transportation, this entry directs to § 173.66 for: a. The standards for transporting a single bulk hazardous material for blasting by cargo tank motor vehicles (CTMV); and b. The standards for CTMVs capable of transporting multiple hazardous materials for blasting in bulk and non-bulk packagings (i.e, a multipurpose bulk truck (MBT)). IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T1 - 1.5 178.274(d)(2) Normal</li></ul>	DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203	
<ul> <li>DOT Special Provisions (49 CFR 172.102)</li> <li>148 - For domestic transportation, this entry directs to § 173.66 for: a. The standards for transporting a single bulk hazardous material for blasting by cargo tank motor vehicles (CTMV); and b. The standards for CTMVs capable of transporting multiple hazardous materials for blasting in bulk and non-bulk packagings (i.e., a multipurpose bulk truck (MBT)). IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31H21 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T1 - 1.5 178.274(d)(2) Normal</li></ul>	DOT Packaging Bulk (49 CFR 173.xxx)	: 241	
<ul> <li>transporting a single bulk hazardous material for blasting by cargo tank motor vehicles (CTMV); and b. The standards for CTMVs capable of transporting multiple hazardous materials for blasting in bulk and non-bulk packagings (i.e., a multipurpose bulk truck (MBT)).</li> <li>IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HD2, and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).</li> <li>T1 - 1.5 178.274(d)(2) Normal</li></ul>	DOT Symbols		
DOT Packaging Exceptions (49 CFR 173.xxx) : 150	DOT Special Provisions (49 CFR 172.102)	transporting a single bulk hazardous material for blasting by cargo tank motor vehicles (CTMV); and b. The standards for CTMVs capable of transporting multiple hazardous materials for blasting in bulk and non-bulk packagings (i.e, a multipurpose bulk truck (MBT)). IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T1 - 1.5 178.274(d)(2) Normal	
	DOT Packaging Exceptions (49 CFR 173.xxx)	: 150	

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L	
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L	
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.	
Other information	: No supplementary information available.	

### **Transportation of Dangerous Goods**

Not applicable

### Transport by sea

Not applicable

#### Air transport

Not applicable

SECTION 15: Regulatory information		
15.1. US Federal regulations		
GINGER OIL (8007-08-7)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		

### 15.2. International regulations

#### CANADA

GINGER OIL (8007-08-7)

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

No additional information available

#### National regulations

No additional information available

#### 15.3. US State regulations

**WARNING**:

This product can expose you to toluene, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

This product can expose you to myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

## SECTION 16: Other information

Rev	ision date	: 06/07/2023
Full	text of H-phrases:	
	H227	Combustible liquid
	H304	May be fatal if swallowed and enters airways
	H315	Causes skin irritation
	H317	May cause an allergic skin reaction
	H319	Causes serious eye irritation

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SDS US (GHS HazCom 2012) - Lebermuth

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.