

Safety Data Sheet

according to Regulation (EU) 2015/830 Issue date: 6/18/2018 Revision date: 1/17/2024 Supersedes version of: 7/14/2023 Version: 2.11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Substance (UVCB)
Product name	: GRAPEFRUIT PINK OIL
EC-No.	: 289-904-6
CAS-No.	: 8016-20-4
Product code	: 50-6140-02
Product group	: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

No additional information available

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

The Lebermuth Company 4004 Technology Drive 46628 South Bend, IN United States T 574-259-7000 - F 574-258-7450 info@lebermuth.com - www.lebermuth.com

1.4. Emergency telephone number

Emergency number

: CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 CCN 13010

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]
Flammable liquids, Category 3
Skin corrosion/irritation, Category 2


Skin sensitisation, Category 1H317Aspiration hazard, Category 1H304Hazardous to the aquatic environment – Chronic Hazard, Category 2H411Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. Causes skin irritation. May cause an allergic skin reaction. May be fatal if swallowed and enters airways. Toxic to aquatic life with long lasting effects.

H226 H315

2.2. Label elements



H304 - May be fatal if swallowed and enters airways.

Safety Data Sheet

according to Regulation (EU) 2015/830

	H315 - Causes skin irritation.
	H317 - May cause an allergic skin reaction.
	H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
	No smoking.
	P233 - Keep container tightly closed.
	P240 - Ground and bond container and receiving equipment.
	P241 - Use explosion-proof electrical/ventilating/lighting equipment.
	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
	P264 - Wash hands, forearms and face thoroughly after handling.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P273 - Avoid release to the environment.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
	P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor.
	P302+P352 - IF ON SKIN: Wash with plenty of water.
	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water .
	P321 - Specific treatment (see supplemental first aid instruction on this label).
	P331 - Do NOT induce vomiting.
	P332+P313 - If skin irritation occurs: Get medical advice/attention.
	P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
	P362+P364 - Take off contaminated clothing and wash it before reuse.
	P370+P378 - In case of fire: Use media other than water to extinguish.
	P391 - Collect spillage.
	P403+P235 - Store in a well-ventilated place. Keep cool.
	P405 - Store locked up.
	P501 - Dispose of contents/container to hazardous or special waste collection point, in
	accordance with local, regional, national and/or international regulation.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients		
3.1. Substances		
Custom name : CAS-No. :	UVCB GRAPEFRUIT OIL 8016-20-4 289-904-6	
Name	Product identifier	%
GRAPEFRUIT OIL	CAS-No.: 8016-20-4 EC-No.: 289-904-6	100

3.2. Mixtures

Not applicable

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Do not induce vomiting. Call a physician immediately.

Safety Data Sheet

according to Regulation (EU) 2015/830

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact Symptoms/effects after ingestion

: Irritation. May cause an allergic skin reaction.: Risk of lung oedema.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Special hazards arising from the substance or mixture	
Fire hazard Hazardous decomposition products in case of fire	Flammable liquid and vapour.Toxic fumes may be released.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
6.1.1. For non-emergency personnel		
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
6.2. Environmental precautions		
Avoid release to the environment.		
6.3. Methods and material for containment and cleaning up		
For containment Methods for cleaning up	 Collect spillage. Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. 	
Other information	: Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		

For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid

breathing dust/fume/gas/mist/vapours/spray.

Safety Data Sheet

according to Regulation (EU) 2015/830

Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, inclu	iding any incompatibilities
Technical measures Storage conditions	Ground/bond container and receiving equipment.Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.
7 0 = 0	

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

GRAPEFRUIT OIL (8016-20-4)	GRAPEFRUIT OIL (8016-20-4)	
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	8.89 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	31.1 mg/m ³	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	4.44 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	7.78 mg/m ³	
Long-term - systemic effects, dermal	4.44 mg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	5.4 μg/l	
PNEC aqua (marine water)	0.54 μg/l	
PNEC aqua (intermittent, freshwater)	5.77 μg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	1.3 mg/kg dwt	
PNEC sediment (marine water)	0.13 mg/kg dwt	
PNEC (Soil)		
PNEC soil	0.29 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	2.1 mg/l	

8.1.5. Control banding

No additional information available

Safety Data Sheet

according to Regulation (EU) 2015/830

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Safety glasses

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: No data available
Odour	: No data available
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: 160 °C Atm. press.: 1019 hPa Remarks on result: 'other:'
Flash point	: 48 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: 195.4 Pa Temp.: 25 °C Remarks on result: 'other:'
Relative vapour density at 20°C	: No data available
Relative density	: 0.8505 (0.84 – 0.857)
Density	: 0.8529 g/cm ³ Type: 'density' Temp.: 20 °C Remarks on result: 'other:'
Solubility	: Insoluble.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available

Safety Data Sheet

according to Regulation (EU) 2015/830

Oxidising properties	: No data available
Explosive limits	: No data available
9.2. Other information	
VOC content	: 82.1 %
Refractive index	: 1.476 (1.471 – 1.482)

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information		
11.1 Information on toxicological effects		
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	:	Not classified Not classified Not classified
GRAPEFRUIT OIL (8016-20-4)		
LD50 oral rat		> 5000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit		> 5000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
Skin corrosion/irritation	:	Causes skin irritation.
Serious eye damage/irritation	:	Not classified
Respiratory or skin sensitisation	:	May cause an allergic skin reaction.
Germ cell mutagenicity	:	Not classified
Carcinogenicity	:	Not classified
Reproductive toxicity	:	Not classified
STOT-single exposure	:	Not classified
STOT-repeated exposure	:	Not classified
Aspiration hazard	:	May be fatal if swallowed and enters airways.

SECTION 12: Ecological i	nformation
12.1. Toxicity	
Ecology - general	: Toxic to aquatic life with long lasting effects.

1/17/2024 (Revision date)

Safety Data Sheet

according to Regulation (EU) 2015/830

ccording to Regulation (EU) 2015/830	
lazardous to the aquatic environment, short–term : Not classified acute)	
lazardous to the aquatic environment, long–term : Toxic to aquatic life with long lasting effects. chronic)	
2.2. Persistence and degradability	
lo additional information available	
2.3. Bioaccumulative potential	
lo additional information available	
2.4. Mobility in soil	
lo additional information available	
2.5. Results of PBT and vPvB assessment	
lo additional information available	
2.6. Other adverse effects	
lo additional information available	

SECTION 13: Disposal	considerations
-----------------------------	----------------

13.1. Waste treatment methods	
Waste treatment methods Additional information	Dispose of contents/container in accordance with licensed collector's sorting instructions.Flammable vapours may accumulate in the container.


SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1 UN number	
UN-No. (ADR) UN-No. (IMDG) UN-No. (IATA) UN-No. (ADN) UN-No. (RID)	 : UN 1197
14.2. UN proper shipping name	
Proper Shipping Name (ADR) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) Proper Shipping Name (ADN) Proper Shipping Name (RID) Transport document description (ADR) Transport document description (IMDG) Transport document description (IATA) Transport document description (ADN) Transport document description (RID)	 EXTRACTS, LIQUID EXTRACTS, LIQUID Extracts, liquid EXTRACTS, LIQUID EXTRACTS, LIQUID UN 1197 EXTRACTS, LIQUID, 3, III, (D/E), ENVIRONMENTALLY HAZARDOUS UN 1197 EXTRACTS, LIQUID, 3, III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS UN 1197 EXTRACTS, LIQUID, 3, III, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard class(es)	
ADR Transport hazard class(es) (ADR) Danger labels (ADR)	: 3 : 3

Safety Data Sheet

according to Regulation (EU) 2015/830



Safety Data Sheet

according to Regulation (EU) 2015/830

Portable tank and bulk container instructions (ADR)	
Portable tank and bulk container special provisions (ADR)	: TP1
Tank code (ADR)	: LGBF
Vehicle for tank carriage	: FL
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Operation (ADR)	: S2
Hazard identification number (Kemler No.)	: 30
Orange plates	30 1197
Tunnel restriction code (ADR)	: D/E
EAC code	: 3Y
Transport by sea	
Special provisions (IMDG)	: 223, 955
Limited quantities (IMDG)	: 5L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T2
Tank special provisions (IMDG)	: TP1
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-D
Stowage category (IMDG) Properties and observations (IMDG)	: A : Usually consist of alcoholic solutions. Miscibility with water depends upon the composi
Air transport PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y344
PCA limited quantity max net quantity (IATA)	: 10L
PCA packing instructions (IATA)	: 355
PCA max net quantity (IATA)	: 60L
CAO packing instructions (IATA)	: 366
CAO max net quantity (IATA)	: 220L
Special provisions (IATA)	: A3
ERG code (IATA)	: 3L
Inland waterway transport	
Classification code (ADN)	: F1
Special provisions (ADN)	: 601
Limited quantities (ADN)	: 5L
Excepted quantities (ADN)	: E1
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN) Number of blue cones/lights (ADN)	: VE01 : 0
Pail transport	
Rail transport Classification code (RID)	: F1
Special provisions (RID)	: 601
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T2
	: TP1
Portable tank and bulk container special provisions	
Portable tank and bulk container special provisions (RID)	: LGBF
(RID) Tank codes for RID tanks (RID) Transport category (RID)	

Safety Data Sheet

according to Regulation (EU) 2015/830

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)	
Reference code	Applicable on
3(a)	GRAPEFRUIT OIL
3(b)	GRAPEFRUIT OIL
3(c)	GRAPEFRUIT OIL
40.	GRAPEFRUIT OIL

Not listed on the REACH Candidate List

Not listed on REACH Annex XIV (Authorisation List)

Not listed on the PIC list (Regulation EU 649/2012)

Not listed on the POP list (Regulation EU 2019/1021)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors) VOC content : 82.1 %

15.1.2. National regulations

Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on the Canadian DSL (Domestic Substances List)

Germany

Water hazard class (WGK)	: WGK 3, Highly hazardous to water (Classification according to AwSV; ID No. 10565)
Hazardous Incident Ordinance (12. BImSchV)	: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
Netherlands	
SZW-lijst van kankerverwekkende stoffen	: GRAPEFRUIT PINK OIL is listed
SZW-lijst van mutagene stoffen	: GRAPEFRUIT PINK OIL is listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: The substance is not listed
SZW-lijst van reprotoxische stoffen –	: The substance is not listed
Vruchtbaarheid	
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: The substance is not listed
Denmark	
Class for fire hazard	: Class II-1
Store unit	: 5 liter
Classification remarks	: R10 <h226;h304;h315;h317;h411>; Emergency management guidelines for the storage of</h226;h304;h315;h317;h411>
	flammable liquids must be followed
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product
Switzerland	
Storage class (LK)	: LK 3 - Flammable liquids
15.2. Chemical safety assessment	

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006

Safety Data Sheet

according to Regulation (EU) 2015/830

Abbreviations and acronyms:		
WGK	Water Hazard Class	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Full text of H- and EUH-statements:	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2

Safety Data Sheet

according to Regulation (EU) 2015/830

Full text of H- and EUH-statements:		
Asp. Tox. 1	Aspiration hazard, Category 1	
Flam. Liq. 3	Flammable liquids, Category 3	
H226	Flammable liquid and vapour.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H411	Toxic to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.