

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 10/23/2018 Revision date: 04/12/2024 Supersedes: 10/12/2023

Version: 1.5

		Issue date: 10/23/2018	Revision date: 04/12/2024	Supersedes: 10/12/2023	Version: 1.5
SECTION 1:	Identification				
	ification				
Product form		: Substance			
Product name		: LAVANDIN G	ROSSO ORGANIC OIL		
CAS-No.		: 8022-15-9			
Product code		: 50-6153-05			
I.2. Recor	mmended use and	restrictions on use			
I.3. Suppl	lier				
Г 574-259-7000					
1.4. Emerg	gency telephone n	umber			
Emergency num	nber	: CHEMTREC CCN 13010	- USA: 800-424-9300 Inter	national: +1 703-527-3887 / 1-	800-424-9300
SECTION 2:	Hazard(s) iden	tification			
2.1. Class	ification of the sub	ostance or mixture			
GHS US classif	fication				
Flammable liquio Serious eye dan Skin sensitizatio	mage/eye irritation C	ategory 2A Cause	oustible liquid es serious eye irritation cause an allergic skin reactior	ı	
2.2. GHS I	Label elements, inc	cluding precautionary staten	nents		
GHS US labelin	ng				
Hazard pictogra	ims (GHS US)	GHS07			
Signal word (GH	HS US)	: Warning			
Hazard stateme	ents (GHS US)	_ •	iquid n allergic skin reaction us eye irritation		
Precautionary st	tatements (GHS US	smoking. Avoid breathi Wash hands, Contaminated Wear protecti If on skin: Wa IF IN EYES: f and easy to d Specific treatu If skin irritatio	ng dust/fume/gas/mist/vapors forearms and face thoroughly work clothing must not be al ve gloves/protective clothing/ sh with plenty of water.	y after handling. llowed out of the workplace. eye protection/face protection. r several minutes. Remove cor aid instruction on this label). I advice/attention.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

.3. Other hazards which do not res lo additional information available				
.4. Unknown acute toxicity (GHS U	S)			
lot applicable				
SECTION 3: Composition/Inform	ation on ingredients			
3.1. Substances				
Name		Product identifier	%	GHS US classification
LAVANDIN OIL		(CAS-No.) 8022-15-9	100	Flam. Liq. 4, H227 Eye Irrit. 2A, H319 Skin Sens. 1B, H317
Full text of hazard classes and H-statements	s : see section 16	· · ·		
3.2. Mixtures				
Not applicable				
SECTION 4: First-aid measures				
4.1. Description of first aid measure	S			
First-aid measures general	: If you feel unwell, see	k medical advice.		
First-aid measures after inhalation	: Remove person to free	sh air and keep comfortable f	or breathiı	ng.
irst-aid measures after skin contact	Get medical advice/at	tention.		g. If skin irritation or rash occurs:
First-aid measures after eye contact	do. Continue rinsing. I	f eye irritation persists: Get m	edical adv	tact lenses, if present and easy to vice/attention.
First-aid measures after ingestion	: Call a poison center/d	octor/physician if you feel unv	vell.	
4.2. Most important symptoms and	effects (acute and delayed)			
Symptoms/effects after inhalation	: Although no appropria expected to be an inh	te human or animal health ef alation hazard.	fects data	are known to exist, this material is
Symptoms/effects after skin contact	: May cause an allergic	skin reaction.		
ptoms/effects after eye contact : Eye irritation.				
Symptoms/effects after ingestion	: None under normal co	onditions.		
4.3. Immediate medical attention an	d special treatment, if neces	sary		
Freat symptomatically.				
SECTION 5: Fire-fighting measur	es			
5.1. Suitable (and unsuitable) exting				
Suitable extinguishing media	: Water spray. Dry pow	der. Foam. Carbon dioxide.		
Jnsuitable extinguishing media	: Do not use a heavy w	ater stream.		
5.2. Specific hazards arising from the	ne chemical			
Fire hazard	: Combustible liquid.			
Explosion hazard	: No direct explosion ha	zard.		
Reactivity	1	active under normal condition	s of use, s	storage and transport.
5.3. Special protective equipment a	•			
Firefighting instructions		stance and protected location.	Do not e	nter fire area without proper
		including respiratory protection		
Protection during firefighting	: Do not attempt to take apparatus. Complete	•	ctive equi	pment. Self-contained breathing
SECTION 6: Accidental release n	neasures			
5.1. Personal precautions, protectiv				
General measures	: Stop leak if safe to do spillage to prevent ma		ct enters s	sewers or public waters. Absorb
6.1.1. For non-emergency personnel				
Protective equipment	: Wear recommended p	ersonal protective equipment	t.	
Emergency procedures		. No open flames, no sparks, hing dust/fume/gas/mist/vapo		noking. Avoid contact with skin
04/12/2024	EN (English US)			2/7

Safety Data Sheet

ccording to Federal Register / Vol. 77, No. 58 / Monda	ay, March 26, 2012 / Rules and Regulations
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Evacuate unnecessary personnel. Stop leak if safe to do so.
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for contain	ment and cleaning up
For containment	: Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk.
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Not expected to present a significant hazard under anticipated conditions of normal use.
Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.
Hygiene measures	: Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, inclu	ding any incompatibilities
Technical measures	: Keep in a cool, well-ventilated place away from heat.
Storage conditions	: Store in a well-ventilated place. Keep cool.
Packaging materials	: Store always product in container of same material as original container.
SECTION 8: Exposure controls/per	rsonal protection
8.1. Control parameters	
LAVANDIN OIL (8022-15-9)	
No additional information available	
8.2. Appropriate engineering controls	
Appropriate engineering controls	: Ensure good ventilation of the work station.
Environmental exposure controls	: Avoid release to the environment.
8.3. Individual protection measures/Pe	ersonal protective equipment
Personal protective equipment:	
Wear recommended personal protective equip	ment.
Hand protection:	
Protective gloves	
Eye protection:	
Safety glasses	
Skin and body protection:	
Wear suitable protective clothing	
vear suitable brotective clothing	

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations



SECTION 9: Physical and chemical	oronarties		
9.1. Information on basic physical and c			
Physical state	: Liquid		
Color	: COLORLESS TO YELLOW LIQUID		
Odor	: FRESH LAVENDER, CAMPHOREOUS FLORAL ODOR		
Odor threshold	: No data available		
pH	: No data available		
Melting point	: Not applicable		
Freezing point	: No data available		
Boiling point	: No data available		
Flash point	: 69 °C		
Relative evaporation rate (butyl acetate=1)	: No data available		
Flammability	: Not applicable.		
Vapor pressure	: No data available		
Relative vapor density at 20°C	: No data available		
Relative density	: 0.894 (0.875 – 0.905)		
Solubility	: Insoluble.		
Partition coefficient n-octanol/water (Log Pow)	: No data available		
Auto-ignition temperature	: No data available		
Decomposition temperature	: No data available		
Viscosity, kinematic	: No data available		
Viscosity, dynamic	: No data available		
Explosion limits	: No data available		
Explosive properties	: No data available		
Oxidizing properties	: No data available		
9.2. Other information			
Refractive index	: 1.46 (1.452 – 1.468)		
SECTION 10: Stability and reactivity			
10.1. Reactivity			
The product is non-reactive under normal condit	ions of use, storage and transport.		
10.2. Chemical stability			
Stable under normal conditions.			
10.3. Possibility of hazardous reactions			
No dangerous reactions known under normal conditions of use.			
10.4. Conditions to avoid			
Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.			
10.5. Incompatible materials			
No additional information available			
10.6. Hazardous decomposition products			
	zardous decomposition products should not be produced.		
SECTION 11: Toxicological informat	ion		

	on the toxicological informati	
11.1.	Information on toxicological effects	
Acute to	kicity (oral)	: Not classified
Acute to	kicity (dermal)	: Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: None under normal conditions.

SECT	ON 12: Ecological information			
12.1.	Toxicity			
Ecology	- general	The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.		
12.2.	Persistence and degradability			
No addit	tional information available			
12.3.	Bioaccumulative potential			
No additional information available				
12.4.	Mobility in soil			

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal consideration	IS
13.1. Disposal methods	
Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.
Additional information	: Do not re-use empty containers.
SECTION 14: Transport information	
SECTION 14: Transport information Department of Transportation (DOT)	
Department of Transportation (DOT)	: UN1197 Extracts, flavoring, liquid (Regulated for Bulk only), Comb Liq, III
Department of Transportation (DOT) In accordance with DOT	: UN1197 Extracts, flavoring, liquid (Regulated for Bulk only), Comb Liq, III : UN1197
Department of Transportation (DOT) In accordance with DOT Transport document description (DOT)	

DOT Packaging Bulk (49 CFR 173.xxx)

: 242

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	 B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T2 - 1.5 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Emergency Response Guide (ERG) Number	: 127
Other information	: No supplementary information available.

Transportation of Dangerous Goods

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

SECTION 15: Regulatory information
15.1. US Federal regulations
LAVANDIN OIL (8022-15-9)
Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations	
CANADA	
LAVANDIN OIL (8022-15-9)	
Listed on the Canadian DSL (Domestic Substances List)	
EU-Regulations	

No additional information available

National regulations

No additional information available

15.3. US State regulations

WARNING:

This product can expose you to beta-myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information		
Revision date	: 04/12/2024	
04/12/2024	EN (English US)	6/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:		
	H227	Combustible liquid
	H317	May cause an allergic skin reaction
	H319	Causes serious eye irritation

SDS US (GHS HazCom 2012) - Lebermuth

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.