

1.1.

1.2.

1.3.

1.4.

2.1.

CAS-No.

# LAVENDER BULGARIAN OIL

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 12/14/2023 Revision date: 04/10/2024 Supersedes: 12/14/2023

Version: 1.1 **SECTION 1: Identification** Identification Product form : Substance Product name LAVENDER BULGARIAN OIL 8000-28-0 Product code : 50-6155-04 Recommended use and restrictions on use **Supplier** The Lebermuth Company 4004 Technology Drive South Bend, IN 46628 - United States T 574-259-7000 - F 574-258-7450 info@lebermuth.com - www.lebermuth.com **Emergency telephone number** Emergency number : CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 CCN 13010 SECTION 2: Hazard(s) identification **Classification of the substance or mixture** 

#### **GHS US classification**


Flammable liquids Category 4 Serious eye damage/eye irritation Category 2A Skin sensitization, category 1B Aspiration hazard Category 1

Combustible liquid Causes serious eye irritation May cause an allergic skin reaction May be fatal if swallowed and enters airways

GHS Label elements, including precautionary statements 2.2.

#### **GHS US labeling**

Hazard pictograms (GHS US)



## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in (	classification
---	----------------

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances			
Name	Product identifier	%	GHS US classification
LAVENDER OIL	(CAS-No.) 8000-28-0	100	Flam. Liq. 4, H227 Eye Irrit. 2A, H319 Skin Sens. 1B, H317 Asp. Tox. 1, H304

Full text of hazard classes and H-statements : see section 16

3.2. Mixtures		
Not applicable		
SECTION 4: First-aid measures		
4.1. Description of first aid measures		
First-aid measures general	: Call a physician immediately.	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.	
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.	
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
First-aid measures after ingestion	: Do not induce vomiting. Call a physician immediately.	
4.2. Most important symptoms and effect	ts (acute and delayed)	
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.	
Symptoms/effects after skin contact	: May cause an allergic skin reaction.	
Symptoms/effects after eye contact	: Eye irritation.	
Symptoms/effects after ingestion	: Risk of lung edema.	
4.3. Immediate medical attention and sp	ecial treatment, if necessary	
Treat symptomatically.		
SECTION 5: Fire-fighting measures		
5.1. Suitable (and unsuitable) extinguish	ing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.	
Unsuitable extinguishing media	: Do not use a heavy water stream.	
5.2. Specific hazards arising from the ch	emical	
Fire hazard	: Combustible liquid.	
Explosion hazard	: No direct explosion hazard.	
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.	
5.3. Special protective equipment and pr	recautions for fire-fighters	
Firefighting instructions	<ul> <li>Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.</li> </ul>	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	
SECTION 6: Accidental release meas	sures	
6.1. Personal precautions, protective eq	uipment and emergency procedures	

: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

······································	
6.1.1. For non-emergency personnel	
Protective equipment	: Wear recommended personal protective equipment.
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Evacuate unnecessary personnel. Stop leak if safe to do so.
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for contain	ment and cleaning up
For containment	: Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk.
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Not expected to present a significant hazard under anticipated conditions of normal use.
Precautions for safe handling	Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.
Hygiene measures	: Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, inclu	Iding any incompatibilities
Technical measures	: Keep in a cool, well-ventilated place away from heat.
Storage conditions	: Store in a well-ventilated place. Keep cool. Store locked up.
Packaging materials	: Store always product in container of same material as original container.
SECTION 8: Exposure controls/pe	rsonal protection
8.1. Control parameters	
o. r. control parameters	

LAVENDER OIL (8000-28-0)		
No additional information available		
8.2. Appropriate engineering controls		
Appropriate engineering controls	: Ensure good ventilation of the work station.	
Environmental exposure controls	: Avoid release to the environment.	
8.3. Individual protection measures/Personal protective equipment		
Personal protective equipment:		
Wear recommended personal protective equipment.		
Hand protection:		
Protective gloves		
Eye protection:		
Safety glasses		

## Skin and body protection:

Wear suitable protective clothing

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment



SECTION 9: Physical and chemical p	roperties		
9.1. Information on basic physical and chemical properties			
Physical state	: Liquid		
Color	: COLORLESS TO YELLOW LIQUID		
Odor	: CHARACTERISTIC, ODOR OF LAVENDER FLOWERS		
Odor threshold	: No data available		
рН	: No data available		
Melting point	: Not applicable		
Freezing point	: No data available		
Boiling point	: No data available		
Flash point	: 69 °C		
Relative evaporation rate (butyl acetate=1)	: No data available		
Flammability	: Not applicable.		
Vapor pressure	: No data available		
Relative vapor density at 20°C	: No data available		
Relative density	: 0.878 (0.87 – 0.892)		
Solubility	: Insoluble.		
Partition coefficient n-octanol/water (Log Pow)	: No data available		
Auto-ignition temperature	: No data available		
Decomposition temperature	: No data available		
Viscosity, kinematic	: No data available		
Viscosity, dynamic	: No data available		
Explosion limits	: No data available		
Explosive properties	: No data available		
Oxidizing properties	: No data available		
9.2. Other information			
Refractive index	: 1.462 (1.451 – 1.49)		
SECTION 10: Stability and reactivity			
10.1. Reactivity			
The product is non-reactive under normal conditions of use, storage and transport.			
•	no or doo, otorago ana aanoport.		
10.2. Chemical stability			

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

**10.6.** Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 11: Toxicological information		
11.1. Information on toxicological eff	fects	
Acute toxicity (oral)	: Not classified	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitization	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: May be fatal if swallowed and enters airways.	
Viscosity, kinematic	: No data available	
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.	
Symptoms/effects after skin contact	: May cause an allergic skin reaction.	
Symptoms/effects after eye contact	: Eye irritation.	
Symptoms/effects after ingestion	: Risk of lung edema.	
SECTION 12: Ecological informa	tion	
12.1. Toxicity		
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.	

12.2.	Persistence and degradability
No addi	tional information available
12.3.	Bioaccumulative potential
	tional information available
No addi	
12.4.	Mobility in soil
No addi	tional information available
12.5.	Other adverse effects

No additional information available

SECTION 13: Disposal consideration	IS	
13.1. Disposal methods		
Regional waste regulation Waste treatment methods Sewage disposal recommendations Product/Packaging disposal recommendations Additional information	<ul> <li>Disposal must be done according to official regulations.</li> <li>Dispose of contents/container in accordance with licensed collector's sorting instructions.</li> <li>Disposal must be done according to official regulations.</li> <li>Disposal must be done according to official regulations.</li> <li>Do not re-use empty containers.</li> </ul>	
<b>SECTION 14: Transport information</b>		
Department of Transportation (DOT) In accordance with DOT Transport document description (DOT)	: UN1197 Extracts, flavoring, liquid (Regulated for Bulk only), Comb Liq, III	
UN-No.(DOT) Proper Shipping Name (DOT)	: UN1197 : Extracts, flavoring, liquid (Regulated for Bulk only)	
04/10/2024	EN (English US)	5/7

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Class (DOT)	iq - Combustible liquid	
Packing group (DOT)	or Danger	
DOT Packaging Non Bulk (49 CFR 173.xxx)		
DOT Packaging Bulk (49 CFR 173.xxx)		
DOT Special Provisions (49 CFR 172.102)	kaging requirements of int of less than 38 C (10 iter are applicable. thorized IBCs: Metal (31 and 31HA2, 31HB2, 31H apor pressure less than ar at 131 F) are authoriz 2672). 178.274(d)(2) Normal ne maximum degree of f g: Degree of filling = 97 /	oint at or above 38 C (100 F) and below 93 C (200 F), then the 173.241 of this subchapter are applicable. If the material has a 0 F), then the bulk packaging requirements of 173.242 of this A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 red, except for UN2672 (also see Special Provision IP8 in Table
DOT Packaging Exceptions (49 CFR 173.xxx)		
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)		
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)		
DOT Vessel Stowage Location	material may be stowed Jer vessel.	"on deck" or "under deck" on a cargo vessel and on a
Emergency Response Guide (ERG) Number		
Other information	lementary information a	vailable.

### **Transportation of Dangerous Goods**

Not regulated

#### Transport by sea

Not regulated

#### Air transport

Not regulated

## **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

No additional information available

### 15.2. International regulations

**CANADA** 

No additional information available

**EU-Regulations** No additional information available

#### National regulations

No additional information available

## 15.3. US State regulations

A WARNING:

This product can expose you to beta-myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SE	CTION 16: Other information	
Rev	ision date	: 04/10/2024
Full	text of H-phrases:	
	H227	Combustible liquid
	H304	May be fatal if swallowed and enters airways
	H317	May cause an allergic skin reaction
	H319	Causes serious eye irritation

## SDS US (GHS HazCom 2012) - Lebermuth

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.