

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 10/23/2018 Revision date: 04/26/2024 Supersedes: 09/01/2023

Version: 1.8

			Supersedes: 09/01/2023	
SECTION 1: Identification				
1.1. Identification				
Product form	: Substance			
Product name	: LAVENDER SPIKE ORGANIC OIL			
CAS-No.	: 8016-78-2			
Product code	: 50-6155-09			
1.2. Recommended use and res	trictions on use			
1.3. Supplier				
The Lebermuth Company 4004 Technology Drive South Bend, IN 46628 - United States T 574-259-7000 - F 574-258-7450 info@lebermuth.com - www.lebermuth.	com			
1.4. Emergency telephone numl	ber			
Emergency number	: CHEMTREC - CCN 13010	USA: 800-424-9300 Interr	ational: +1 703-527-3887 / 1	-800-424-9300
SECTION 2: Hazard(s) identifi	cation			
2.1. Classification of the substa	nce or mixture			
GHS US classification				
Skin corrosion/irritation Category 2		s skin irritation		
Skin sensitization, Category 1 Specific target organ toxicity (single exp	May ca posure) Category 2 May ca	s serious eye damage huse an allergic skin reaction huse damage to organs e fatal if swallowed and enter	s airways	
Serious eye damage/eye irritation Category 1 Skin sensitization, Category 1 Specific target organ toxicity (single exp Aspiration hazard Category 1 2.2. GHS Label elements, includ	May ca posure) Category 2 May ca May be	use an allergic skin reaction use damage to organs a fatal if swallowed and enter	s airways	
Skin sensitization, Category 1 Specific target organ toxicity (single exp Aspiration hazard Category 1 2.2. GHS Label elements, includ GHS US labeling	May ca posure) Category 2 May ca May be	use an allergic skin reaction use damage to organs a fatal if swallowed and enter	s airways	
Skin sensitization, Category 1 Specific target organ toxicity (single exp Aspiration hazard Category 1 2.2. GHS Label elements, includ	May ca posure) Category 2 May ca May be	use an allergic skin reaction use damage to organs a fatal if swallowed and enter	s airways	
Skin sensitization, Category 1 Specific target organ toxicity (single exp Aspiration hazard Category 1 2.2. GHS Label elements, includ GHS US labeling	May ca bosure) Category 2 May ca May be ling precautionary stateme	e fatal if swallowed and enter ents		
Skin sensitization, Category 1 Specific target organ toxicity (single exp Aspiration hazard Category 1 2.2. GHS Label elements, includ GHS US labeling Hazard pictograms (GHS US)	May ca May ca May be ling precautionary stateme : : GHS02 : Danger : Flammable liqu May be fatal if s Causes skin irr	ause an allergic skin reaction ause damage to organs a fatal if swallowed and enter ents GHS05 GHS05 GHS07 allowed and enters airway itation allergic skin reaction s eye damage	GH508	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

If on skin: Wash with plenty of water.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present
and easy to do. Continue rinsing.
, , , , , , , , , , , , , , , , , , , ,
If exposed or concerned: Call a poison center or doctor.
Immediately call a poison center or doctor.
Specific treatment (see supplemental first aid instruction on this label).
Do NOT induce vomiting.
If skin irritation occurs: Get medical advice/attention.
If skin irritation or rash occurs: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
Wash contaminated clothing before reuse.
In case of fire: Use media other than water to extinguish.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
with local, regional, national and/or international regulation.

.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

.1. Substances			
Name	Product identifier	%	GHS US classification
SPIKE LAVENDER OIL	(CAS-No.) 8016-78-2	100	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 STOT SE 2, H371 Asp. Tox. 1, H304

Full text of hazard classes and H-statements : see section 16

3.2.	Mixtures	
Not applic	able	
SECTIC	N 4: First-aid measures	
4.1.	Description of first aid measures	
First-aid m	neasures general	: Call a physician immediately.
First-aid m	neasures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid m	neasures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid m	neasures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid m	neasures after ingestion	: Do not induce vomiting. Call a physician immediately.
4.2.	Most important symptoms and effect	ts (acute and delayed)
Symptoms	s/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms	s/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms	s/effects after eye contact	: Serious damage to eyes.
Symptoms	s/effects after ingestion	: Risk of lung edema.
4.3.	Immediate medical attention and spe	ecial treatment, if necessary
Treat sym	ptomatically.	
SECTIO	N 5: Fire-fighting measures	
5.1.	Suitable (and unsuitable) extinguishi	ing media
Suitable e	extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable	e extinguishing media	: Do not use a heavy water stream.
5.2.	Specific hazards arising from the ch	emical
Fire hazar	rd	: Flammable liquid and vapor.
04/26/2024		EN (English US) 2/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Reactivity : Flammable liquid and vapor. 5.3. Special protective equipment and precautions for fire-fighters Firefighting instructions :: Fight fire from sade distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. Protection during firefighting :: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. SECTION 6: Accidental roloase measures :: Stop leak if safe to do so. Noll'y subhorities if product enters severs or public waters. Absorb eglilage to prevent material-damage. 6.1.1.For non-emergency presonnet :: Wear recommended personal protective equipment. Entergency procedures :: Wear recommended personal protective equipment. Entergency procedures :: Do not attempt to take action without suitable protective equipment. Entergency procedures :: Do not attempt to take action without suitable protective equipment. Entergency procedures :: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Entergency procedures :: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Entergency procedures :: Do not attempt to take action without suitable protective. Entergen	ccording to Federal Register / Vol. 77, No. 58 / Mond	ay, March 26, 2012 / Rules and Regulations
5.3. Special protective equipment and precautions for fire-fighters Firefighting instructions Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment. Including respiratory protection. Protection during firefighting Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. SECTION 6: Accidental release measures Stop loak if safe to do so. Notify authorities if product enters severs or public waters. Absorb spillage to prevent material-damage. 6.1. For non-emergency personnel Protective equipment Wear recommended personal protective equipment. Emergency procedures Ventilate spillage area. No open flames, no sparks, and no smoking. Do not breathe dustfume/gas/mist/vapors/spray. Avoid contact with skin and eyes. 6.1.2. For emergency responders Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Firefighting up to containement and cleaning up For containment Absorb spilled material for containmont and cleaning up Fake up liquid spill into absorbent material. Notify authorities if product enters severs or public waters. 6.3. Methods and material for containment and cleaning up Take up liquid spill into absorbent materi	Explosion hazard	: No direct explosion hazard.
Firefighting instructions Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. Protection equipment, including respiratory protective equipment. Self-contained breathing apparatus. Complete protective eduipment. Self-contained breathing apparatus. Complete protective eduipment. Stop leak if safe to do so. Notify authorities if product enters severs or public waters. Absorb spillage to prevent material-damage. 6.1.1. For non-emergency personnel Protective equipment Energency procedures 6.1.2. For emergency responders Protective equipment Protective equipment Chrone degramer in control of the equipment. Emergency procedures C.1.2. For emergency responders Protective equipment Protective equipment Chrone degramer in containeers are procedures C.2. Environmental precautions Avoid releases to the environment. 6.3. Methods and material for containment and cleaning up For conclainment Absorb spilled material with sand or earch. Contain any spills with dikes or absorbents to prevent migration and entry into severe or streams. Stop leak, it possible without insk. 6.3. Methods and material for containment and cleaning up <u< td=""><td>Reactivity</td><td>: Flammable liquid and vapor.</td></u<>	Reactivity	: Flammable liquid and vapor.
Protection during firefighting :: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. SECTION 5: Accidential rolease measures :: Stop leak if safe to do so. Notify authorities if product enters severs or public waters. Absorb spillage to prevent material-damage. 6:1.1. For non-amergency presonal Protective equipment :: Wear recommended personal protective equipment. Every procedures 6:1.2. For emergency responders Protective equipment :: Wear recommended personal protective equipment. Emergency procedures :: Ventilate spillage area, No open flames, no sporks, and no smoking. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. 6.1.2. For emergency responders Protective equipment :: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Emergency procedures :: Evacuate unnecessary personnel. Stop leak if safe to do so. 6.2. Environmental precautions Avoid release to the environment. 6.3. Methods and material for containment and cleaning up For containment :: Dispose of materials or solid residues at an authorized sile. 6.4. Reference to other sections For for ther information :: Dispose of materials or solid residues at an authorized sile. 6.4. Reference to other sections Free resultion sources. No smaking. Groundhour container and receiving equipment. 6.4. Reference to other sections Free up liquid spill into absorbent material. Notify authorities if product enters expersor public dust/fume/gas/mist/vapors/spray. Avoid contains to the submiss. Freeautions for safe handling Additional hazard when processed Freeautions for safe handling Free contining before reuse. Contaminated work clothing should not be allowed out of	5.3. Special protective equipment and	I precautions for fire-fighters
sparatus. Complete protective ciohning. SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures General measures : Stop leak if safe to do so. Notify authorities if product enters severs or public waters. Absorb spilage to prevent material-damage. 6.1.1. For non-emergency personnel : Wear recommended personal protective equipment. Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Do not breathe dustfume/gas/mistvapors/spray. Avoid contact with skin and eyes. 6.1.2. For emergency responders : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protective. Froteetive equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protective. For containment : Do not stempt to take action without suitable protective equipment. 6.3. Methods and material for containment and cleaning up : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent ingritoria and enty into severs or streams. Stop leak, if possible without risk. For further information : Dispose of materials or solid residues at an authorized site. 6.4. Reference to other sections : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No sma	Firefighting instructions	a
6.1. Personal proceutions, protective equipment and emergency procedures General measures Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage. 6.1.1. For non-emergency personnel Protective equipment Protective equipment : Wear recommended personal protective equipment. Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. 6.1.2. For emergency responders : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so. 6.2. Environmental proceutions : 4.3. Methods and material for containment and cleaning up prevent material. With sand or earth. Contain any spills with dikes or absorbents to prevent majoration and entry into severs or steams. Stop leak, if possible without risk. 6.4. Reference to other sections 1. : For further information effer to section 13. : SECETION 7: Handling and storage : Precautions for safe handling	Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb splilage to prevent material-damage. 6.1.1. For non-emergency personnel : Wear recommended personal protective equipment. Emergency procedures : Wear recommended personal protective equipment. 6.1.2. For emergency responders : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure control/spersonal protection". Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so. 6.2. Environmental precautions : Absorb spliled material with sand or earth. Contain any splils with difes or absorbents to prevent migration and entry into severs or streams. Stop leak, if possible without risk. 6.3. Methods and material for containment and cleaning up : Take up liquid splil into absorbent material. Notify authorities if product enters sewers or public waters. 6.4. Reference to other sections : Dispose of materials or solid residues at an authorized site. 6.4. Reference to section 13. : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Not expe	SECTION 6: Accidental release me	easures
spillage to prevent material-damage. 6.1.1. For non-emergency personnel Protective equipment : Wear recommended personal protective equipment. Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Do not breathe dustfume/gas/mist/vapors/spray. Avoid contact with skin and eyes. 6.1.2. For emergency responders Protective equipment Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so. 6.2. Environmental proceations	6.1. Personal precautions, protective	equipment and emergency procedures
Protective equipment : Wear recommended personal protective equipment. Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. 6.1.2. For emergency responders Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so. 6.2. Environmental proceautions Avoid release to the environment. 6.3. Methods and material for containment and cleaning up For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk. Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. Other information refer to section 8 For further information refer to section 13. SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling flames and other ignition sources. No smoking, Ground/bond container and receiving equipment. Use only non-sparking polici. Take precautionary measures against static discharge. Flammable vapors may accumute in the container. Use explosion-proof equipment. Wear personal protective equipment. Use only non-sparks policy in the submate, advis wash hands after handling the product. 7.2. Conditions for safe stora	General measures	
Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Do not breathe dustfurme/gas/mist/vapors/spray. Avoid contact with skin and eyes. 6.1.2. For emergency responders : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Emergency procedures : Evacuate unnecessary personel. Stop leak if safe to do so. 6.2. Environmental precautions	6.1.1. For non-emergency personnel	
dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. 6.1.2. For emergency responders Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so. 6.2. Environmental precautions Avoid release to the environment. 6.3. Methods and material for containment and cleaning up For containment For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk. Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. Other information : Dispose of materials or solid residues at an authorized site. 6.4. Reference to other sections Exerctions For cutations for safe handling : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Not expected to present a significant ha	Protective equipment	: Wear recommended personal protective equipment.
Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so. 6.2. Environmental precautions Evacuate unnecessary personnel. Stop leak if safe to do so. 6.3. Methods and material for containment and cleaning up Evacuate unnecessary personnel. Stop leak if safe to do so. For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk. Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. Other information : Dispose of materials or solid residues at an authorized site. 6.4. Reference to other sections Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking toois. Take precautionary measures against static discharge. Flammable vapors may a ccumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Store allowed out of the work place. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 7.1. Precautions for safe handling : Wost expected to present a significant hazard under anticipated conditions of normal use. Ensure g	Emergency procedures	
refer to section 8: "Exposure controls/personal protection". Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so. 6.2. Environmental precautions Avoid release to the environment. 6.3. Methods and material for containment and cleaning up For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk. Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. Other information : Dispose of materials or solid residues at an authorized site. 6.4. Reforence to other sections For further information refer to section 13. SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use. Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open fames and other ignition sources. No smoking, Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static disc/farge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static disc/farge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Use only non-sparking before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 7.2. Conditions for safe storage, including any incompatibilities Technical measures : Ground/bond container and receiving equipment. Storage conditions Storage conditions Storage conditions is extore locked up. Extore always product in container of same material as original container.	6.1.2. For emergency responders	
6.2. Environmental precautions Avoid release to the environment. 6.3. Methods and material for containment and cleaning up For containment Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk. Methods for cleaning up Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. Other information Dispose of materials or solid residues at an authorized site. 6.4. Reference to other sections For further information refer to section 13. SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautions meas against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Use on preather dust/fume/gas/mist/vapors/spray. Avoid contat with skin and eyes. Hygiene measures Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do no teat, drink or smoke when u	Protective equipment	
Avoid release to the environment. 6.3. Methods and material for containment and cleaning up For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk. Methods for cleaning up :: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. Other information :: Dispose of materials or solid residues at an authorized site. 6.4. Reference to other sections	Emergency procedures	: Evacuate unnecessary personnel. Stop leak if safe to do so.
6.3. Methods and material for containment and cleaning up For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk. Wethods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. Other information : Dispose of materials or solid residues at an authorized site. 6.4. Reference to other sections Entertion of the section state section 13. SECTION 7: Handling and storage . 7.1. Precautions for safe handling : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Not expected to present a significant hazard under anticipated conditions of normal use. Very in the up of the work place. Do no the attrice attri	6.2. Environmental precautions	
For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk. Wethods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. Other information : Dispose of materials or solid residues at an authorized site. 6.4. Reference to other sections : For further information refer to section 13. : SECTION 7: Handling and storage : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Wash contaminated vapors may accumulate in the container. Use explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapors/pary. Avoid contact with skin and eyes. Hygiene measures : Wash contaminated container and receiving equipment. Storage conditions </td <td></td> <td></td>		
For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk. Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. Other information : Dispose of materials or solid residues at an authorized site. 6.4. Reference to other sections : For further information refer to section 13. : SECTION 7: Handling and storage : 7.1. Precautions for safe handling : Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Not expected to present a significant hazard under anticipated conditions of normal use. Hygiene measures : Wash contaminated container sup reactive equipment. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out o	6.3 Methods and material for contain	ment and cleaning up
Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. Other information : Dispose of materials or solid residues at an authorized site. 6.4. Reference to other sections For further information refer to section 13. : SECTION 7: Handling and storage - Additional hazards when processed : Precautions for safe handling : Additional hazards when processed : Precautions for safe handling : Vergen weak under and there ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 7.2. Conditions for safe storage, including any incompatibilities Technical measures : Ground/bond container and receiving equipment. Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up. <td< td=""><td></td><td></td></td<>		
waters. waters. Other information : Dispose of materials or solid residues at an authorized site. 6.4. Reference to other sections For further information refer to section 13. SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 7.2. Conditions for safe storage, including any incompatibilities Technical measures : Ground/bond container and receiving equipment. Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up. Packaging materials : Store always product in container of same material as original		
6.4. Reference to other sections For further information refer to section 13. SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not et, drink or smoke when using this product. Always wash hands after handling the product. 7.2. Conditions for safe storage, including any incompatibilities : Ground/bond container and receiving equipment. Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up. Packaging materials : Store always product in container of same material as original container.	Methods for cleaning up	
For further information refer to section 13. SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 7.2. Conditions for safe storage, including any incompatibilities Technical measures : Ground/bond container and receiving equipment. Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up. Packaging materials : Store always product in container of same material as original container.	Other information	: Dispose of materials or solid residues at an authorized site.
SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 7.2. Conditions for safe storage, including any incompatibilities Technical measures : Ground/bond container and receiving equipment. Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up. Packaging materials : Store always product in container of same material as original container.	6.4. Reference to other sections	
7.1. Precautions for safe handling Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 7.2. Conditions for safe storage, including any incompatibilities Technical measures : Ground/bond container and receiving equipment. Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up. Packaging materials : Store always product in container of same material as original container.	For further information refer to section 13.	
Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 7.2. Conditions for safe storage, including any incompatibilities Technical measures : Ground/bond container and receiving equipment. Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up. Packaging materials : Store always product in container of same material as original container.	SECTION 7: Handling and storage	
Precautions for safe handling Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. Hygiene measures Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 7.2. Conditions for safe storage, including any incompatibilities Fechnical measures : Ground/bond container and receiving equipment. Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up. Packaging materials : Store always product in container of same material as original container.		
Precautions for safe handling Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. Hygiene measures Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 7.2. Conditions for safe storage, including any incompatibilities Technical measures : Ground/bond container and receiving equipment. Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up. Packaging materials : Store always product in container of same material as original container.	Additional hazards when processed	: Not expected to present a significant hazard under anticipated conditions of normal use.
Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 7.2. Conditions for safe storage, including any incompatibilities Technical measures : Ground/bond container and receiving equipment. Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up. Packaging materials : Store always product in container of same material as original container.	Precautions for safe handling	flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Do not breathe
Technical measures: Ground/bond container and receiving equipment.Storage conditions: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.Packaging materials: Store always product in container of same material as original container.	Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands
Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up. Packaging materials : Store always product in container of same material as original container.	7.2. Conditions for safe storage, inclu	ding any incompatibilities
Packaging materials : Store always product in container of same material as original container.		
	Storage conditions	: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.
	Packaging materials	: Store always product in container of same material as original container.
	Control noromotoro	

8.1. Control parameters

SPIKE LAVENDER OIL (8016-78-2)	
No additional information available	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2. Appropriate engineering controls

Appropriate engineering controls

Ensure good ventilation of the work station.Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Environmental exposure controls

Wear recommended personal protective equipment.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment



SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Color	: PALE YELLOW TO AMBER LIQUID	
Odor	: CAMPHOR, EUCALYPTUS, FRESH, HERBAL, LAVANDIN ODOR	
Odor threshold	: No data available	
рН	: No data available	
Melting point	: Not applicable	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: 57 °C	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability	: Not applicable.	
Vapor pressure	: No data available	
Relative vapor density at 20°C	: No data available	
Relative density	: 0.898 (0.88 – 0.905)	
Solubility	: Insoluble.	
Partition coefficient n-octanol/water (Log Pow)	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosion limits	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
9.2. Other information		
Refractive index	: 1.465 (1.455 – 1.49)	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 10: Stability and reactivity				
SECTION 10: Stability and reactivity				
10.1. Reactivity				
Flammable liquid and vapor.				
10.2. Chemical stability				
Stable under normal conditions.				
10.3. Possibility of hazardous reactions				
No dangerous reactions known under normal con	ditions of use.			
10.4. Conditions to avoid				
Avoid contact with hot surfaces. Heat. No flames,	no sparks. Eliminate all sources of ignition.			
10.5. Incompatible materials				
No additional information available				
10.6. Hazardous decomposition products				
Under normal conditions of storage and use, haza	ardous decomposition products should not be produced.			
SECTION 11: Toxicological informati	on			
11.1. Information on toxicological effects				
Acute toxicity (oral)	: Not classified			
Acute toxicity (dermal)	: Not classified			
Acute toxicity (inhalation)	: Not classified			
Skin corrosion/irritation	: Causes skin irritation.			
Serious eye damage/irritation	: Causes serious eye damage.			
Respiratory or skin sensitization	: May cause an allergic skin reaction. : Not classified			
Germ cell mutagenicity Carcinogenicity	: Not classified : Not classified			
Reproductive toxicity	: Not classified			
STOT-single exposure	: May cause damage to organs.			
STOT-repeated exposure	: Not classified			
Aspiration hazard	: May be fatal if swallowed and enters airways.			
Viscosity, kinematic	: No data available			
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.			
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.			
Symptoms/effects after eye contact	: Serious damage to eyes.			
Symptoms/effects after ingestion	: Risk of lung edema.			
SECTION 12: Ecological information				
12.1. Toxicity				
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse			
	effects in the environment.			
12.2. Persistence and degradability				
No additional information available				
12.3. Bioaccumulative potential				
No additional information available				
12.4. Mobility in soil				
No additional information available				
12.5. Other adverse effects				
No additional information available				

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

: UN1197

: Extracts, flavoring, liquid (Regulated for Bulk only)

: III - Minor Danger

: 3 - Flammable liquid

SECTION 13: Disposal consideration	15
13.1. Disposal methods	
Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.
Additional information	: Flammable vapors may accumulate in the container. Do not re-use empty containers.

: UN1197 Extracts, flavoring, liquid (Regulated for Bulk only), 3, III

: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT
Transport document description (DOT)

UN-No.(DOT) Proper Shipping Name (DOT)

Class (DOT) Packing group (DOT) Hazard labels (DOT)

	FLAMMABLE LIQUID
	3
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Special Provisions (49 CFR 172.102)	 B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T2 - 1.5 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Emergency Response Guide (ERG) Number	: 127
Other information	: No supplementary information available.
Transportation of Dangerous Goods	
Transport document description (TDG)	: UN1197 EXTRACTS, FLAVOURING, LIQUID (Regulated for Bulk only), 3, III
UN-No. (TDG)	: UN1197
Proper Shipping Name (TDG)	: EXTRACTS, FLAVOURING, LIQUID
TDG Primary Hazard Classes	: 3 - Class 3 - Flammable Liquids
Packing group (TDG)	: III - Minor Danger
Explosive Limit and Limited Quantity Index	: 5L
Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index	: 60 L
04/00/0004	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Transport by sea

Transport document description (IMDG)	: UN 1197 EXTRACTS, LIQUID, 3, III
UN-No. (IMDG)	: 1197
Proper Shipping Name (IMDG)	: EXTRACTS, LIQUID
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: III - substances presenting low danger
Limited quantities (IMDG)	: 5 L

Air transport

Transport document description (IATA)	: UN 1197 Extracts, liquid, 3, III
UN-No. (IATA)	: 1197
Proper Shipping Name (IATA)	: Extracts, liquid
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: III - Low danger

SPIKE LAVENDER OIL (8016-78-2)	SECTION 15: Regulatory information
	15.1. US Federal regulations
	SPIKE LAVENDER OIL (8016-78-2)
Listed on the United States ISCA (Toxic Substances Control Act) inventory	Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

SPIKE LAVENDER OIL (8016-78-2)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

WARNING: This product can expose you to beta-myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information

Revision date	: 04/26/2024
Full text of H-phrases:	
H226	Flammable liquid and vapor
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H371	May cause damage to organs

SDS US (GHS HazCom 2012) - Lebermuth

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.