

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 10/15/2018 Revision date: 11/29/2023 Supersedes: 09/06/2022

**SECTION 1: Identification** Identification 1.1. Product form : Mixture Product name : MARJORAM SWEET OIL CAS-No. N/A · Product code : 50-6175-02 Recommended use and restrictions on use 1.2. 1.3. Supplier The Lebermuth Company 4004 Technology Drive South Bend, IN 46628 - United States T 574-259-7000 - F 574-258-7450 info@lebermuth.com - www.lebermuth.com 1.4. **Emergency telephone number** Emergency number : CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 CCN 13010 SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixture **GHS US classification** Flammable liquids Category 3 Flammable liquid and vapor Causes skin irritation Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 Causes serious eye irritation Skin sensitization, Category 1 May cause an allergic skin reaction Reproductive toxicity Category 2 Suspected of damaging fertility or the unborn child Specific target organ toxicity (single exposure) Category 2 May cause damage to organs Aspiration hazard Category 1 May be fatal if swallowed and enters airways 2.2. GHS Label elements, including precautionary statements **GHS US labeling** Hazard pictograms (GHS US) GHS02 GHS07 GHS08

Signal word (GHS US)	: Danger
Hazard statements (GHS US)	: Flammable liquid and vapor May be fatal if swallowed and enters airways Causes skin irritation May cause an allergic skin reaction Causes serious eye irritation Suspected of damaging fertility or the unborn child May cause damage to organs
Precautionary statements (GHS US)	<ul> <li>Obtain special instructions before use.</li> <li>Do not handle until all safety precautions have been read and understood.</li> <li>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>Keep container tightly closed.</li> <li>Ground/Bond container and receiving equipment.</li> <li>Use explosion-proof electrical/ventilating/lighting equipment.</li> <li>Use only non-sparking tools.</li> <li>Take precautionary measures against static discharge.</li> <li>Do not breathe dust/fume/gas/mist/vapors/spray.</li> <li>Avoid breathing dust/fume/gas/mist/vapors/spray.</li> <li>Wash hands, forearms and face thoroughly after handling.</li> </ul>

Version: 1.5

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

		Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center or doctor. If on skin: Wash with plenty of water. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Call a poison center or doctor. If exposed or concerned: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). Do NOT induce vomiting. If skin irritation occurs: Get medical advice/attention. If eye irritation presists: Get medical advice/attention. If eye irritation presists: Get medical advice/attention. If exe off contaminated clothing and wash it before reuse. Wash contaminated clothing before reuse. In case of fire: Use media other than water to extinguish. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
--	--	--

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS US classification
EUCALYPTOL	(CAS-No.) 470-82-6	25 – 50	Flam. Liq. 3, H226 Eye Irrit. 2B, H320 Skin Sens. 1B, H317
LINALOOL	(CAS-No.) 78-70-6	10 – 25	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317
I-Limonene	(CAS-No.) 5989-54-8	1 – 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
LINALYL ACETATE	(CAS-No.) 115-95-7	1 – 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2B, H320 Skin Sens. 1B, H317
BETA-PINENE*	(CAS-No.) 127-91-3	1 – 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
2-(4-METHYLCYCLOHEX-3-EN-1-YL)PROPAN-2-OL*	(CAS-No.) 98-55-5	1 – 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319
PINENE	(CAS-No.) 80-56-8	1 – 5	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
P-CYMENE	(CAS-No.) 99-87-6	1 – 5	Flam. Liq. 3, H226 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Inhalation:vapour), H331 Repr. 2, H361 Asp. Tox. 1, H304
1-ISOPROPYL-4-METHYLCYCLOHEXA-1,4-DIENE*	(CAS-No.) 99-85-4	1 – 5	Flam. Liq. 3, H226 Repr. 2, H361 Asp. Tox. 1, H304
LIMONENE	(CAS-No.) 5989-27-5	1 – 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
4-TERPINEOL	(CAS-No.) 562-74-3	1 – 5	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Inhalation:vapour), H331 Skin Irrit. 2, H315 Eye Irrit. 2B, H320 STOT SE 3, H336
CAMPHOR	(CAS-No.) 76-22-2	1 – 5	Flam. Sol. 2, H228 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 2, H371
ALPHA-TERPINENE	(CAS-No.) 99-86-5	0.1 – 1	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Eye Irrit. 2B, H320 Skin Sens. 1, H317 Asp. Tox. 1, H304

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Do not induce vomiting. Call a physician immediately.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.2. Most important symptoms and effe	ects (acute and delayed)
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: Risk of lung edema.
4.3. Immediate medical attention and s	pecial treatment, if necessary
Treat symptomatically.	
<b>SECTION 5: Fire-fighting measures</b>	
5.1. Suitable (and unsuitable) extinguis	hing media
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Specific hazards arising from the c	hemical
Fire hazard	: Flammable liquid and vapor.
Reactivity	: Flammable liquid and vapor.
5.3. Special protective equipment and p	precautions for fire-fighters
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release mea	asures
6.1. Personal precautions, protective ed	quipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containm	nent and cleaning up
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, includ	ling any incompatibilities
Technical measures	: Ground/bond container and receiving equipment.
Storage conditions	: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.
SECTION 8: Exposure controls/pers	sonal protection

8.1. Control parameters

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

MARJORAM SWEET OIL (N/A)	
No additional information available	
CAMPHOR (76-22-2)	
No additional information available	
2-(4-METHYLCYCLOHEX-3-EN-1-YL)PROPAN-2-OL	.* (98-55-5)
No additional information available	
BETA-PINENE* (127-91-3)	
USA - ACGIH - Occupational Exposure Limits	
Local name	β-Pimene
ACGIH OEL TWA [ppm]	20 ppm
Remark (ACGIH)	TLV® Basis: Lung irr. Notations: DSEN; A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2023
LIMONENE (5989-27-5)	
No additional information available	
PINENE (80-56-8)	
USA - ACGIH - Occupational Exposure Limits	
	α-Pimene
ACGIH OEL TWA [ppm]	20 ppm
Remark (ACGIH) Regulatory reference	TLV® Basis: Lung irr. Notations: DSEN; A4 (Not classifiable as a Human Carcinogen) ACGIH 2023
P-CYMENE (99-87-6) No additional information available	
LINALOOL (78-70-6) No additional information available	
LINALYL ACETATE (115-95-7) No additional information available	
EUCALYPTOL (470-82-6)	
No additional information available	
4-TERPINEOL (562-74-3)	
No additional information available	
I-Limonene (5989-54-8)	
No additional information available	
1-ISOPROPYL-4-METHYLCYCLOHEXA-1,4-DIENE*	(99-85-4)
No additional information available	
ALPHA-TERPINENE (99-86-5)	
No additional information available	
8.2. Appropriate engineering controls	
	sure good ventilation of the work station.
	bid release to the environment.
8.3. Individual protection measures/Personal p	rotective equipment
Hand protection:	
Protective gloves	
Eye protection:	
Safety glasses	
Skin and body protection:	
Wear suitable protective clothing	

**Respiratory protection:** 

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

[In case of inadequate ventilation] wear respiratory protection.



#### **SECTION 9: Physical and chemical properties** 9.1. Information on basic physical and chemical properties Physical state : Liquid : COLORLESS TO PALE YELLOW LIQUID Color : CAMPHORACEOUS NOTE. Odor Odor threshold : No data available pН : No data available Melting point : Not applicable Freezing point No data available Boiling point : No data available Flash point : 43.9 °C Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Not applicable. Vapor pressure : No data available Relative vapor density at 20°C : No data available : 0.894 (0.887 - 0.912) Relative density Solubility : Insoluble. Partition coefficient n-octanol/water (Log Pow) : No data available : No data available Auto-ignition temperature Decomposition temperature : No data available : No data available Viscosity, kinematic Viscosity, dynamic : No data available **Explosion** limits : No data available : No data available Explosive properties : No data available Oxidizing properties **Other information** 9.2. VOC content : 73.4 % Refractive index : 1.464 (1.458 - 1.47) SECTION 10: Stability and reactivity 10.1. Reactivity

Flammable liquid and vapor.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 11: Toxicological informatic	on second se
11.1. Information on toxicological effects	
Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified
CAMPHOR (76-22-2)	
ATE US (oral)	1500 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (gases) ATE US (vapors)	11 mg/l/4h
ATE US (vapors) ATE US (dust, mist)	1.5 mg/l/4h
2-(4-METHYLCYCLOHEX-3-EN-1-YL)PROPAN	•
LD50 oral rat	4300 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401
	(Acute Oral Toxicity), 95% CL: 2900 - 5700
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
ATE US (oral)	4300 mg/kg body weight
BETA-PINENE* (127-91-3)	
LD50 oral rat	4700 mg/kg (Rat, Oral)
ATE US (oral)	4700 mg/kg body weight
LIMONENE (5989-27-5)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 5000 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Read-across, Dermal, 7 day(s))
PINENE (80-56-8)	
LD50 oral rat	> 500 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 01 day(s))
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Skin, 14 day(s))
ATE US (oral)	500 mg/kg body weight
P-CYMENE (99-87-6)	
LD50 oral rat	4750 mg/kg (Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 5000 mg/kg (Rabbit, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 9.7 mg/l (5 h, Rat, Experimental value, Inhalation)
ATE US (oral)	4750 mg/kg body weight
ATE US (gases)	700 ppmV/4h
ATE US (vapors)	9.7 mg/l/4h
ATE US (dust, mist)	0.5 mg/l/4h
LINALOOL (78-70-6)	
ATE US (oral)	2790 mg/kg body weight
. ,	
EUCALYPTOL (470-82-6) LD50 oral rat	4500 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental
LD50 dermal rat	value, Oral, 14 day(s)) > 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female,
ATE US (oral)	Experimental value, Dermal, 15 day(s)) 2480 mg/kg body weight
4-TERPINEOL (562-74-3)	
ATE US (oral)	1300 mg/kg body weight
ATE US (dermal)	2500 mg/kg body weight
ATE US (gases)	700 ppmV/4h
ATE US (vapors)	3 mg/l/4h
ATE US (dust, mist)	0.5 mg/l/4h
1-ISOPROPYL-4-METHYLCYCLOHEXA-1,4-DI	ENE* (99-85-4)
ATE US (oral)	3650 mg/kg body weight
11/29/2023	EN (English US) 7/14

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	March 26, 2012 / Rules and Regulations
ALPHA-TERPINENE (99-86-5)	
ATE US (oral)	1680 mg/kg body weight
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.
STOT-single exposure	: May cause damage to organs.
CAMPHOR (76-22-2)	
STOT-single exposure	May cause damage to organs.
4-TERPINEOL (562-74-3)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified
2-(4-METHYLCYCLOHEX-3-EN-1-YL)PROPA	N-2-OL* (98-55-5)
NOAEL (oral,rat,90 days)	≥ 314 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents)
EUCALYPTOL (470-82-6)	
NOAEL (oral,rat,90 days)	600 mg/kg body weight Animal: rat, Animal sex: female, Guideline: other:, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS 870.3150 (90-Day Oral Toxicity in Non-rodents)
Aspiration hazard	: May be fatal if swallowed and enters airways.
Viscosity, kinematic	: No data available
viscosity, kilematic	
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: Risk of lung edema.
<b>SECTION 12: Ecological information</b>	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
2-(4-METHYLCYCLOHEX-3-EN-1-YL)PROPA	N-2-OL* (98-55-5)
LC50 - Fish [1]	70 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	73 mg/l Test organisms (species): Daphnia magna
BETA-PINENE* (127-91-3)	
LC50 - Fish [1]	0.557 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio, Semi-static system, Fresh water, Weight of evidence, Other isomer)
ErC50 algae	0.826 mg/l (OECD 201: Alga, Growth Inhibition Test, 48 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Weight of evidence, Other isomer)
LIMONENE (5989-27-5)	

LC50 - Fish [1]

 $720~\mu\text{g/l}$  (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

LIMONENE (5989-27-5)	
EC50 - Crustacea [1]	0.307 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi- static system, Fresh water, Experimental value, GLP)
LC50 - Fish [2]	702 μg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [2]	0.51 mg/l Test organisms (species): Daphnia magna
PINENE (80-56-8)	
LC50 - Fish [1]	0.303 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	0.475 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi- static system, Fresh water, Experimental value, Locomotor effect)
P-CYMENE (99-87-6)	
LC50 - Fish [1]	48 mg/l (EPA OPPTS 850.1075, 96 h, Cyprinodon variegatus, Static system, Salt water, Experimental value)
EC50 - Crustacea [1]	3.7 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi- static system, Fresh water, Experimental value, GLP)
EUCALYPTOL (470-82-6)	
LC50 - Fish [1]	57 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value, Nominal concentration)
EC50 - Crustacea [1]	> 100 mg/I (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
ErC50 algae	> 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)
I-Limonene (5989-54-8)	
LC50 - Fish [1]	0.71 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Similar product)
EC50 - Crustacea [1]	0.36 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Similar product)

#### 12.2. Persistence and degradability

BETA-PINENE* (127-91-3)		
Persistence and degradability	Readily biodegradable in water.	
LIMONENE (5989-27-5)		
Persistence and degradability	Readily biodegradable in water.	
ThOD	3.29 g O <sub>2</sub> /g substance	
PINENE (80-56-8)		
Persistence and degradability	Readily biodegradable in water.	
P-CYMENE (99-87-6)		
Persistence and degradability	Readily biodegradable in water.	
EUCALYPTOL (470-82-6)		
Persistence and degradability	Readily biodegradable in water.	
I-Limonene (5989-54-8)		
Persistence and degradability	Readily biodegradable in water.	
ThOD	3.29 g O <sub>2</sub> /g substance	

#### 12.3. Bioaccumulative potential

BETA-PINENE* (127-91-3)		
BCF - Fish [1]	1125 I/kg (BCFBAF v3.01, Pisces, Fresh water, QSAR, Other isomer)	
Partition coefficient n-octanol/water (Log Pow)	4.425 (Similar product, Read-across, Equivalent or similar to OECD 107, 25 °C)	
Bioaccumulative potential	Potential for bioaccumulation ( $4 \le Log \text{ Kow} \le 5$ ).	
LIMONENE (5989-27-5)		
BCF - Fish [1]	864.8 l/kg (BCFBAF v3.01, Pisces, QSAR, Fresh weight)	
Partition coefficient n-octanol/water (Log Pow)	4.38 (Experimental value, Equivalent or similar to OECD 117, 37 °C)	
Bioaccumulative potential	Potential for bioaccumulation ( $4 \le Log Kow \le 5$ ).	

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

PINENE (80-56-8)		
BCF - Other aquatic organisms [1]	1233.1 – 1248 l/kg (BCFBAF v3.01, Read-across, Fresh weight)	
Partition coefficient n-octanol/water (Log Pow)	4.487 (Experimental value, Equivalent or similar to OECD 107, 25 °C)	
Bioaccumulative potential	Potential for bioaccumulation (500 $\leq$ BCF $\leq$ 5000).	
P-CYMENE (99-87-6)		
Partition coefficient n-octanol/water (Log Pow)	4.8 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 20 °C)	
Bioaccumulative potential	Potential for bioaccumulation ( $4 \le Log \text{ Kow} \le 5$ ).	
EUCALYPTOL (470-82-6)		
BCF - Other aquatic organisms [1]	112 I/kg (Literature study, Fresh weight)	
Partition coefficient n-octanol/water (Log Pow)	3.4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	

I-Limonene (5989-54-8)	
BCF - Fish [1]	683 l/kg (Calculated value)
Partition coefficient n-octanol/water (Log Pow)	4.38 (Experimental value, Equivalent or similar to OECD 117, 37 °C)
Bioaccumulative potential	Potential for bioaccumulation ( $4 \le Log \text{ Kow} \le 5$ ).

#### 12.4. Mobility in soil

BETA-PINENE* (127-91-3)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.009 – 3.836 (log Koc, Calculated value, Other isomer)	
Ecology - soil	Low potential for mobility in soil.	
LIMONENE (5989-27-5)		
Surface tension	No data available in the literature	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.049 – 3.801 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Ecology - soil	Low potential for mobility in soil.	
PINENE (80-56-8)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.009 – 3.853 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Ecology - soil	Low potential for mobility in soil. May be harmful to plant growth, blooming and fruit formation.	
P-CYMENE (99-87-6)		
Surface tension	No data available in the literature	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	4.17 (log Koc, SRC PCKOCWIN v2.0, QSAR)	
Ecology - soil	Low potential for mobility in soil.	
EUCALYPTOL (470-82-6)		
Surface tension	61.5 mN/m (20 °C, 1 g/l, EU Method A.5: Surface tension)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	<ul> <li>2.33 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)</li> </ul>	
Ecology - soil	Low potential for adsorption in soil.	
I-Limonene (5989-54-8)		
Surface tension	No data available in the literature	
Ecology - soil	Low potential for mobility in soil.	

#### 12.5. Other adverse effects

No additional information available

<b>SECTION 13: Disposal consideration</b>	15
13.1. Disposal methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Flammable vapors may accumulate in the container.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### SECTION 14: Transport information

#### **Department of Transportation (DOT)**

In accordance with DOT Transport document description (DOT)

UN-No.(DOT) Proper Shipping Name (DOT)

Class (DOT) Packing group (DOT) Hazard labels (DOT)

: UN1266 Perfumery products (Regulated for Bulk only), 3, III

- : UN1266
- : Perfumery products
  - (Regulated for Bulk only)
- : 3 Class 3 Flammable and combustible liquid 49 CFR 173.120
- : III Minor Danger
- : 3 Flammable liquid



: 203

DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx)

: 242 DOT Special Provisions (49 CFR 172.102) : B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T2 - 1.5 178.274(d)(2) Normal..... 178.275(d)(3) TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. DOT Packaging Exceptions (49 CFR 173.xxx) : 150 DOT Quantity Limitations Passenger aircraft/rail : 60 L (49 CFR 173.27) DOT Quantity Limitations Cargo aircraft only (49 : 220 L CFR 175.75) **DOT Vessel Stowage Location** : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel. Emergency Response Guide (ERG) Number : 127 Other information : No supplementary information available. **Transportation of Dangerous Goods** : UN1266 PERFUMERY PRODUCTS (Regulated for Bulk only), 3, III Transport document description (TDG) UN-No. (TDG) UN1266 : PERFUMERY PRODUCTS Proper Shipping Name (TDG) **TDG Primary Hazard Classes** : 3 - Class 3 - Flammable Liquids Packing group (TDG) : III - Minor Danger **TDG Special Provisions** : 59 - Substances that are listed by name in Schedule 1 must not be transported under this shipping name. Substances transported under this shipping name may contain not more than 20% nitrocellulose if the nitrocellulose contains not more than 12.6% nitrogen (by dry mass). Explosive Limit and Limited Quantity Index · 51 Passenger Carrying Road Vehicle or Passenger : 60 L Carrying Railway Vehicle Index Transport by sea

Transport document description (IMDG)	: UN 1266 PERFUMERY PRODUCTS, 3, III
UN-No. (IMDG)	: 1266
Proper Shipping Name (IMDG)	: PERFUMERY PRODUCTS

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: III - substances presenting low danger
Limited quantities (IMDG)	: 5L
Air transport	
/ in thanopole	
Transport document description (IATA)	: UN 1266 Perfumery products, 3, III

,	
UN-No. (IATA)	: 1266
Proper Shipping Name (IATA)	: Perfumery products
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: III - Low danger

### **SECTION 15: Regulatory information**

15.1. US Federal regulations

No additional information available

### 15.2. International regulations

### CANADA

CAMPHOR (76-22-2)
Listed on the Canadian DSL (Domestic Substances List)
2-(4-METHYLCYCLOHEX-3-EN-1-YL)PROPAN-2-OL* (98-55-5)
Listed on the Canadian DSL (Domestic Substances List)
BETA-PINENE* (127-91-3)
Listed on the Canadian DSL (Domestic Substances List)
PINENE (80-56-8)
Listed on the Canadian DSL (Domestic Substances List)
P-CYMENE (99-87-6)
Listed on the Canadian DSL (Domestic Substances List)
LINALOOL (78-70-6)
Listed on the Canadian DSL (Domestic Substances List)
LINALYL ACETATE (115-95-7)
Listed on the Canadian DSL (Domestic Substances List)
EUCALYPTOL (470-82-6)
Listed on the Canadian DSL (Domestic Substances List)
4-TERPINEOL (562-74-3)
Listed on the Canadian DSL (Domestic Substances List)
I-Limonene (5989-54-8)
Listed on the Canadian DSL (Domestic Substances List)
1-ISOPROPYL-4-METHYLCYCLOHEXA-1,4-DIENE* (99-85-4)
Listed on the Canadian DSL (Domestic Substances List)
ALPHA-TERPINENE (99-86-5)
Listed on the Canadian DSL (Domestic Substances List)
FIL-Regulations

EU-Regulations No additional information available

### National regulations

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	ster / Vol. 77, No. 58 / Monday, March 26, 20	
CAMPHOR (76-22-		
	I States TSCA (Toxic Substances Cont xican National Inventory of Chemical S	
2-(4-METHYLCYCL	OHEX-3-EN-1-YL)PROPAN-2-OL* (98	8-55-5)
Listed on the United	States TSCA (Toxic Substances Cont xican National Inventory of Chemical S	rol Act) inventory - Status: Active
BETA-PINENE* (12		
	I States TSCA (Toxic Substances Cont xican National Inventory of Chemical S	
PINENE (80-56-8)		
	States TSCA (Toxic Substances Cont xican National Inventory of Chemical S	
P-CYMENE (99-87-		
	I States TSCA (Toxic Substances Cont xican National Inventory of Chemical S	
LINALOOL (78-70-	1	
	I States TSCA (Toxic Substances Cont xican National Inventory of Chemical S	
LINALYL ACETAT	E (115-95-7)	
	I States TSCA (Toxic Substances Cont xican National Inventory of Chemical S	
EUCALYPTOL (470	•	
	I States TSCA (Toxic Substances Cont xican National Inventory of Chemical S	
4-TERPINEOL (562		
	I States TSCA (Toxic Substances Cont xican National Inventory of Chemical S	
I-Limonene (5989-	54-8)	
Listed on the United	States TSCA (Toxic Substances Cont	rol Act) inventory - Status: Active
	ETHYLCYCLOHEXA-1,4-DIENE* (99-	
	I States TSCA (Toxic Substances Cont xican National Inventory of Chemical S	
ALPHA-TERPINEN	E (99-86-5)	
Listed on the United	States TSCA (Toxic Substances Cont	rol Act) inventory - Status: Active
15.3. US State regul		autouronal which is known to the Otate of Oplifernia to serve a firm
	information go to www.P65Warnings	hyl eugenol, which is known to the State of California to cause cancer. For more s.ca.gov.
A WARNING:	This product can expose you to allyla information go to www.P65Warnings	anisole, which is known to the State of California to cause cancer. For more s.ca.gov.
	This product can expose you to myro go to www.P65Warnings.ca.gov.	cene, which is known to the State of California to cause cancer. For more information
Component		State or local regulations
CAMPHOR(76-22-2	:)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
PINENE(80-56-8)		U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
P-CYMENE(99-87-6	8)	U.S Massachusetts - Right To Know List; U.S Pennsylvania - RTK (Right to Know) List

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ion date	: 11/29/2023		
ext of H-phrases:			
H226	Flammable liquid and vapor		
H227	Combustible liquid		
H228	Flammable solid		
H302	Harmful if swallowed		
H304	May be fatal if swallowed and enters airways		
H315	Causes skin irritation		
H317	May cause an allergic skin reaction		
H318	Causes serious eye damage		
H319	Causes serious eye irritation		
H320	Causes eye irritation		
H331	Toxic if inhaled		
H332	Harmful if inhaled		
H336	May cause drowsiness or dizziness		
H361	Suspected of damaging fertility or the unborn child		
H371	May cause damage to organs		

SDS US (GHS HazCom 2012) - Lebermuth

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.