

 Safety Data Sheet

 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

 Issue date: 06/27/2018
 Revision date: 03/12/2024
 Supersedes: 09/21/2022

Version: 1.7

P	6	Issue date: 06/27/2018	Revision date: 03/12/2024	Supersedes: 09/21/2022	Version: 1.7
SECTION 1:	Identification				
	fication				
Product form		: Substance			
Product name			PURE EGYPTIAN OIL		
CAS-No.		: 8015-01-8			
Product code		: 50-6175-03			
1.2. Recor	mmended use and	restrictions on use			
1.3. Suppl					
T 574-259-7000					
1.4. Emerg	gency telephone nu	Imber			
Emergency num	ber	: CHEMTREC CCN 13010	- USA: 800-424-9300 Intern	national: +1 703-527-3887 / 1-i	800-424-9300
SECTION 2:	Hazard(s) iden	tification			
2.1. Classi	ification of the sub	stance or mixture			
GHS US classif	ication				
-lammable liquid		Flam	mable liquid and vapor		
	ritation Category 2		es skin irritation		
	nage/eye irritation Ca		es serious eye irritation		
Skin sensitizatio			cause an allergic skin reaction		
	kicity Category 2		ected of damaging fertility or t		
			cause drowsiness or dizziness		
3, Narcosis	rgan toxicity – Single	e exposure, category may	cause drowsilless of dizzilless	5	
Aspiration hazar	d Category 1	Mav	be fatal if swallowed and enter	rs airways	
lopilation nazar	u outogory r	may			
	-	luding precautionary state	nents		
GHS US labelin	•	•			
Hazard pictograr	ms (GHS US)		\wedge		
			〉く ▝		
			\mathbf{V}		
		GHS02	GHS07 GHS08	3	
Signal word (GH	IS US)	: Danger			
Hazard statemer	nts (GHS US)	: Flammable li			
			if swallowed and enters airway	ys	
		Causes skin			
			n allergic skin reaction		
			us eye irritation		
			rowsiness or dizziness damaging fertility or the unbo	rn child	
Process tionany -+	atomonto (CUE UC)	•	00,		
-recautionary st	atements (GHS US)		al instructions before use. e until all safety precautions h	ave been read and understood	I
		Keen away fi	om heat, hot surfaces sparks	, open flames and other ignitio	n sources. No
		smoking.			
			er tightly closed.		
			container and receiving equi	oment.	
			n-proof electrical/ventilating/lic		
		Use only non	-sparking tools.		
			ionary measures against stati		
			ng dust/fume/gas/mist/vapors		
		Wash hands	forearms and face thoroughly	aner nangling.	
03/12/2024		EN (English US)			Page 1
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					i aye i

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Use only outdoors or in a well-ventilated area.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Immediately call a poison center or doctor.
If on skin: Wash with plenty of water.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
If inhaled: Remove person to fresh air and keep comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If exposed or concerned: Get medical advice/attention.
Call a poison center or doctor if you feel unwell.
Specific treatment (see supplemental first aid instruction on this label).
Do NOT induce vomiting.
If skin irritation occurs: Get medical advice/attention.
If skin irritation occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
Wash contaminated clothing before reuse.
In case of fire: Use media other than water to extinguish.
Store in a well-ventilated place. Keep container tightly closed.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances			
Name	Product identifier	%	GHS US classification
MARJORAM OIL	(CAS-No.) 8015-01-8	100	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Repr. 2, H361 STOT SE 3, H336 Asp. Tox. 1, H304

Full text of hazard classes and H-statements : see section 16

3.2. Mixtures	
Not applicable	
SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	Call a physician immediately.
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	Do not induce vomiting. Call a physician immediately.
4.2. Most important symptoms and effects	acute and delayed)
Symptoms/effects	May cause drowsiness or dizziness.
Symptoms/effects after skin contact	Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	Eye irritation.
Symptoms/effects after ingestion	Risk of lung edema.
4.3. Immediate medical attention and spec	ial treatment, if necessary

Treat symptomatically.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTI	ON 5: Fire-fighting measures	
5.1.	Suitable (and unsuitable) extinguishin	
Suitable	extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide.
5.2.	Specific hazards arising from the che	mical
Fire haza	ard	Flammable liquid and vapor.
Reactivit	ty	Flammable liquid and vapor.
5.3.	Special protective equipment and pre	cautions for fire-fighters
Protectio	on during firefighting	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTI	ON 6: Accidental release measu	ires
6.1.	Personal precautions, protective equi	
6.1.1.	For non-emergency personnel	
		Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.
6.1.2.	For emergency responders	
Protectiv	re equipment	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2.	Environmental precautions	
Avoid re	lease to the environment.	
6.3.	Methods and material for containmen	t and cleaning up
Methods	for cleaning up	Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other inf	formation	Dispose of materials or solid residues at an authorized site.
6.4.	Reference to other sections	
For furth	er information refer to section 13.	
SECTI	ON 7: Handling and storage	
7.1.	Precautions for safe handling	
Precautio	ons for safe handling	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.
Hygiene	measures	Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2.	Conditions for safe storage, including	any incompatibilities
Technica		Ground/bond container and receiving equipment.
Storage	conditions	Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.
SECTI	ON 8: Exposure controls/perso	nal protection
8.1.	Control parameters	
MARJO	ORAM OIL (8015-01-8)	
No add	litional information available	
0.0		
8.2. Appropri	Appropriate engineering controls	Ensure good ventilation of the work station.
		Avoid release to the environment.
8.3.	Individual protection measures/Perso	nal protective equipment

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.



SECTION 9: Physical and chemical	properties
9.1. Information on basic physical and o	chemical properties
Physical state	: Liquid
Color	: COLORLESS TO PALE YELLOW LIQUID
Odor	: HERBACEOUS, BALSAMIC ODOR, SPICY, WOODY, BERRY NOTE
Odor threshold	: No data available
рН	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 47 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: 0.8992 (0.887 – 0.91)
Solubility	: Insoluble.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	
VOC content	: 43.1 %
Refractive index	: 1.476 (1.47 – 1.482)

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapor.

10.2. Chemical stability

Stable under normal conditions.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological informat	
11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
ATE US (oral)	2240 mg/kg body weight
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.
STOT-single exposure	: May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified
Aspiration hazard	: May be fatal if swallowed and enters airways.
Viscosity, kinematic	: No data available
Symptoms/effects	: May cause drowsiness or dizziness.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: Risk of lung edema.
SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION	ON 13: Disposal consideration	IS
13.1.	Disposal methods	
Waste tre	eatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additiona	l information	: Flammable vapors may accumulate in the container.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Transport document description (DOT)

UN-No.(DOT) Proper Shipping Name (DOT)

Class (DOT) Packing group (DOT) Hazard labels (DOT)

: UN1197 Extracts, flavoring, liquid (Regulated for Bulk Only), 3, III

- : UN1197
- : Extracts, flavoring, liquid
- (Regulated for Bulk Only)
- : 3 Class 3 Flammable and combustible liquid 49 CFR 173.120
- : III Minor Danger
- : 3 Flammable liquid



: 203

DOT Packaging Non Bulk (49 CFR 173.xxx)	
DOT Packaging Bulk (49 CFR 173.xxx)	

DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Special Provisions (49 CFR 172.102)	 B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T2 - 1.5 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Emergency Response Guide (ERG) Number	: 127
Other information	: No supplementary information available.
Other information Transportation of Dangerous Goods	: No supplementary information available.
	: No supplementary information available. : UN1197 EXTRACTS, FLAVOURING, LIQUID (Regulated for Bulk Only), 3, III
Transportation of Dangerous Goods	
Transportation of Dangerous Goods Transport document description (TDG)	: UN1197 EXTRACTS, FLAVOURING, LIQUID (Regulated for Bulk Only), 3, III
Transportation of Dangerous Goods Transport document description (TDG) UN-No. (TDG)	: UN1197 EXTRACTS, FLAVOURING, LIQUID (Regulated for Bulk Only), 3, III : UN1197
Transportation of Dangerous Goods Transport document description (TDG) UN-No. (TDG) Proper Shipping Name (TDG)	 : UN1197 EXTRACTS, FLAVOURING, LIQUID (Regulated for Bulk Only), 3, III : UN1197 : EXTRACTS, FLAVOURING, LIQUID
Transportation of Dangerous Goods Transport document description (TDG) UN-No. (TDG) Proper Shipping Name (TDG) TDG Primary Hazard Classes	 UN1197 EXTRACTS, FLAVOURING, LIQUID (Regulated for Bulk Only), 3, III UN1197 EXTRACTS, FLAVOURING, LIQUID 3 - Class 3 - Flammable Liquids
Transportation of Dangerous Goods Transport document description (TDG) UN-No. (TDG) Proper Shipping Name (TDG) TDG Primary Hazard Classes Packing group (TDG)	 UN1197 EXTRACTS, FLAVOURING, LIQUID (Regulated for Bulk Only), 3, III UN1197 EXTRACTS, FLAVOURING, LIQUID 3 - Class 3 - Flammable Liquids III - Minor Danger 5 L
Transportation of Dangerous Goods Transport document description (TDG) UN-No. (TDG) Proper Shipping Name (TDG) TDG Primary Hazard Classes Packing group (TDG) Explosive Limit and Limited Quantity Index Passenger Carrying Road Vehicle or Passenger	 UN1197 EXTRACTS, FLAVOURING, LIQUID (Regulated for Bulk Only), 3, III UN1197 EXTRACTS, FLAVOURING, LIQUID 3 - Class 3 - Flammable Liquids III - Minor Danger 5 L
Transportation of Dangerous Goods Transport document description (TDG) UN-No. (TDG) Proper Shipping Name (TDG) TDG Primary Hazard Classes Packing group (TDG) Explosive Limit and Limited Quantity Index Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index	 UN1197 EXTRACTS, FLAVOURING, LIQUID (Regulated for Bulk Only), 3, III UN1197 EXTRACTS, FLAVOURING, LIQUID 3 - Class 3 - Flammable Liquids III - Minor Danger 5 L
Transportation of Dangerous Goods Transport document description (TDG) UN-No. (TDG) Proper Shipping Name (TDG) TDG Primary Hazard Classes Packing group (TDG) Explosive Limit and Limited Quantity Index Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index Transport by sea	 UN1197 EXTRACTS, FLAVOURING, LIQUID (Regulated for Bulk Only), 3, III UN1197 EXTRACTS, FLAVOURING, LIQUID 3 - Class 3 - Flammable Liquids III - Minor Danger 5 L 60 L
Transportation of Dangerous Goods Transport document description (TDG) UN-No. (TDG) Proper Shipping Name (TDG) TDG Primary Hazard Classes Packing group (TDG) Explosive Limit and Limited Quantity Index Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index Transport by sea Transport document description (IMDG)	 : UN1197 EXTRACTS, FLAVOURING, LIQUID (Regulated for Bulk Only), 3, III : UN1197 : EXTRACTS, FLAVOURING, LIQUID : 3 - Class 3 - Flammable Liquids : III - Minor Danger : 5 L : 60 L : UN 1197 EXTRACTS, LIQUID, 3, III
Transportation of Dangerous Goods Transport document description (TDG) UN-No. (TDG) Proper Shipping Name (TDG) TDG Primary Hazard Classes Packing group (TDG) Explosive Limit and Limited Quantity Index Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index Transport by sea Transport document description (IMDG) UN-No. (IMDG)	 UN1197 EXTRACTS, FLAVOURING, LIQUID (Regulated for Bulk Only), 3, III UN1197 EXTRACTS, FLAVOURING, LIQUID 3 - Class 3 - Flammable Liquids III - Minor Danger 5 L 60 L UN 1197 EXTRACTS, LIQUID, 3, III 1197
Transportation of Dangerous Goods Transport document description (TDG) UN-No. (TDG) Proper Shipping Name (TDG) TDG Primary Hazard Classes Packing group (TDG) Explosive Limit and Limited Quantity Index Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index Transport by sea Transport document description (IMDG) UN-No. (IMDG) Proper Shipping Name (IMDG)	 UN1197 EXTRACTS, FLAVOURING, LIQUID (Regulated for Bulk Only), 3, III UN1197 EXTRACTS, FLAVOURING, LIQUID 3 - Class 3 - Flammable Liquids III - Minor Danger 5 L 60 L UN 1197 EXTRACTS, LIQUID, 3, III 1197 EXTRACTS, LIQUID
Transportation of Dangerous Goods Transport document description (TDG) UN-No. (TDG) Proper Shipping Name (TDG) TDG Primary Hazard Classes Packing group (TDG) Explosive Limit and Limited Quantity Index Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index Transport by sea Transport document description (IMDG) UN-No. (IMDG) Proper Shipping Name (IMDG) Class (IMDG)	 UN1197 EXTRACTS, FLAVOURING, LIQUID (Regulated for Bulk Only), 3, III UN1197 EXTRACTS, FLAVOURING, LIQUID 3 - Class 3 - Flammable Liquids III - Minor Danger 5 L 60 L UN 1197 EXTRACTS, LIQUID, 3, III 1197 EXTRACTS, LIQUID, 3, III 1197 EXTRACTS, LIQUID 3 - Flammable liquids

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Air transport

Transport document description (IATA)	: UN 1197 Extracts, liquid, 3, III
UN-No. (IATA)	: 1197
Proper Shipping Name (IATA)	: Extracts, liquid
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: III - Low danger

SECTION 15: Regulatory information		
15.1. US Federal regulations		
MARJORAM OIL (8015-01-8)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory]	

15.2. International regulations

CANADA

MARJORAM OIL (8015-01-8)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

This product can expose you to estragole, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

WARNING: This product can expose you to methyl eugenol, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

This product can expose you to beta-myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

vision date	: 03/12/2024	
I text of H-phrases:		
H226	Flammable liquid and vapor	
H304	May be fatal if swallowed and enters airways	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	
H336	May cause drowsiness or dizziness	
H361	Suspected of damaging fertility or the unborn child	

SDS US (GHS HazCom 2012) - Lebermuth

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.