

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 10/23/2018 Revision date: 11/29/2023 Supersedes: 07/17/2023

SECTION 1: Identification Identification 1.1. : Substance Product form Product name MARJORAM ORGANIC OIL CAS-No. 8015-01-8 Product code : 50-6175-04 1.2. Recommended use and restrictions on use 1.3. **Supplier** The Lebermuth Company 4004 Technology Drive South Bend, IN 46628 - United States T 574-259-7000 - F 574-258-7450 info@lebermuth.com - www.lebermuth.com 1.4. **Emergency telephone number** Emergency number : CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 CCN 13010 SECTION 2: Hazard(s) identification 2.1. **Classification of the substance or mixture GHS US classification** Flammable liquids Category 3 Flammable liquid and vapor Skin corrosion/irritation Category 2 Causes skin irritation Serious eye damage/eye irritation Category 2A Causes serious eye irritation Skin sensitization, Category 1 May cause an allergic skin reaction Reproductive toxicity Category 2 Suspected of damaging fertility or the unborn child Specific target organ toxicity - Single exposure, Category May cause drowsiness or dizziness 3, Narcosis Aspiration hazard Category 1 May be fatal if swallowed and enters airways 2.2. GHS Label elements, including precautionary statements **GHS US labeling** Hazard pictograms (GHS US) GHS02 GHS07 GHS08 Signal word (GHS US) : Danger : Flammable liquid and vapor Hazard statements (GHS US) May be fatal if swallowed and enters airways Causes skin irritation May cause an allergic skin reaction Causes serious eve irritation May cause drowsiness or dizziness Suspected of damaging fertility or the unborn child Obtain special instructions before use. Precautionary statements (GHS US) Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground/Bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray.

Version: 1.9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Immediately call a poison center or doctor.
If on skin: Wash with plenty of water. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
If inhaled: Remove person to fresh air and keep comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If exposed or concerned: Get medical advice/attention.
Call a poison center or doctor if you feel unwell. Specific treatment (see supplemental first aid instruction on this label).
Do NOT induce vomiting.
If skin irritation occurs: Get medical advice/attention.
If skin irritation or rash occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
Wash contaminated clothing before reuse. In case of fire: Use media other than water to extinguish.
Store in a well-ventilated place. Keep container tightly closed.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances			
Name	Product identifier	%	GHS US classification
MARJORAM OIL	(CAS-No.) 8015-01-8	100	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Repr. 2, H361 STOT SE 3, H336 Asp. Tox. 1, H304

Full text of hazard classes and H-statements : see section 16

3.2. Mixtures	
Not applicable	
SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general :	Call a physician immediately.
First-aid measures after inhalation :	Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact :	Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact :	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion :	Do not induce vomiting. Call a physician immediately.
4.2. Most important symptoms and effects	(acute and delayed)
Symptoms/effects :	May cause drowsiness or dizziness.
Symptoms/effects after skin contact :	Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact :	Eye irritation.
Symptoms/effects after ingestion :	Risk of lung edema.
4.3. Immediate medical attention and spec	ial treatment, if necessary

Treat symptomatically.

Safety Data Sheet

_

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTIO	ON 5: Fire-fighting measures		-
5.1.	Suitable (and unsuitable) extinguishing	n media	
		Water spray. Dry powder. Foam. Carbon dioxide.	
5.2.	Specific hazards arising from the chem	nical	
Fire haza	rd :	Flammable liquid and vapor.	
		Flammable liquid and vapor.	
5.3.	Special protective equipment and prec	autions for fire-fighters	
Protectior	n during firefighting :	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	
SECTIO	ON 6: Accidental release measu	res	
6.1.	Personal precautions, protective equip	ment and emergency procedures	
6.1.1.	For non-emergency personnel		
		Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.	
6.1.2.	For emergency responders		
Protective	equipment :	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
6.2.	Environmental precautions		
Avoid rele	ease to the environment.		
6.3.	Methods and material for containment	and cleaning up	
Methods	for cleaning up :	Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.	
Other info	rmation :	Dispose of materials or solid residues at an authorized site.	
6.4.	Reference to other sections		
For furthe	r information refer to section 13.		
SECTIO	N 7. Handling and storage		
	ON 7: Handling and storage		
7.1.	Precautions for safe handling	En	
Precautio	ns for safe handling :	Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.	
Hygiene r	neasures :	Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2.	Conditions for safe storage, including		
Technica		Ground/bond container and receiving equipment.	
Storage of	onditions :	Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.	
SECTIO	ON 8: Exposure controls/person	al protection	
8.1.	Control parameters		
	RAM OIL (8015-01-8) tional information available		
8.2.	Appropriate engineering controls		
		Ensure good ventilation of the work station.	
		Avoid release to the environment.	
8.3.	Individual protection measures/Person		
11/29/2023	3	EN (English US) 3/7	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. [In case of inadequate ventilation] wear respiratory protection.

SECTION 9: Physical and chemical p	
9.1. Information on basic physical and c	
Physical state	: Liquid
Color	: PALE YELLOW LIQUID
Odor	: CHARACTERISTIC, SWEET AROMATIC ODOR
Odor threshold	: No data available
рН	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 43.9 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: 0.895 (0.882 – 0.898)
Solubility	: Insoluble.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	
Refractive index	: 1.475 (1.468 – 1.478)
SECTION 10: Stability and reactivity	
10.1. Reactivity	
Flammable liquid and vapor.	

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

11/29/2023

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological informati	on
11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
ATE US (oral)	2240 mg/kg body weight
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.
STOT-single exposure	: May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified
Aspiration hazard	: May be fatal if swallowed and enters airways.
Viscosity, kinematic	: No data available
Symptoms/effects	: May cause drowsiness or dizziness.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: Risk of lung edema.
SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal consideration	ions
13.1. Disposal methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Flammable vapors may accumulate in the container.
SECTION 14: Transport information	on and a second s
Department of Transportation (DOT)	
In accordance with DOT	
Transport document description (DOT)	: UN1197 Extracts, flavoring, liquid (Regulated for Bulk only), 3, III
UN-No.(DOT)	: UN1197
Proper Shipping Name (DOT)	: Extracts, flavoring, liquid
	(Regulated for Bulk only)
11/29/2023	EN (English US) 5/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

N-No. (TDG): UN111roper Shipping Name (TDG): EXTRDG Primary Hazard Classes: 3 - Claacking group (TDG): III - Mitkplosive Limit and Limited Quantity Index: 5 Lassenger Carrying Road Vehicle or Passenger: 60 Larrying Railway Vehicle Index: 1197ransport by sea: 1197roper Shipping Name (IMDG): 2 XTRacking group (IMDG): 3 - Flaacking group (IMDG): 1197roper Shipping Name (IMDG): 5 Lir transport: 5 Lir transport document description (IATA): 1197roper Shipping Name (IATA): 2 XTRacking group (IMDG): 5 Lir transport: 5 Lass (IATA): 2 XTRass (IATA): 3 - Fla	ass 3 - Flammable Liquids inor Danger 97 EXTRACTS, FLAVOURING, LIQUID, 3, III ACTS, FLAVOURING, LIQUID immable liquids bstances presenting low danger 97 Extracts, liquid, 3, III ets, liquid immable Liquids iw danger
ransport document description (TDG):UN119N-No. (TDG):UN119roper Shipping Name (TDG):EXTRDG Primary Hazard Classes:3 - Claacking group (TDG):IIII - Mixplosive Limit and Limited Quantity Index:5 Lassenger Carrying Road Vehicle or Passenger:60 Larrying Railway Vehicle Index::ransport by sea::ransport document description (IMDG):UN 11N-No. (IMDG)::roper Shipping Name (IMDG)::acking group (IMDG):III - sumited quantities (IMDG):5 Lir transport::roper Shipping Name (IATA):1197roper Shipping Name (IATA)::ass (IATA):::	97 EXTRACTS, FLAVOURING, LIQUID, 3, III ACTS, FLAVOURING, LIQUID Immable liquids Ibstances presenting low danger 97 Extracts, liquid, 3, III
ransport document description (TDG):UN119N-No. (TDG):UN119roper Shipping Name (TDG):EXTRDG Primary Hazard Classes:3 - Claacking group (TDG):III - Mixplosive Limit and Limited Quantity Index:5 Lassenger Carrying Road Vehicle or Passenger:60 Larrying Railway Vehicle Index:5 Lransport by sea::1197roper Shipping Name (IMDG):UN 11N-No. (IMDG):S L Racking group (IMDG)::1197in transport::5 Lin transport document description (IMDG)::UN 11N-No. (IMDG)::::acking group (IMDG)::::in transport:::::in transport document description (IATA)::UN 11N-No. (IATA)::::roper Shipping Name (IATA)::::in transport document description (IATA)::::roper Shipping Name (IATA):::::roper Shipping	97 EXTRACTS, FLAVOURING, LIQUID, 3, III ACTS, FLAVOURING, LIQUID Immable liquids Ibstances presenting low danger 97 Extracts, liquid, 3, III
ransport document description (TDG):UN111N-No. (TDG):UN111roper Shipping Name (TDG):EXTRDG Primary Hazard Classes:3 - Claacking group (TDG):III - Mikplosive Limit and Limited Quantity Index:5 Lassenger Carrying Road Vehicle or Passenger:60 Larrying Railway Vehicle Index:5 Lransport by sea::1197roper Shipping Name (IMDG):UN 11N-No. (IMDG):3 - Flaacking group (IMDG):111 - sumited quantities (IMDG):5 Lir transport:5 Lir transport document description (IATA):UN 11N-No. (IATA):1197	97 EXTRACTS, FLAVOURING, LIQUID, 3, III ACTS, FLAVOURING, LIQUID Immable liquids Ibstances presenting low danger 97 Extracts, liquid, 3, III
ransport document description (TDG):UN111N-No. (TDG):UN111roper Shipping Name (TDG):EXTRDG Primary Hazard Classes:3 - Claacking group (TDG):III - Mikplosive Limit and Limited Quantity Index:5 Lassenger Carrying Road Vehicle or Passenger:60 Larrying Railway Vehicle Index:5 Lransport by sea::UN 11N-No. (IMDG):UN 11N-No. (IMDG)::roper Shipping Name (IMDG):EXTRlass (IMDG):3 - Flaacking group (IMDG):5 Lin transport:5 Lin transport::in transport::in transport document description (IATA):UN 11	nor Danger 97 EXTRACTS, FLAVOURING, LIQUID, 3, III ACTS, FLAVOURING, LIQUID Immable liquids Ibstances presenting low danger
ransport document description (TDG):UN119N-No. (TDG):UN119roper Shipping Name (TDG):EXTRDG Primary Hazard Classes:3 - Claacking group (TDG):III - Mikplosive Limit and Limited Quantity Index:5 Lassenger Carrying Road Vehicle or Passenger:60 Larrying Railway Vehicle Index:1197ransport by sea:1197roper Shipping Name (IMDG):I117roper Shipping Name (IMDG):3 - Flaacking group (IMDG):III - sumited quantities (IMDG):5 L	nor Danger 97 EXTRACTS, FLAVOURING, LIQUID, 3, III ACTS, FLAVOURING, LIQUID Immable liquids Ibstances presenting low danger
ransport document description (TDG):UN119N-No. (TDG):UN119roper Shipping Name (TDG):EXTRDG Primary Hazard Classes:3 - Claacking group (TDG):III - Mikxplosive Limit and Limited Quantity Index:5 Lassenger Carrying Road Vehicle or Passenger:60 Larrying Railway Vehicle Index:1197roper Shipping Name (IMDG):1197roper Shipping Name (IMDG):3 - Flaacking group (IMDG):3 - Flaacking group (IMDG):III - sumited quantities (IMDG):5 L	nor Danger 97 EXTRACTS, FLAVOURING, LIQUID, 3, III ACTS, FLAVOURING, LIQUID Immable liquids
ransport document description (TDG):UN119N-No. (TDG):UN119roper Shipping Name (TDG):EXTRDG Primary Hazard Classes:3 - Claacking group (TDG):III - Mitkplosive Limit and Limited Quantity Index:5 Lassenger Carrying Road Vehicle or Passenger:60 Larrying Railway Vehicle Index::ransport by sea:1197roper Shipping Name (IMDG):1197roper Shipping Name (IMDG):3 - Flaacking group (IMDG):111 - suacking group (IMDG):III - su	nor Danger 97 EXTRACTS, FLAVOURING, LIQUID, 3, III ACTS, FLAVOURING, LIQUID Immable liquids
ransport document description (TDG):UN119N-No. (TDG):UN119roper Shipping Name (TDG):EXTRDG Primary Hazard Classes:3 - Claacking group (TDG):III - Mitkplosive Limit and Limited Quantity Index:5 Lassenger Carrying Road Vehicle or Passenger:60 Larrying Railway Vehicle Index::ransport by sea:1197roper Shipping Name (IMDG):1197roper Shipping Name (IMDG):3 - Flaacking group (IMDG):111 - suacking group (IMDG):III - su	nor Danger 97 EXTRACTS, FLAVOURING, LIQUID, 3, III ACTS, FLAVOURING, LIQUID Immable liquids
ransport document description (TDG):UN119N-No. (TDG):UN119roper Shipping Name (TDG):EXTRDG Primary Hazard Classes:3 - Claacking group (TDG):III - Mikplosive Limit and Limited Quantity Index:5 Lassenger Carrying Road Vehicle or Passenger:60 Larrying Railway Vehicle Index:1197ransport by sea:1197roper Shipping Name (IMDG):EXTRlass (IMDG):3 - Fla	nor Danger 97 EXTRACTS, FLAVOURING, LIQUID, 3, III ACTS, FLAVOURING, LIQUID Immable liquids
ransport document description (TDG):UN119N-No. (TDG):UN119roper Shipping Name (TDG):EXTRDG Primary Hazard Classes:3 - Claacking group (TDG):IIII - Mixplosive Limit and Limited Quantity Index:5 Lassenger Carrying Road Vehicle or Passenger:60 Larrying Railway Vehicle Index::ransport by sea::ransport document description (IMDG):UN 11N-No. (IMDG):1197roper Shipping Name (IMDG):EXTR	nor Danger 97 EXTRACTS, FLAVOURING, LIQUID, 3, III ACTS, FLAVOURING, LIQUID
ransport document description (TDG):UN119N-No. (TDG):UN119roper Shipping Name (TDG):EXTRDG Primary Hazard Classes:3 - Claacking group (TDG):III - Mikplosive Limit and Limited Quantity Index:5 Lassenger Carrying Road Vehicle or Passenger:60 Larrying Railway Vehicle Index:5 Lransport by sea::UN 11N-No. (IMDG):1197	nor Danger 97 EXTRACTS, FLAVOURING, LIQUID, 3, III
ransport document description (TDG):UN119N-No. (TDG):UN119roper Shipping Name (TDG):EXTRDG Primary Hazard Classes:3 - Claacking group (TDG):III - Mikplosive Limit and Limited Quantity Index:5 Lassenger Carrying Road Vehicle or Passenger:60 Larrying Railway Vehicle Index::ransport by sea::UN 11	nor Danger
ransport document description (TDG):UN119N-No. (TDG):UN119roper Shipping Name (TDG):EXTRDG Primary Hazard Classes:3 - Claacking group (TDG):III - Mikplosive Limit and Limited Quantity Index:5 Lassenger Carrying Road Vehicle or Passenger:60 Larrying Railway Vehicle Index::	nor Danger
ransport document description (TDG):UN119N-No. (TDG):UN119roper Shipping Name (TDG):EXTRDG Primary Hazard Classes:3 - Claacking group (TDG):III - Mixplosive Limit and Limited Quantity Index:5 Lassenger Carrying Road Vehicle or Passenger:60 Larrying Railway Vehicle Index::	•
ransport document description (TDG):UN119N-No. (TDG):UN119roper Shipping Name (TDG):EXTRDG Primary Hazard Classes:3 - Claacking group (TDG):III - Mixplosive Limit and Limited Quantity Index:5 Lassenger Carrying Road Vehicle or Passenger:60 L	•
ransport document description (TDG): UN119N-No. (TDG): UN119roper Shipping Name (TDG): EXTRDG Primary Hazard Classes: 3 - Claacking group (TDG): III - Mitxplosive Limit and Limited Quantity Index: 5 L	•
ransport document description (TDG): UN119N-No. (TDG): UN119roper Shipping Name (TDG): EXTRDG Primary Hazard Classes: 3 - Claacking group (TDG): III - Mi	•
ransport document description (TDG): UN11N-No. (TDG): UN11roper Shipping Name (TDG): EXTRDG Primary Hazard Classes: 3 - Classes	•
ransport document description (TDG): UN11N-No. (TDG): UN11roper Shipping Name (TDG): EXTR	ass 3 - Flammable Liquids
ransport document description (TDG) : UN11 N-No. (TDG) : UN11	
ransport document description (TDG) : UN11	ACTS, FLAVOURING, LIQUID
ransportation of Dangerous Goods	97 EXTRACTS, FLAVOURING, LIQUID (Regulated for Bulk only), 3, III
ther information : No su	pplementary information available.
mergency Response Guide (ERG) Number : 127	
passe	e material may be stowed "on deck" or "under deck" on a cargo vessel and on a nger vessel.
FR 175.75)	a material may be atowed "an deak" or "under deak" on a correctional and an
9 CFR 173.27) OT Quantity Limitations Cargo aircraft only (49 : 220 L	
OT Quantity Limitations Passenger aircraft/rail : 60 L	
OT Packaging Exceptions (49 CFR 173.xxx) : 150	transport, and tf is the temperature in degrees celsius of the liquid during filling.
with a C (1.3 2 for U T2 - 1 TP1 - followi	1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquid: vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table JN2672). 5 178.274(d)(2) Normal
flash p subch IB3 - /	point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this apter are applicable. Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite
	the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the ackaging requirements of 173.241 of this subchapter are applicable. If the material has a
OT Packaging Bulk (49 CFR 173.xxx) : 242	
OT Packaging Non Bulk (49 CFR 173.xxx) : 203	
	ALL LEQUED
	nor Danger Immable liquid
	ass 3 - Flammable and combustible liquid 49 CFR 173.120

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15:	Regulatory in	formation
-------------	---------------	-----------

15.1. US Federal regulations

MARJORAM OIL (8015-01-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

MARJORAM OIL (8015-01-8)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

SECTION 4C. OH

No additional information available

15.3. US State regulations

This product can expose you to allylanisole, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

WARNING: This product can expose you to methyl eugenol, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

This product can expose you to myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

evision date	: 11/29/2023
ull text of H-phrases:	
H226	Flammable liquid and vapor
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
H361	Suspected of damaging fertility or the unborn child

SDS US (GHS HazCom 2012) - Lebermuth

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.