

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 12/04/2018 Revision date: 04/29/2024 Supersedes: 02/22/2024

Version: 1.6

e e	6	Issue date: 12/04/2018	Revision date: 04/29/2024	Supersedes: 02/22/2024	Version: 1.6
SECTION 1	: Identification				
	ification				
Product form		: Substance			
Product name			OOD ITALIAN OIL		
CAS-No.		: 8028-48-6			
Product code		: 50-6200-62			
1.2. Reco	mmended use and	restrictions on use			
1.3. Supp	blier				
T 574-259-7000					
1.4. Emer	rgency telephone n	umber			
Emergency nun	nber	: CHEMTREC CCN 13010	- USA: 800-424-9300 Inter	national: +1 703-527-3887 / 1-i	300-424-9300
SECTION 2:	: Hazard(s) ider	ntification			
2.1. Class	sification of the sul	ostance or mixture			
GHS US classi	ification				
Flammable liqui Skin corrosion/i Skin sensitizatio Aspiration haza	rritation Category 2 on, Category 1	Cause May o	nable liquid and vapor es skin irritation cause an allergic skin reactior pe fatal if swallowed and ente		
2.2. GHS	Label elements, in	cluding precautionary staten	nents		
GHS US labelii	ng				
Hazard pictogra		: GHS02	GHS07 GHS08	8	
Signal word (Gl	,	: Danger			
Hazard stateme	ents (GHS US)	May be fatal i Causes skin i	quid and vapor f swallowed and enters airwa rritation n allergic skin reaction	ys	
Precautionary s	statements (GHS US	smoking. Keep contain Ground/Bond Use explosion Use only non- Take precauti Avoid breathi Wash hands, Contaminated Wear protecti If swallowed: If on skin: Wa	er tightly closed. container and receiving equin- proof electrical/ventilating/lig sparking tools. ionary measures against stati ng dust/fume/gas/mist/vapors forearms and face thoroughly d work clothing must not be al ve gloves/protective clothing/ Immediately call a poison cer ish with plenty of water. hair): Take off immediately all	ghting equipment. ic discharge. s/spray. y after handling. llowed out of the workplace. 'eye protection/face protection.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	Take off contaminated of Wash contaminated clo In case of fire: Use med Store in a well-ventilate Store locked up. Dispose of contents/con with local, regional, nati	dia other than water to extine ad place. Keep cool.	^r euse. guish. cial waste	collection point, in accordance
2.3. Other hazards which do no	ot result in classification			
No additional information available				
2.4. Unknown acute toxicity (G Not applicable	3HS US)			
SECTION 3: Composition/Inf	formation on ingredients			
3.1. Substances				
Name		Product identifier	%	GHS US classification
BLOOD ORANGE OIL		(CAS-No.) 8028-48-6	100	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
Full text of hazard classes and H-state	ements : see section 16			
3.2. Mixtures				
Not applicable				
SECTION 4: First-aid measur				
4.1. Description of first aid me				
First-aid measures general First-aid measures after inhalation	: Call a physician immed	natery. h air and keep comfortable f	or broathi	29
First-aid measures after skin contact				all contaminated clothing. If skin
		: Get medical advice/attention		
First-aid measures after eye contact : Rinse eyes with water as a precaution.				
First-aid measures after ingestion	: Do not induce vomiting	. Call a physician immediate	ly.	
4.2. Most important symptoms	s and effects (acute and delayed)			
Symptoms/effects after inhalation	: Although no appropriate expected to be an inhal		fects data	are known to exist, this material is
Symptoms/effects after skin contact	: Irritation. May cause an	•		
Symptoms/effects after eye contact	N I			
• • •	: None under normal con	nditions.		
Symptoms/effects after ingestion	: Risk of lung edema.			
Symptoms/effects after ingestion 4.3. Immediate medical attention				
Symptoms/effects after ingestion	: Risk of lung edema.			
Symptoms/effects after ingestion 4.3. Immediate medical attention Treat symptomatically.	: Risk of lung edema.			
Symptoms/effects after ingestion 4.3. Immediate medical attention Treat symptomatically. SECTION 5: Fire-fighting me	: Risk of lung edema. on and special treatment, if necessa easures			
Symptoms/effects after ingestion 4.3. Immediate medical attention Treat symptomatically. SECTION 5: Fire-fighting medical Suitable extinguishing medical	: Risk of lung edema. Ion and special treatment, if necessa easures extinguishing media : Water spray. Dry powde	ary er. Foam. Carbon dioxide.		
Symptoms/effects after ingestion 4.3. Immediate medical attention Treat symptomatically. SECTION 5: Fire-fighting medical Suitable extinguishing medical	: Risk of lung edema. Fon and special treatment, if necessar easures extinguishing media	ary er. Foam. Carbon dioxide.		
Symptoms/effects after ingestion 4.3. Immediate medical attention Treat symptomatically. SECTION 5: Fire-fighting medical 5.1. Suitable (and unsuitable) of Suitable extinguishing medical Unsuitable extinguishing medical	: Risk of lung edema. ion and special treatment, if necessa easures extinguishing media : Water spray. Dry powde : Do not use a heavy water	ary er. Foam. Carbon dioxide.		
Symptoms/effects after ingestion 4.3. Immediate medical attention Treat symptomatically. SECTION 5: Fire-fighting medical 5.1. Suitable (and unsuitable) of Suitable extinguishing medical Unsuitable extinguishing medical	: Risk of lung edema. ion and special treatment, if necessa easures extinguishing media : Water spray. Dry powde : Do not use a heavy wat rom the chemical : Flammable liquid and v	ary er. Foam. Carbon dioxide. ter stream. ′apor.		
Symptoms/effects after ingestion 4.3. Immediate medical attention Treat symptomatically. SECTION 5: Fire-fighting medical 5.1. Suitable (and unsuitable) of Suitable extinguishing medical Unsuitable extinguishing medical 5.2. Specific hazards arising fr Fire hazard Explosion hazard	: Risk of lung edema.	ary er. Foam. Carbon dioxide. ter stream. /apor. zard.		
Symptoms/effects after ingestion 4.3. Immediate medical attention Treat symptomatically. SECTION 5: Fire-fighting medical 5.1. Suitable (and unsuitable) of Suitable extinguishing medical Unsuitable extinguishing medical 5.2. Specific hazards arising fr Fire hazard	: Risk of lung edema. ion and special treatment, if necessa easures extinguishing media : Water spray. Dry powde : Do not use a heavy wat rom the chemical : Flammable liquid and v	ary er. Foam. Carbon dioxide. ter stream. /apor. zard.		
Symptoms/effects after ingestion 4.3. Immediate medical attention Treat symptomatically. SECTION 5: Fire-fighting medical 5.1. Suitable (and unsuitable) of Suitable extinguishing medical Unsuitable extinguishing medical 5.2. Specific hazards arising fr Fire hazard Explosion hazard Reactivity	: Risk of lung edema.	ary er. Foam. Carbon dioxide. ter stream. vapor. zard. vapor.		
Symptoms/effects after ingestion 4.3. Immediate medical attention Treat symptomatically. SECTION 5: Fire-fighting medical 5.1. Suitable (and unsuitable) of Suitable extinguishing medical Unsuitable extinguishing medical 5.2. Specific hazards arising fr Fire hazard Explosion hazard Reactivity	 Risk of lung edema. and special treatment, if necessa assures extinguishing media Water spray. Dry powda Do not use a heavy wat To not use a heavy wat Flammable liquid and v Riammable liquid and v the precautions for fire-fighters Fight fire from safe dista 	ary er. Foam. Carbon dioxide. ter stream. vapor. zard. vapor.	. Do not e on.	nter fire area without proper

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTIO	ON 6: Accidental release meas	ures
6.1.	Personal precautions, protective equ	
General r		: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.
6.1.1.	For non-emergency personnel	
Protective	equipment	: Wear recommended personal protective equipment.
Emergen	cy procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.
6.1.2.	For emergency responders	
Protective	equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergen	cy procedures	: Evacuate unnecessary personnel. Stop leak if safe to do so.
6.2.	Environmental precautions	
Avoid rele	ease to the environment.	
6.3.	Methods and material for containment	It and cleaning up
For conta	inment	: Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk.
Methods	for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other info	ormation	: Dispose of materials or solid residues at an authorized site.
6.4.	Reference to other sections	
For furthe	r information refer to section 13.	
SECTIO	ON 7: Handling and storage	
7.1.	Precautions for safe handling	
Additiona	l hazards when processed	: Not expected to present a significant hazard under anticipated conditions of normal use.
Precautio	ns for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.
Hygiene r	neasures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2.	Conditions for safe storage, including	g any incompatibilities
Technical	measures	: Ground/bond container and receiving equipment.
Storage c	onditions	: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.
Packagin	g materials	: Store always product in container of same material as original container.
SECTIO	ON 8: Exposure controls/perso	nal protection
8.1.	Control parameters	
BLOOD	ORANGE OIL (8028-48-6)	
	tional information available	

8.2.	Appropriate engineering controls	
Appropria	ate engineering controls	: Ensure good ventilation of the work station.

Environmental exposure controls

Ensure good ventilation of the work station.Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties				
Physical state	: Liquid			
Color	: ORANGE TO REDDISH-ORANGE LIQUID			
Odor	: RICHER & SWEETER THAN ORANGE SWEET			
Odor threshold	: No data available			
рН	: No data available			
Melting point	: Not applicable			
Freezing point	: No data available			
Boiling point	: No data available			
Flash point	: 44 °C			
Relative evaporation rate (butyl acetate=1)	: No data available			
Flammability	: Not applicable.			
Vapor pressure	: No data available			
Relative vapor density at 20°C	: No data available			
Relative density	: 0.8423 (0.84 – 0.855)			
Solubility	: Insoluble.			
Partition coefficient n-octanol/water (Log Pow)	: No data available			
Auto-ignition temperature	: No data available			
Decomposition temperature	: No data available			
Viscosity, kinematic	: No data available			
Viscosity, dynamic	: No data available			
Explosion limits	: No data available			
Explosive properties	: No data available			
Oxidizing properties	: No data available			
9.2. Other information				
Refractive index	: 1.473 (1.465 – 1.485)			

SECT	ION 10: Stability and reactivity	``		
10.1.	Reactivity			
Flamma	able liquid and vapor.			
10.2.	Chemical stability			
No addi	itional information available			
10.3.	Possibility of hazardous reactions			
No addi	itional information available			

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological informat	ion
11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: May be fatal if swallowed and enters airways.
Viscosity, kinematic	: No data available
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: None under normal conditions.
Symptoms/effects after ingestion	: Risk of lung edema.

SECT	ON 12: Ecological information	
12.1.	Toxicity	
Ecology	- general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
12.2.	Persistence and degradability	
No addi	ional information available	
12.3.	Bioaccumulative potential	
No addi	ional information available	
12.4.	Mobility in soil	
No addi	ional information available	

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations				
13.1. Disposal methods				
Regional waste regulation	: Disposal must be done according to official regulations.			
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.			
Sewage disposal recommendations	: Disposal must be done according to official regulations.			
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.			
Additional information	: Flammable vapors may accumulate in the container. Do not re-use empty containers.			

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Transport document description (DOT)

UN-No.(DOT) Proper Shipping Name (DOT)

Class (DOT) Packing group (DOT) Hazard labels (DOT)

: UN1197 Extracts, flavoring, liquid (Regulated for Bulk Only), 3, III

- : UN1197
- : Extracts, flavoring, liquid
- (Regulated for Bulk Only)
- : 3 Class 3 Flammable and combustible liquid 49 CFR 173.120
- : III Minor Danger
- : 3 Flammable liquid



: 203

DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (40 CEP 173 yyy)

	. 200
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Special Provisions (49 CFR 172.102)	 B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HD2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T2 - 1.5 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
	107
Emergency Response Guide (ERG) Number	: 127
Emergency Response Guide (ERG) Number Other information	: 127 : No supplementary information available.
Other information	
Other information Transportation of Dangerous Goods	: No supplementary information available.
Other information Transportation of Dangerous Goods Transport document description (TDG)	: No supplementary information available. : UN1197 EXTRACTS, FLAVOURING, LIQUID (Regulated for Bulk Only), 3, III
Other information Transportation of Dangerous Goods Transport document description (TDG) UN-No. (TDG)	 No supplementary information available. UN1197 EXTRACTS, FLAVOURING, LIQUID (Regulated for Bulk Only), 3, III UN1197
Other information Transportation of Dangerous Goods Transport document description (TDG) UN-No. (TDG) Proper Shipping Name (TDG) TDG Primary Hazard Classes Packing group (TDG)	 No supplementary information available. UN1197 EXTRACTS, FLAVOURING, LIQUID (Regulated for Bulk Only), 3, III UN1197 EXTRACTS, FLAVOURING, LIQUID 3 - Class 3 - Flammable Liquids III - Minor Danger
Other information Transportation of Dangerous Goods Transport document description (TDG) UN-No. (TDG) Proper Shipping Name (TDG) TDG Primary Hazard Classes Packing group (TDG) Explosive Limit and Limited Quantity Index	 No supplementary information available. UN1197 EXTRACTS, FLAVOURING, LIQUID (Regulated for Bulk Only), 3, III UN1197 EXTRACTS, FLAVOURING, LIQUID 3 - Class 3 - Flammable Liquids III - Minor Danger 5 L
Other information Transportation of Dangerous Goods Transport document description (TDG) UN-No. (TDG) Proper Shipping Name (TDG) TDG Primary Hazard Classes Packing group (TDG)	 No supplementary information available. UN1197 EXTRACTS, FLAVOURING, LIQUID (Regulated for Bulk Only), 3, III UN1197 EXTRACTS, FLAVOURING, LIQUID 3 - Class 3 - Flammable Liquids III - Minor Danger 5 L
Other information Transportation of Dangerous Goods Transport document description (TDG) UN-No. (TDG) Proper Shipping Name (TDG) TDG Primary Hazard Classes Packing group (TDG) Explosive Limit and Limited Quantity Index Passenger Carrying Road Vehicle or Passenger	 No supplementary information available. UN1197 EXTRACTS, FLAVOURING, LIQUID (Regulated for Bulk Only), 3, III UN1197 EXTRACTS, FLAVOURING, LIQUID 3 - Class 3 - Flammable Liquids III - Minor Danger 5 L
Other information Transportation of Dangerous Goods Transport document description (TDG) UN-No. (TDG) Proper Shipping Name (TDG) TDG Primary Hazard Classes Packing group (TDG) Explosive Limit and Limited Quantity Index Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index	 No supplementary information available. UN1197 EXTRACTS, FLAVOURING, LIQUID (Regulated for Bulk Only), 3, III UN1197 EXTRACTS, FLAVOURING, LIQUID 3 - Class 3 - Flammable Liquids III - Minor Danger 5 L
Other information Transportation of Dangerous Goods Transport document description (TDG) UN-No. (TDG) Proper Shipping Name (TDG) TDG Primary Hazard Classes Packing group (TDG) Explosive Limit and Limited Quantity Index Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index Transport by sea	 No supplementary information available. UN1197 EXTRACTS, FLAVOURING, LIQUID (Regulated for Bulk Only), 3, III UN1197 EXTRACTS, FLAVOURING, LIQUID 3 - Class 3 - Flammable Liquids III - Minor Danger 5 L 60 L
Other information Transportation of Dangerous Goods Transport document description (TDG) UN-No. (TDG) Proper Shipping Name (TDG) TDG Primary Hazard Classes Packing group (TDG) Explosive Limit and Limited Quantity Index Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index Transport by sea Transport document description (IMDG)	 No supplementary information available. UN1197 EXTRACTS, FLAVOURING, LIQUID (Regulated for Bulk Only), 3, III UN1197 EXTRACTS, FLAVOURING, LIQUID 3 - Class 3 - Flammable Liquids III - Minor Danger 5 L 60 L UN 1197 EXTRACTS, LIQUID, 3, III

Packing group (IMDG)

Limited quantities (IMDG)

: 5 L

: III - substances presenting low danger

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Air transport

Transport document description (IATA)	: UN 1197 Extracts, liquid, 3, III
UN-No. (IATA)	: 1197
Proper Shipping Name (IATA)	: Extracts, liquid
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: III - Low danger

SECTION 15: Regulatory information
15.1. US Federal regulations
BLOOD ORANGE OIL (8028-48-6)
Not listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

BLOOD ORANGE OIL (8028-48-6)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations No additional information available

National regulations

No additional information available

15.3. US State regulations

WARNING: This product can expose you to beta-myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

CTION 16: Other information	
ision date	: 04/29/2024
text of H-phrases:	
H226	Flammable liquid and vapor
H304	May be fatal if swallowed and enters airways
1004	
H315	Causes skin irritation
H317	May cause an allergic skin reaction
1317	iviay cause an allergic shin reaction
i	H304

SDS US (GHS HazCom 2012) - Lebermuth

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.