

### Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Issue date: 05/20/2020 Revision date: 05/20/2020 Version: 1.0

### **SECTION 1: Identification**

### 1.1. Product identifier

Product form : Mixture

Product name : OIL, STRAWBERRY\*

CAS-No. : N/A

Product code : 50-8147-04
Product group : Trade product

### 1.2. Recommended use and restrictions on use

No additional information available

### 1.3. Supplier

The Lebermuth Company 4004 Technology Drive 46628 South Bend, IN - United States T 574-259-7000 - F 574-258-7450

### 1.4. Emergency telephone number

info@lebermuth.com - www.lebermuth.com

Emergency number : CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300

CCN 13010

### **SECTION 2: Hazard identification**

### 2.1. Classification of the substance or mixture

#### Classification (GHS CA)

Flammable liquids Category 3 H226 Flammable liquid and vapour

Acute toxicity (inhalation:vapour) Category 3
Skin corrosion/irritation Category 2
H331 Toxic if inhaled
H315 Causes skin irritation

Skin sensitization, category 1B H317 May cause an allergic skin reaction Germ cell mutagenicity, Category 1 H340 May cause genetic defects

Carcinogenicity, Category 1 H350 May cause cancer

Aspiration hazard Category 1 H304 May be fatal if swallowed and enters airways

Full text of H statements : see section 16

### 2.2. GHS Label elements, including precautionary statements

### **GHS CA labeling**

Hazard pictograms (GHS CA)









Signal word (GHS CA) : Danger

Hazard statements (GHS CA) : H226 - Flammable liquid and vapour

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H331 - Toxic if inhaled

H340 - May cause genetic defects

H350 - May cause cancer

Precautionary statements (GHS CA) : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 - Keep container tightly closed.

P240 - Ground/bond container and receiving equipment.

P241 - Use explosion-proof electrical/ventilating/lighting equipment.

P242 - Use only non-sparking tools.

P243 - Take action to prevent static discharges.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor.

05/20/2020 EN (English US) Page 1

### Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

P302+P352 - IF ON SKIN: Wash with plenty of water.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water .

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308+P313 - IF exposed or concerned: Get medical advice/attention.

P311 - Call a POISON CENTER or doctor.

P321 - Specific treatment (see supplemental first aid instruction on this label).

P331 - Do NOT induce vomiting.

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P370+P378 - In case of fire: Use media other than water to extinguish.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P403+P235 - Store in a well-ventilated place. Keep cool

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards

No additional information available

### 2.4. Unknown acute toxicity (GHS CA)

No data available

### **SECTION 3: Composition/Information on ingredients**

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS CA)
DIETHYL PHTHALATE	1,2-benzene dicarboxylic acid diethyl ester / 1,2-benzenedicarboxylic acid, diethyl ester / ANOZOL / BISOFLEX DEP / DEP(=diethyl phthalate) / diethyl 1,2-benzenedicarboxylate / diethyl phthalate / diethyl-o-phthalate / diethyl-ortho-phthalate / di-n-ethyl phthalate / di-normal-ethyl phthalate / DPX-F5384 / ESTOL 1550 / ethyl phthalate / KODAFLEX DEP / NEANTINE / o-benzenedicarboxylic acid diethyl ester / o-phthalic acid diethyl ester / ortho-benzenedicarboxylic acid diethyl ester / ortho-phthalic acid diethyl ester / PALATINOL A / R) / phthalic acid diethyl ester / Phthalic acid diethyl ester / PHTHALOL / PLACIDOL E / SOLVANOL	(CAS-No.) 84-66-2	25 - 50	Acute Tox. 3 (Inhalation:vapour), H331
Methyl ester of rosin (partially hydrogenated)		(CAS-No.) 8050-15-5	10 - 25	Not classified
Ethyl methylphenylglycidate		(CAS-No.) 77-83-8	10 - 25	Skin Sens. 1B, H317
Naphtha, petroleum, hydrotreated heavy		(CAS-No.) 64742-48-9	10 - 25	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Muta. 1B, H340 Carc. 1B, H350 STOT SE 3, H336 Asp. Tox. 1, H304
ETHYL ACETOACETATE	1-ethoxybutane-1,3-dione / 3-oxo butanoic acid ethyl ester / acetoacetic acid ethyl ester / acetoacetic ester / acetoacetic ester / acetoacetic ester / acetoctan ethylnaty / acetylacetate, active / active acetyl acetate / butanoic acid, 3-oxo-, ethyl ester / diacetic ester / diacetic ether / EAA (=ethyl acetoacetate) / ethyl 3-oxobutyrate / ethyl acetoacetate / ethyl acetylacetate / ethyl acetylacetate / ethyl acetylacetate / ethyl acetylacetate / ethyl acetylacetonate / ethyl ester acetoacetic acid / ethyl-3-oxobutanoate / ethyl-beta-ketobutyrate	(CAS-No.) 141-97-9	5 - 10	Flam. Liq. 4, H227
BENZYL BUTYRATE		(CAS-No.) 103-37-7	1 - 5	Not classified
ETHYL BUTYRATE		(CAS-No.) 105-54-4	0.1 - 1	Flam. Liq. 3, H226

05/20/2020 EN (English US) 2/9

### Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS CA)
ETHYL MALTOL	2-ethyl pyromeconic acid / 2-ethyl-3- hydroxy-4H-pyran-4-one / 3-hydroxy- 2-ethyl-4-pyrone / 4H-pyran-4-one, 2-ethyl-3-hydroxy- / ethyl maltol / veltol plus	(CAS-No.) 4940-11-8	0.1 - 1	Acute Tox. 4 (Oral), H302
BENZYL SALICYLATE	benzoic acid, 2-hydroxy-, phenylmethyl ester / benzyl 2- hydroxybenzoate / benzyl o- hydroxybenzoate / benzyl ortho- hydroxybenzoate / benzyl salicylate (Q) / benzyl salicylate 00402 / salicylic acid benzyl ester / salicylic acid, benzyl ester	(CAS-No.) 118-58-1	0.1 - 1	Eye Irrit. 2B, H320 Skin Sens. 1B, H317
Piperonyl acetate		(CAS-No.) 326-61-4	0.1 - 1	Not classified
METHYL ANTHRANILATE		(CAS-No.) 134-20-3	0.1 - 1	Eye Irrit. 2A, H319
ZINGERONE		(CAS-No.) 122-48-5	0.1 - 1	Not classified

Full text of hazard classes and H-statements : see section 16

### **SECTION 4: First-aid measures**

### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a doctor.

First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin

irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Do not induce vomiting. Call a physician immediately.

First-aid measures general : Call a physician immediately.

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after ingestion : Risk of lung edema.

### 4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment : Treat symptomatically.

### SECTION 5: Fire-fighting measures

### 5.1. Suitable extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

### 5.2. Unsuitable extinguishing media

No additional information available

## 5.3. Specific hazards arising from the hazardous product

Fire hazard : Flammable liquid and vapour.

### 5.4. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

### 6.2. Methods and materials for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters.

Other information : Dispose of materials or solid residues at an authorized site.

### 6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

05/20/2020 EN (English US) 3/9

### Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### SECTION 7: Handling and storage

### Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

Hygiene measures

Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

### **SECTION 8: Exposure controls/personal protection**

### **Control parameters**

DIETHYL PHTHALATE (84-66-2)		
USA - ACGIH - Occupational Exposure Limits		
Local name	Diethyl phthalate	
ACGIH TWA (mg/m³)	5 mg/m³	
Remark (ACGIH)	URT irr	

### **Appropriate engineering controls**

: Ensure good ventilation of the work station. Appropriate engineering controls

Environmental exposure controls : Avoid release to the environment.

#### 8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear respiratory protection.

### **SECTION 9: Physical and chemical properties**

### Information on basic physical and chemical properties

Physical state : Liquid

Appearance

Mixture contains one or more component(s) which have the following colour(s): Color

White Colourless to light yellow Colourless

There may be no odour warning properties, odour is subjective and inadequate to warn of Odor overexposure.

Mixture contains one or more component(s) which have the following odour:

Sweet odour Mild odour Floral odour Aromatic odour Ester smell

Odor threshold No data available No data available Relative evaporation rate (butyl acetate=1) No data available Relative evaporation rate (ether=1) : No data available : Not applicable Melting point Freezing point : No data available

05/20/2020 EN (English US) 4/9

### Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Boiling point : No data available

Flash point : 58 °C

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : Not applicable
Vapor pressure : No data available
Vapor pressure at 50 °C : No data available
Relative density : 1.024 (1.014 - 1.034)

Solubility : Insoluble.

Log Pow : No data available Explosion limits : No data available

9.2. Other information

Refractive index : 1.485 (1.475 - 1.495)

### SECTION 10: Stability and reactivity

10.1. Reactivity

ATE CA (Dermal)

Reactivity : Flammable liquid and vapour.
Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reactions known under normal conditions of use.

Conditions to avoid : Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be

produced.

### **SECTION 11: Toxicological information**

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Toxic if inhaled.

ATE CA (vapours) 7.813 mg/l/4h

VELTOL PLUS (4940-11-8)	
LD50 oral rat	1150 mg/kg (Rat, Oral)
LD50 oral	1200 mg/kg body weight
LD50 dermal rabbit	> 5000 mg/kg (Rabbit, Dermal)
ATE CA (oral)	1150 mg/kg body weight

BENZYL BUTYRATE (103-37-7)		
	LD50 oral	2500 mg/kg body weight
	ATE CA (oral)	2500 mg/kg body weight

BENZYL SALICYLATE (118-58-1)	
LD50 oral rat	2227 mg/kg (Rat)
LD50 oral	2200 mg/kg body weight
LD50 dermal rabbit	14150 mg/kg (Rabbit)
ATE CA (oral)	2200 mg/kg body weight

14150 mg/kg body weight

DIETHYL PHTHALATE (DEP) (84-66-2)	
LD50 oral rat	8600 mg/kg (Rat, Oral)
LD50 dermal rabbit	> 7940 mg/kg (Rabbit, Dermal)
LC50 inhalation rat (mg/l)	> 5 mg/l (4 h, Rat, Inhalation)
ATE CA (oral)	8600 mg/kg body weight
ATE CA (vapours)	3 mg/l/4h

ETHYL ACETOACETATE (141-97-9)		
LD50 oral rat	10800 - 12300 mg/kg (Equivalent or similar to OECD 401, Rat, Male/female, Experimental value, Oral)	
LD50 dermal rat	> 2000 mg/kg (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male/female, Experimental value, Skin, 14 day(s))	
ATE CA (oral)	10800 mg/kg body weight	

05/20/2020 EN (English US) 5/9

# Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

METHYL ANTHRANILATE (134-20-3)	
LD50 oral	2780 mg/kg body weight
ATE CA (oral)	2780 mg/kg body weight
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/irritation	Not classified
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: May cause genetic defects.
Carcinogenicity	May cause cancer.
Reproductive toxicity	Not classified

STOT-single exposure : Not classified

ISO PAR H (64742-48-9)	
STOT-single exposure	May cause drowsiness or dizziness.
	Not classified

STOT-repeated exposure

Aspiration hazard : May be fatal if swallowed and enters airways.

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after ingestion : Risk of lung edema.

### **SECTION 12: Ecological information**

12.1	. To	cicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-

term (acute)

: Not classified

Hazardous to the aquatic environment, long-

term (chronic)

: Not classified

BENZYL SALICYLATE (118-58-1)	
------------------------------	--

Log Pow 4.31 (Estimated value)

DIETHYL PHTHALATE (DEP) (84-66-2)	
LC50 fish 1	17 ppm (96 h, Pimephales promelas, Flow-through system)
EC50 Daphnia 1	52 mg/l (48 h, Daphnia magna)
EC50 72h algae [mg/l] 1	23 mg/l (Scenedesmus subspicatus, Growth)
BCF fish 1	15 - 16 (Mugil cephalus)
BCF fish 2	117.5 (504 h, Lepomis macrochirus)
BCF other aquatic organisms 1	1100 ppb (Ostreidae, Fresh weight)
BCF other aquatic organisms 2	340 - 450 ppb (Lamellibranchiata, Fresh weight)
Log Pow	1.4 - 2.82

ETHYL ACETOACETATE (141-97-9)	
LC50 fish 1	> 100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)
EC50 72h algae [mg/l] 1	> 100 mg/l (OECD 201: Alga, Growth Inhibition Test, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP)
Log Pow	0.8 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 20 °C)

### 12.2. Persistence and degradability

VELTOL PLUS (4940-11-8)		
Persistence and degradability	Biodegradability in water: no data available.	
BENZYL SALICYLATE (118-58-1)		
Persistence and degradability	Biodegradability in water: no data available.	
DIETHYL PHTHALATE (DEP) (84-66-2)		
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.	

05/20/2020 EN (English US) 6/9

# Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

ccording to the Hazardous Products Regulation (February	11, 2010)		
ETHYL ACETOACETATE (141-97-9)			
Persistence and degradability	Readily biodegradable in water.		
12.3. Bioaccumulative potential			
VELTOL PLUS (4940-11-8)			
Bioaccumulative potential	No bioaccumulation data available.		
BENZYL SALICYLATE (118-58-1)			
Log Pow	4.31 (Estimated value)		
DIETHYL PHTHALATE (DEP) (84-66-2)	DIETHYL PHTHALATE (DEP) (84-66-2)		
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).		
BCF fish 1	15 - 16 (Mugil cephalus)		
BCF fish 2	117.5 (504 h, Lepomis macrochirus)		
BCF other aquatic organisms 1	1100 ppb (Ostreidae, Fresh weight)		
BCF other aquatic organisms 2	340 - 450 ppb (Lamellibranchiata, Fresh weight)		
Log Pow	1.4 - 2.82		
ETHYL ACETOACETATE (141-97-9)			
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).		
Log Pow	0.8 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 20 °C)		
12.4. Mobility in soil			
BENZYL SALICYLATE (118-58-1)			
Log Pow	4.31 (Estimated value)		
DIETHYL PHTHALATE (DEP) (84-66-2)			
Surface tension	0.0375 N/m (20 °C)		
Log Pow	1.4 - 2.82		
ETHYL ACETOACETATE (141-97-9)			
Ecology - soil	No (test)data on mobility of the substance available.		
Log Pow	0.8 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 20 $^{\circ}\text{C})$		
12.5. Other adverse effects			
Ozone :	Not classified		

**SECTION 13: Disposal considerations** 

# 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Additional information : Flammable vapors may accumulate in the container.

### **SECTION 14: Transport information**

### 14.1. Basic shipping description

In accordance with TDG

### **Transportation of Dangerous Goods**

Not regulated for transport

### 14.2. Transport information/DOT

### **Department of Transport**

Not regulated for transport

### 14.3. Air and sea transport

**IMDG** 

UN-No. (IMDG) : 1266

Proper Shipping Name (IMDG) : PERFUMERY PRODUCTS

Transport document description (IMDG) : UN 1266 PERFUMERY PRODUCTS, 3, III

Class (IMDG) : 3 - Flammable liquids

Packing group (IMDG) : III - substances presenting low danger

**IATA** 

UN-No. (IATA) : 1266

05/20/2020 EN (English US) 7/9

### Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Proper Shipping Name (IATA) : Perfumery products

Transport document description (IATA) : UN 1266 Perfumery products, 3, III

Class (IATA) : 3 - Flammable Liquids
Packing group (IATA) : III - Minor Danger

### **SECTION 15: Regulatory information**

### 15.1. National regulations

### **VELTOL PLUS (4940-11-8)**

Listed on the Canadian DSL (Domestic Substances List)

#### **ALDEHYDE C-16 (77-83-8)**

Listed on the Canadian DSL (Domestic Substances List)

### **BENZYL BUTYRATE (103-37-7)**

Listed on the Canadian DSL (Domestic Substances List)

### **BENZYL SALICYLATE (118-58-1)**

Listed on the Canadian DSL (Domestic Substances List)

### **DIETHYL PHTHALATE (DEP) (84-66-2)**

Listed on the Canadian DSL (Domestic Substances List)

### **ETHYL ACETOACETATE (141-97-9)**

Listed on the Canadian DSL (Domestic Substances List)

### ETHYL BUTYRATE (105-54-4)

Listed on the Canadian DSL (Domestic Substances List)

### HERCOLYN D (8050-15-5)

Listed on the Canadian DSL (Domestic Substances List)

#### **HELIOTROPYL ACETATE (326-61-4)**

Listed on the Canadian DSL (Domestic Substances List)

### **METHYL ANTHRANILATE (134-20-3)**

Listed on the Canadian DSL (Domestic Substances List)

### **ZINGERONE PURE (122-48-5)**

Listed on the Canadian DSL (Domestic Substances List)

### ISO PAR H (64742-48-9)

Listed on the Canadian DSL (Domestic Substances List)

### 15.2. International regulations

### **VELTOL PLUS (4940-11-8)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### **ALDEHYDE C-16 (77-83-8)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### **BENZYL BUTYRATE (103-37-7)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory

# BENZYL SALICYLATE (118-58-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### **DIETHYL PHTHALATE (DEP) (84-66-2)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory

# ETHYL ACETOACETATE (141-97-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### ETHYL BUTYRATE (105-54-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### HERCOLYN D (8050-15-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### **HELIOTROPYL ACETATE (326-61-4)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### **METHYL ANTHRANILATE (134-20-3)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory

05/20/2020 EN (English US) 8/9

# Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### **ZINGERONE PURE (122-48-5)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### ISO PAR H (64742-48-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### **SECTION 16: Other information**

 SDS Major/Minor
 : None

 Issue date
 : 05/20/2020

 Revision date
 : 05/20/2020

### Full text of H-phrases:

cat of 11 piliasi	50.
H226	Flammable liquid and vapour
H227	Combustible liquid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H320	Causes eye irritation
H331	Toxic if inhaled
H336	May cause drowsiness or dizziness
H340	May cause genetic defects
H350	May cause cancer

### SDS Canada (GHS)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

05/20/2020 EN (English US) 9/9