

#### Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Issue date: 08/17/2018 Revision date: 12/01/2023 Supersedes: 07/15/2019 Version: 1.2

#### **SECTION 1: Identification**

#### 1.1. Product identifier

Product form : Mixture

Product name : OIL, COFFEE CAKE & SPICE\*

CAS-No. : N/A

Product code : 90-2094-06
Product group : Trade product

#### 1.2. Recommended use and restrictions on use

#### 1.3. Supplier

The Lebermuth Company 4004 Technology Drive 46628 South Bend, IN - United States T 574-259-7000 - F 574-258-7450 info@lebermuth.com - www.lebermuth.com

#### 1.4. Emergency telephone number

Emergency number : CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300

CCN 13010

#### SECTION 2: Hazard identification

#### 2.1. Classification of the substance or mixture

#### Classification (GHS CA)

Skin corrosion/irritation H315

Category 2

Serious eye H319

damage/eye irritation

Category 2

Skin sensitization, H317

Category 1

Full text of H statements : see section 16

#### 2.2. GHS Label elements, including precautionary statements

#### **GHS CA labeling**

Hazard pictograms (GHS CA)



Signal word (GHS CA) : Warning

Hazard statements (GHS CA) : H315 - Causes skin irritation

H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation

Precautionary statements (GHS CA) : P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P321 - Specific treatment (see supplemental first aid instruction on this label). P332+P313 - If skin irritation occurs: Get medical advice/attention. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards

No additional information available

12/01/2023 EN (English US) Page 1

### Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

#### 2.4. Unknown acute toxicity (GHS CA)

No data available

### **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS CA)
CINNAMIC ALDEHYDE	2-Propenal, 3-phenyl- / 3-phenyl-2- propenal / 3-phenyl-2- propenaldehyde / 3-phenylacrolein / 3-phenylpropenal / ABION CA / acrolein, 3-phenyl- / benzylideneacetaldehyde / beta- phenylacrolein / beta-phenylcrolein / cassia aldehyde / cinnamaldehyde / cinnamic aldehyde / cinnammaldehyde / cinnamyl aldehyde / FEMA NUMBER 2286 / phenylacrolein / zimtaldehyde	(CAS-No.) 104-55-2	10 – 25	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1A, H317
VANILLIN	2-methoxy-4-formylphenol / 3-methoxy-4-hydroxy benzaldehyde / 4-formyl-2-methoxyphenol / 4-hydroxy meta-anisaldehyde / 4-hydroxy-5-methoxybenzaldehyde / 4-hydroxy-m-anisaldehyde / benzaldehyde, 4-hydroxy-3-methoxy- / FEMA No 3107 / lioxin / m-anisaldehyde, 4-hydroxy / meta-anisaldehyde, 4-hydroxy / meta-anisaldehyde, 4-hydroxy / methylprotocatechualdehyde / para-hydroxy-meta-methoxybenzaldehyde / para-vanillin / p-hydroxy-meta-methoxybenzaldehyde / p-hydroxy-meta-methoxybenzaldehyde / protocatechualdehyde 3-methyl ether / protocatechualdehyde, methyl- / p-vanillin / vanilla aldehyde / vanillialdehyde / vanillic aldehyde / vanillin / zimco	(CAS-No.) 121-33-5	1 – 5	Eye Irrit. 2A, H319
COUMARIN		(CAS-No.) 91-64-5	1 – 5	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Skin Sens. 1B, H317
ETHYL VANILLIN		(CAS-No.) 121-32-4	1 – 5	Eye Irrit. 2B, H320
BENZYL BENZOATE	benylate / benzoate / benzoic acid benzyl ester / benzoic acid phenylmethyl ester / benzoic acid, benzyl ester / benzoic acid, phenylmethyl ester / benzyl alcohol, benzoic ester / benzyl benzenecarboxylate / benzyl benzoate / benzyl benzoate USP 600040 / benzyl phenylformate / benzylets / FEMA number 2138	(CAS-No.) 120-51-4	1 – 5	Acute Tox. 4 (Oral), H302

Full text of hazard classes and H-statements : see section 16

#### **SECTION 4: First-aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs:

Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

#### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

#### 4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment : Treat symptomatically.

12/01/2023 EN (English US) 2/8

### Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

#### **SECTION 5: Fire-fighting measures**

#### 5.1. Suitable extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

#### 5.2. Unsuitable extinguishing media

#### 5.3. Specific hazards arising from the hazardous product

#### 5.4. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

#### 6.2. Methods and materials for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal

protective equipment. Avoid breathing dust/fume/gas/mist/vapors/spray.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed

out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands

after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

DIACETYL (431-03-8)		
USA - ACGIH	ACGIH OEL TWA [ppm]	0.01 ppm
USA - ACGIH	ACGIH OEL STEL [ppm]	0.02 ppm
USA - ACGIH	Remark (ACGIH)	Lung dam

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

#### 8.3. Individual protection measures/Personal protective equipment

#### Hand protection:

Protective gloves

#### Eye protection:

Safety glasses

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### Personal protective equipment symbol(s):



12/01/2023 EN (English US) 3/8

### Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

#### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : No data available

Color : PALE YELLOW TO YELLOW

Odor : CHARACTERISTIC, MATCHING THE RETAINER SAMPLE.

Odor threshold : No data available pH : No data available Relative evaporation rate (butyl acetate=1) : No data available Relative evaporation rate (ether=1) : No data available Melting point : Not applicable Freezing point : No data available Boiling point : No data available

Flash point : 134 °C

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : Not applicable

Vapor pressure : No data available

Vapor pressure at 50°C : No data available

Relative density : 0.964 (0.954 – 0.974)

Solubility : Insoluble.

Partition coefficient n-octanol/water (Log Pow) : No data available Explosion limits : No data available

9.2. Other information

VOC content : 0.02 %

Refractive index : 1.48 (1.47 – 1.49)

#### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reactions known under normal conditions of use.

Conditions to avoid : None under recommended storage and handling conditions (see section 7).

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be

produced.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

COUMARIN CRYSTALS (91-64-5)	
LD50 oral rat	293 mg/kg body weight Animal: rat, Guideline: other:
LD50 oral	290 mg/kg body weight
LD50 dermal rat	293 mg/kg body weight Animal: rat, Guideline: other:
ATE CA (oral)	290 mg/kg body weight
ATE CA (Dermal)	293 mg/kg body weight
ETHYL VANILLIN NF (121-32-4)	

ETHYL VANILLIN NF (121-32-4)	
LD50 oral rat	> 3160 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other:
LD50 oral	3000 mg/kg body weight
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
ATE CA (oral)	3000 mg/kg body weight

12/01/2023 EN (English US) 4/8

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

VANILLIN (121-33-5)	
LD50 oral rat	3300 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 oral	3300 mg/kg body weight
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
LD50 dermal	2600 mg/kg body weight
ATE CA (oral)	3300 mg/kg body weight
ATE CA (Dermal)	2600 mg/kg body weight
BENZYL BENZOATE (120-51-4)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 oral	1160 mg/kg body weight
LD50 dermal rabbit	> 2000 mg/kg bw/day (Modification of Draize 1959 method, 4 h, Rabbit, Experimental value, Dermal)
ATE CA (oral)	1160 mg/kg body weight
CINNAMIC ALDEHYDE (104-55-2)	
LD50 oral rat	2220 mg/kg (Rat, Oral)
LD50 oral	2200 mg/kg body weight
LD50 dermal rabbit	1260 ml/kg (24 h, Rabbit, Male / female, Experimental value, Dermal)
LD50 dermal	1100 mg/kg body weight
LC50 Inhalation - Rat	68.88 mg/l (4 h, Rat, Male / female, QSAR, Inhalation)
ATE CA (oral)	2200 mg/kg body weight
ATE CA (Dermal)	1100 mg/kg body weight
ATE CA (vapors)	68.88 mg/l/4h
ATE CA (dust,mist)	68.88 mg/l/4h
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
3101-lepeated exposure	
COUMARIN CRYSTALS (91-64-5)	
	2 400 0 mm/len hadronsinkt Animal manna Animal and Familia

NOAEL (subchronic,oral,animal/female,90 days)	> 138.3 mg/kg body weight Animal: mouse, Animal sex: female	

Aspiration hazard : Not classified

: Irritation. May cause an allergic skin reaction. Symptoms/effects after skin contact

Symptoms/effects after eye contact : Eye irritation.

## **SECTION 12: Ecological information**

12.1		
		icity

: The product is not considered harmful to aquatic organisms or to cause long-term adverse Ecology - general

effects in the environment.

Hazardous to the aquatic environment, short-

term (acute)

: Not classified

Hazardous to the aquatic environment, long-

: Not classified

term (chronic)

COUMARIN CRYSTALS (91-64-5)	
LC50 - Fish [1]	2.94 mg/l Test organisms (species):
LC50 - Fish [2]	1324 mg/l Test organisms (species):
EC50 - Crustacea [1]	8012 mg/l Test organisms (species): Daphnia sp.

EN (English US) 12/01/2023 5/8

# Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

COUMARIN CRYSTALS (91-64-5)	
EC50 96h - Algae [1]	1452 mg/l Test organisms (species):
NOEC chronic fish	0.191 mg/l Test organisms (species): Duration: '30 d'
NOEC (chronic)	0.5 mg/l Test organisms (species): Duration: '21 d'
,	Comgritocogamente (opedico). Baradon. 21 a
ETHYL VANILLIN NF (121-32-4)	97.6 mg/l Test ergenisms (enesiss): Dimenhales premales
LC50 - Fish [1]	87.6 mg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	26.2 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
NOEC (chronic)	5.9 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
LOEC (chronic)	10 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
VANILLIN (121-33-5)	
LC50 - Fish [1]	57 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
LC50 - Fish [2]	123 mg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	36.79 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
ErC50 algae	120 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
EC50 72h - Algae [1]	120 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
NOEC (chronic)	5.9 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
Partition coefficient n-octanol/water (Log Pow)	1.17 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.438 (log Koc, Experimental value)
LOEC (chronic)	10 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
,	10 mg/ 100t organismo (specios). Baprima magna Baration. 21 a
BENZYL BENZOATE (120-51-4)	2.20 man // /FILMathad C.4.00 h. Dania maria. Consideratio avertona. Funch victora Funcaciona antali
LC50 - Fish [1]	2.32 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	3.09 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
BCF - Fish [1]	193.4 l/kg (BCFBAF v3.01, Pisces, Calculated value)
Partition coefficient n-octanol/water (Log Pow)	3.97 (Experimental value, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value GLP)
CINNAMIC ALDEHYDE (104-55-2)	
LC50 - Fish [1]	4.15 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	3.21 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
EC50 72h - Algae [1]	31.6 mg/l (OECD 201: Alga, Growth Inhibition Test, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Growth rate)
Partition coefficient n-octanol/water (Log Pow)	2.107 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.958 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value
2.2. Persistence and degradability	Contago orang any mgm onormance Elquid Omornatography (FIF LO), Experimental value
VANILLIN (121-33-5)	
Persistence and degradability	Readily biodegradable in water.
BENZYL BENZOATE (120-51-4)	, ,
Persistence and degradability	Readily biodegradable in water.
,	Trodaily biodogradable in water.
CINNAMIC ALDEHYDE (104-55-2)	Dec Phylicals and debts in control
Persistence and degradability	Readily biodegradable in water.
2.3. Bioaccumulative potential	
VANILLIN (121-33-5)	Law redential for his accomplation (1 or 1/200 or 1)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
Partition coefficient n-octanol/water (Log Pow)	1.17 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)
2/01/2023	EN (English US)

12/01/2023 EN (English US) 6/8

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

VANILLIN (121-33-5)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.438 (log Koc, Experimental value)	
BENZYL BENZOATE (120-51-4)		
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
BCF - Fish [1]	193.4 l/kg (BCFBAF v3.01, Pisces, Calculated value)	
Partition coefficient n-octanol/water (Log Pow)	3.97 (Experimental value, 25 °C)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)	
CINNAMIC ALDEHYDE (104-55-2)		
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
Partition coefficient n-octanol/water (Log Pow)	2.107 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.958 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)	

VANILLIN (121-33-5)		
Ecology - soil	Low potential for mobility in soil.	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.438 (log Koc, Experimental value)	
Partition coefficient n-octanol/water (Log Pow)	1.17 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)	
BENZYL BENZOATE (120-51-4)		
Surface tension	27 mN/m (210 °C)	
Ecology - soil	Low potential for mobility in soil.	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)	
Partition coefficient n-octanol/water (Log Pow)	3.97 (Experimental value, 25 °C)	
CINNAMIC ALDEHYDE (104-55-2)		
Surface tension	45.3 mN/m (20 °C, Experimental value)	
Ecology - soil	Highly mobile in soil.	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.958 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)	
Partition coefficient n-octanol/water (Log Pow)	2.107 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)	

#### 12.5. Other adverse effects

Ozone : Not classified

### **SECTION 13: Disposal considerations**

#### **Disposal methods**

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## **SECTION 14: Transport information**

#### 14.1. **Basic shipping description**

In accordance with TDG

**Transportation of Dangerous Goods** 

Not regulated for transport

#### 14.2. **Transport information/DOT**

### **Department of Transport**

Not regulated for transport

#### 14.3. Air and sea transport

## **IMDG**

Not regulated for transport

EN (English US) 12/01/2023 7/8

### Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

#### IATA

Not regulated for transport

### **SECTION 15: Regulatory information**

#### 15.1. National regulations

#### **COUMARIN CRYSTALS (91-64-5)**

Listed on the Canadian DSL (Domestic Substances List)

#### ETHYL VANILLIN NF (121-32-4)

Listed on the Canadian DSL (Domestic Substances List)

#### **VANILLIN (121-33-5)**

Listed on the Canadian DSL (Domestic Substances List)

#### **BENZYL BENZOATE (120-51-4)**

Listed on the Canadian DSL (Domestic Substances List)

#### **CINNAMIC ALDEHYDE (104-55-2)**

Listed on the Canadian DSL (Domestic Substances List)

#### 15.2. International regulations

#### **COUMARIN CRYSTALS (91-64-5)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### ETHYL VANILLIN NF (121-32-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### VANILLIN (121-33-5)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### **BENZYL BENZOATE (120-51-4)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### **CINNAMIC ALDEHYDE (104-55-2)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### **SECTION 16: Other information**

 SDS Major/Minor
 : None

 Issue date
 : 08/17/2018

 Revision date
 : 12/01/2023

 Supersedes
 : 07/15/2019

#### Full text of H-phrases:

H301	Toxic if swallowed
H302	Harmful if swallowed
H311	Toxic in contact with skin
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H320	Causes eye irritation

#### SDS Canada (GHS) - Lebermuth

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

12/01/2023 EN (English US) 8/8