

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 07/18/2017 Revision date: 08/31/2023 Supersedes: 10/24/2022

**SECTION 1: Identification** Identification 1.1. Product form : Mixture Product name **OIL, LAVENDER AND ROSEMARY\*** : CAS-No. N/A Product code 90-2397-06 1.2. Recommended use and restrictions on use 1.3. **Supplier** The Lebermuth Company 4004 Technology Drive South Bend, IN 46628 - United States T 574-259-7000 - F 574-258-7450 info@lebermuth.com - www.lebermuth.com 1.4. **Emergency telephone number** Emergency number : CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 CCN 13010 SECTION 2: Hazard(s) identification 2.1. **Classification of the substance or mixture GHS US classification** Flammable liquids Category 4 Combustible liquid Skin corrosion/irritation Category 2 Causes skin irritation Serious eye damage/eye irritation Category 2 Causes serious eye irritation Skin sensitization, Category 1 May cause an allergic skin reaction Reproductive toxicity Category 2 Suspected of damaging fertility or the unborn child Specific target organ toxicity (single exposure) Category 2 May cause damage to organs GHS Label elements, including precautionary statements 2.2. **GHS US labeling** Hazard pictograms (GHS US) GHS07 GHS08 Signal word (GHS US) : Warning Hazard statements (GHS US) Combustible liquid Causes skin irritation May cause an allergic skin reaction Causes serious eye irritation Suspected of damaging fertility or the unborn child May cause damage to organs Precautionary statements (GHS US) Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If on skin: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Version: 1.4

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

If exposed or concerned: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label).
If skin irritation occurs: Get medical advice/attention.
If skin irritation or rash occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
Wash contaminated clothing before reuse.
In case of fire: Use media other than water to extinguish.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

#### **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
LINALOOL	(CAS-No.) 78-70-6	10 – 25	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317
LINALYL ACETATE	(CAS-No.) 115-95-7	5 – 10	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2B, H320 Skin Sens. 1B, H317
EUCALYPTOL	(CAS-No.) 470-82-6	5 – 10	Flam. Liq. 3, H226 Eye Irrit. 2B, H320 Skin Sens. 1B, H317
CAMPHOR	(CAS-No.) 76-22-2	1 – 5	Flam. Sol. 2, H228 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 2, H371
PINENE	(CAS-No.) 80-56-8	1 – 5	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
GAMMA-TERPINENE	(CAS-No.) 99-85-4	0.1 – 1	Flam. Liq. 3, H226 Repr. 2, H361 Asp. Tox. 1, H304
P-CYMENE	(CAS-No.) 99-87-6	0.1 – 1	Flam. Liq. 3, H226 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Inhalation:vapour), H331 Repr. 2, H361 Asp. Tox. 1, H304
GERANIOL	(CAS-No.) 106-24-1	0.1 – 1	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

# OIL, LAVENDER AND ROSEMARY\* Safety Data Sheet

08/31/2023

First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.
5	
.2. Most important symptoms and e	
ymptoms/effects after skin contact ymptoms/effects after eye contact	<ul> <li>Irritation. May cause an allergic skin reaction.</li> <li>Eye irritation.</li> </ul>
	-
.3. Immediate medical attention and	special treatment, if necessary
reat symptomatically.	
SECTION 5: Fire-fighting measure	es
5.1. Suitable (and unsuitable) exting	uishing media
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Specific hazards arising from the	e chemical
ire hazard	: Combustible liquid.
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
5.3. Special protective equipment an	d precautions for fire-fighters
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release m	easures
	equipment and emergency procedures
5.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
5.3. Methods and material for contain	nment and cleaning up
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	
SECTION 7: Handling and storage	9
1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, incl	uding any incompatibilities
Storage conditions	: Store in a well-ventilated place. Keep cool. Store locked up.
	proceed protection
SECTION 8: Exposure controls/pe 3.1. Control parameters	
OIL, LAVENDER AND ROSEMARY* (N/A	
No additional information available	
PINENE (80-56-8)	
USA - ACGIH - Occupational Exposure L	imits
Local name	q-Pimene
	EN /English LIS) 2/40

EN (English US)

3/10

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ACGIH OEL TWA [ppm]	20 ppm
Remark (ACGIH)	TLV® Basis: Lung irr. Notations: DSEN; A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2023
EUCALYPTOL (470-82-6)	
No additional information available	
GERANIOL (106-24-1)	
No additional information available	
CAMPHOR (76-22-2)	
No additional information available	
GAMMA-TERPINENE (99-85-4)	
No additional information available	
P-CYMENE (99-87-6)	
No additional information available	
LINALOOL (78-70-6)	
No additional information available	
LINALYL ACETATE (115-95-7)	
No additional information available	

#### 8.2. Appropriate engineering controls

Appropriate engineering controls Environmental exposure controls

- . []
- : Ensure good ventilation of the work station.: Avoid release to the environment.

#### 8.3. Individual protection measures/Personal protective equipment

#### Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

#### **Respiratory protection:**

[In case of inadequate ventilation] wear respiratory protection.



• • •		
Flammability (solid, gas	s) : Not applicable.	
Relative evaporation ra	ate (butyl acetate=1) : No data available	
Flash point	: 73 °C	
Boiling point	: No data available	
Freezing point	: No data available	
Melting point	: Not applicable	
рН	: No data available	
Odor threshold	: No data available	
Odor	: CHARACTERISTIC, MATCHING THE RETAINER SAMPLE.	
Color	: COLORLESS TO PALE YELLOW	
Physical state	: Liquid	
9.1. Information	on basic physical and chemical properties	
SECTION 9: Physical and chemical properties		

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	-
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: 0.926 (0.916 – 0.936)
Solubility	: Insoluble.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	
Refractive index	: 1.453 (1.443 – 1.463)

#### SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. **Chemical stability**

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. **Conditions to avoid**

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

#### 10.5. **Incompatible materials**

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological inf	ormation
11.1. Information on toxicological	effects
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
PINENE (80-56-8)	
LD50 oral rat	> 500 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 01 day(s))
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Skin, 14 day(s))
ATE US (oral)	500 mg/kg body weight
EUCALYPTOL (470-82-6)	
LD50 oral rat	4500 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 15 day(s))
ATE US (oral)	2480 mg/kg body weight
GERANIOL (106-24-1)	
ATE US (oral)	3600 mg/kg body weight
CAMPHOR (76-22-2)	
ATE US (oral)	1500 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

CAMPHOR (76-22-2)	
ATE US (dust, mist)	1.5 mg/l/4h
GAMMA-TERPINENE (99-85-4)	
ATE US (oral)	3650 mg/kg body weight
P-CYMENE (99-87-6)	
LD50 oral rat	4750 mg/kg (Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 5000 mg/kg (Rabbit, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 9.7 mg/l (5 h, Rat, Experimental value, Inhalation)
ATE US (oral)	4750 mg/kg body weight
ATE US (gases)	700 ppmV/4h
ATE US (vapors)	9.7 mg/l/4h
ATE US (dust, mist)	0.5 mg/l/4h
LINALOOL (78-70-6)	
ATE US (oral)	2790 mg/kg body weight
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.
STOT-single exposure	: May cause damage to organs.
CAMPHOR (76-22-2)	
STOT-single exposure	May cause damage to organs.
STOT-repeated exposure	: Not classified
EUCALYPTOL (470-82-6)	
NOAEL (oral,rat,90 days)	600 mg/kg body weight Animal: rat, Animal sex: female, Guideline: other:, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS 870.3150 (90-Day Oral Toxicity in Non-rodents)
Aspiration hazard	: Not classified
/iscosity, kinematic	: No data available
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
	•
SECTION 12: Ecological information	
I2.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
DINENE (80-56 %)	
PINENE (80-56-8) LC50 - Fish [1]	0.303 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Semi-static system, Fresh
	water, Experimental value, GLP)
EC50 - Crustacea [1]	0.475 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi- static system, Fresh water, Experimental value, Locomotor effect)
	State System, Fresh water, Experimental value, Locomotol ellect
EUCALYPTOL (470-82-6) LC50 - Fish [1]	57 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value, Nominal concentration)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

EUCALYPTOL (470-82-6)		
EC50 - Crustacea [1]	> 100 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)	
ErC50 algae	> 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)	
P-CYMENE (99-87-6)		
LC50 - Fish [1]	48 mg/l (EPA OPPTS 850.1075, 96 h, Cyprinodon variegatus, Static system, Salt water, Experimental value)	
EC50 - Crustacea [1]	3.7 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi- static system, Fresh water, Experimental value, GLP)	

#### 12.2. Persistence and degradability

PINENE (80-56-8)		
Persistence and degradability	Readily biodegradable in water.	
EUCALYPTOL (470-82-6)		
Persistence and degradability	Readily biodegradable in water.	
P-CYMENE (99-87-6)		
Persistence and degradability	Readily biodegradable in water.	

#### 12.3. Bioaccumulative potential

PINENE (80-56-8)		
BCF - Other aquatic organisms [1]	1233.1 – 1248 l/kg (BCFBAF v3.01, Read-across, Fresh weight)	
Partition coefficient n-octanol/water (Log Pow)	4.487 (Experimental value, Equivalent or similar to OECD 107, 25 °C)	
Bioaccumulative potential	Potential for bioaccumulation (500 $\leq$ BCF $\leq$ 5000).	
EUCALYPTOL (470-82-6)		
BCF - Other aquatic organisms [1]	112 I/kg (Literature study, Fresh weight)	
Partition coefficient n-octanol/water (Log Pow)	3.4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	

P-CYMENE (99-87-6)	
Partition coefficient n-octanol/water (Log Pow)	4.8 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 20 °C)
Bioaccumulative potential	Potential for bioaccumulation ( $4 \le Log \text{ Kow} \le 5$ ).

#### 12.4. Mobility in soil

PINENE (80-56-8)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.009 – 3.853 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Ecology - soil	Low potential for mobility in soil. May be harmful to plant growth, blooming and fruit formation.	
EUCALYPTOL (470-82-6)		
Surface tension	61.5 mN/m (20 °C, 1 g/l, EU Method A.5: Surface tension)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.33 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)	
Ecology - soil	Low potential for adsorption in soil.	

P-CYMENE (99-87-6)	
Surface tension	No data available in the literature
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	4.17 (log Koc, SRC PCKOCWIN v2.0, QSAR)
Ecology - soil	Low potential for mobility in soil.

#### 12.5. Other adverse effects

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>SECTION 13: Disposal consideration</b>	IS
13.1. Disposal methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
<b>SECTION 14: Transport information</b>	
Department of Transportation (DOT)	
In accordance with DOT	
Transport document description (DOT)	: NA1993 Combustible liquid, n.o.s. (Linalool, Linalyl Acetate) - Regulated for Bulk only, Comb Liq, III
UN-No.(DOT)	: NA1993
Proper Shipping Name (DOT)	: Combustible liquid, n.o.s.
	(Linalool, Linalyl Acetate) - Regulated for Bulk only
Class (DOT)	: Comb Liq - Combustible liquid
Packing group (DOT)	: III - Minor Danger
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 241
DOT Symbols	: D - Proper shipping name for domestic use only, or to and from Canada,G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	<ul> <li>148 - For domestic transportation, this entry directs to § 173.66 for: a. The standards for transporting a single bulk hazardous material for blasting by cargo tank motor vehicles (CTMV); and b. The standards for CTMVs capable of transporting multiple hazardous materials for blasting in bulk and non-bulk packagings (i.e., a multipurpose bulk truck (MBT)).</li> <li>IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).</li> <li>T1 - 1.5 178.274(d)(2) Normal</li></ul>
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.

Transportation of Dangerous Goods

Not applicable

Transport by sea

Not applicable

#### Air transport

Not applicable

#### **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 15.2. International regulations

#### CANADA

# PINENE (80-56-8) Listed on the Canadian DSL (Domestic Substances List) EUCALYPTOL (470-82-6) Listed on the Canadian DSL (Domestic Substances List) CAMPHOR (76-22-2) Listed on the Canadian DSL (Domestic Substances List) GAMMA-TERPINENE (99-85-4) Listed on the Canadian DSL (Domestic Substances List) P-CYMENE (99-87-6) Listed on the Canadian DSL (Domestic Substances List) LINALOOL (78-70-6) Listed on the Canadian DSL (Domestic Substances List) LINALYL ACETATE (115-95-7) Listed on the Canadian DSL (Domestic Substances List)

**EU-Regulations** 

No additional information available

#### **National regulations**

#### PINENE (80-56-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### EUCALYPTOL (470-82-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### CAMPHOR (76-22-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### GAMMA-TERPINENE (99-85-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### P-CYMENE (99-87-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### LINALOOL (78-70-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### LINALYL ACETATE (115-95-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. US State regulations



This product can expose you to methyl eugenol, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

This product can expose you to myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Component	State or local regulations
PINENE(80-56-8)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
CAMPHOR(76-22-2)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
P-CYMENE(99-87-6)	U.S Massachusetts - Right To Know List; U.S Pennsylvania - RTK (Right to Know) List

#### SECTION 16: Other information

Revision date	: 08/31/2023
ull text of H-phrases:	
H226	Flammable liquid and vapor
H227	Combustible liquid
H228	Flammable solid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H320	Causes eye irritation
H331	Toxic if inhaled
H332	Harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H371	May cause damage to organs

#### SDS US (GHS HazCom 2012) - Lebermuth

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.