

1.1.

1.2.

1.3.

1.4.

2.1.

2.2.

# **OIL, DIFFUSER BASE\***

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 04/27/2018 Revision date: 04/18/2024 Supersedes: 07/13/2023

**SECTION 1: Identification** Identification Product form : Mixture Product name OIL, DIFFUSER BASE : CAS-No. N/A Product code : 90-2995-68 Recommended use and restrictions on use **Supplier** The Lebermuth Company 4004 Technology Drive South Bend, IN 46628 - United States T 574-259-7000 - F 574-258-7450 info@lebermuth.com - www.lebermuth.com **Emergency telephone number** Emergency number : CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 CCN 13010 SECTION 2: Hazard(s) identification Classification of the substance or mixture **GHS US classification** Flammable liquids Category 4 Combustible liquid Skin corrosion/irritation Category 2 Causes skin irritation Serious eye damage/eye irritation Category 2A Causes serious eye irritation Reproductive toxicity Category 2 Suspected of damaging fertility or the unborn child GHS Label elements, including precautionary statements **GHS US labeling** Hazard pictograms (GHS US) GHS07 GHS08 Signal word (GHS US) Warning Combustible liquid Hazard statements (GHS US) Causes skin irritation Causes serious eye irritation

Precautionary statements (GHS US)

Suspected of damaging fertility or the unborn child Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wash hands, forearms and face thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If on skin: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). If skin irritation occurs: Get medical advice/attention. If eve irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. In case of fire: Use media other than water to extinguish. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container to hazardous or special waste collection point, in accordance

Version: 1.5

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

with local, regional, national and/or international regulation.

|--|

## No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## SECTION 3: Composition/Information on ingredients

## 3.1. Substances

- Not applicable
- 3.2. Mixtures

Name	Product identifier	%	GHS US classification
Diethylene glycol monomethyl ether	(CAS-No.) 111-77-3	≥ 50	Flam. Liq. 4, H227 Repr. 2, H361
HEXYLENE GLYCOL	(CAS-No.) 107-41-5	10 – 25	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
ALCOHOL	(CAS-No.) 64-17-5	1 – 5	Flam. Liq. 2, H225 Eye Irrit. 2A, H319

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.
4.2. Most important symptoms and effe	cts (acute and delayed)
Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: Eye irritation.
4.3. Immediate medical attention and sp	pecial treatment, if necessary
Treat symptomatically.	
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguisl	ning media
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Specific hazards arising from the cl	
Fire hazard	: Combustible liquid.
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
5.3. Special protective equipment and p	· · · · · · · · · · · · · · · · · · ·
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release mea	sures
6.1. Personal precautions, protective eq	uipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
04/18/2024	EN (English LIS) 2/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3. Methods and material for containment and cleaning up		
Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.		
Other information : Dispose of materials or solid residues at an authorized site.		
6.4. Reference to other sections		
For further information refer to section 13.		
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling :	Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes.	
Hygiene measures :	Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, including	any incompatibilities	
Storage conditions :	Store in a well-ventilated place. Keep cool. Store locked up.	
SECTION 8: Exposure controls/person	al protection	
8.1. Control parameters		
o.n. oontor parameters		
OIL, DIFFUSER BASE* (N/A)		
No additional information available		
Diethylene glycol monomethyl ether (111-77-3)		
No additional information available		
HEXYLENE GLYCOL (107-41-5)		
USA - ACGIH - Occupational Exposure Limits		
	25 ppm (Vapor fraction)	
ACGIH OEL STEL	10 mg/m³ (Inhalable fraction, Aerosol only) 50 ppm (Vapor fraction)	
ALCOHOL (64-17-5)		
No additional information available		
8.2. Appropriate engineering controls		
Appropriate engineering controls : Ensure good ventilation of the work station.		
Environmental exposure controls : Avoid release to the environment.		
8.3. Individual protection measures/Personal protective equipment		
Hand protection:		
Protective gloves		
Eye protection:		
Safety glasses		
Skin and body protection:		
Wear suitable protective clothing		
Respiratory protection:		

[In case of inadequate ventilation] wear respiratory protection.



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ccording to Federal Register / Vol. 77, No. 58 / Monday, SECTION 9: Physical and chemical p		
9.1. Information on basic physical and cl		
Physical state	: Liquid	
Color	: COLORLESS TO PALE YELLOW LIQUID	
Ddor	: CHARACTERISTIC, MATCHING THE RETAINER	
Ddor threshold	: No data available	
Н	: No data available	
Melting point	: Not applicable	
Freezing point	: No data available	
Boiling point	: No data available	
	: 65 °C	
Flash point	: No data available	
Relative evaporation rate (butyl acetate=1)		
Flammability	: Not applicable.	
/apor pressure	: No data available	
Relative vapor density at 20°C	: No data available	
Relative density	: 0.994 (0.984 – 1.004)	
Solubility	: Insoluble.	
Partition coefficient n-octanol/water (Log Pow)	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
/iscosity, kinematic	: No data available	
/iscosity, dynamic	: No data available	
Explosion limits	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
9.2. Other information		
VOC content	: 26.2 %	
Refractive index	: 1.425 (1.415 – 1.435)	
SECTION 10: Stability and reactivity		
10.1. Reactivity		
The product is non-reactive under normal condition	ons of use storage and transport	
•		
10.2. Chemical stability		
Stable under normal conditions.		
10.3. Possibility of hazardous reactions		
No dangerous reactions known under normal cor	nditions of use.	
10.4. Conditions to avoid		
Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.		
10.5. Incompatible materials		
No additional information available		
10.6. Hazardous decomposition products		
-	ardous decomposition products should not be produced.	
SECTION 11: Toxicological informati	ion	
11.1. Information on toxicological effects		
Acute toxicity (oral)	: Not classified	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	
HEXYLENE GLYCOL (107-41-5)	> 2000 maller hade weight (OECD 420). Agute Oral taniaite - Agute Tania Olace Mathed Date	
LD50 oral rat	> 2000 mg/kg body weight (OECD 420: Acute Oral toxicity – Acute Toxic Class Method, Rat, Male / female, Experimental value, Oral, 15 day(s))	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HEXYLENE GLYCOL (107-41-5)	
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female,
	Experimental value, Dermal, 15 day(s))
LC50 Inhalation - Rat	> 55 mg/l (Equivalent or similar to OECD 403, 8 h, Rat, Male, Experimental value, Inhalation (vapours), 14 day(s))
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
ALCOHOL (64-17-5)	
IARC group	1 - Carcinogenic to humans
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
1	: No data available
	: Irritation.
Symptoms/effects after eye contact	: Eye irritation.
SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	The product is not considered bounded to excete encoder on to exceed any terms of the second
Loology - yelleral	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
HEXYLENE GLYCOL (107-41-5)	
HEXYLENE GLYCOL (107-41-5)	effects in the environment. 9450 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Flow-through
HEXYLENE GLYCOL (107-41-5) LC50 - Fish [1] EC50 - Crustacea [1]	effects in the environment. 9450 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Flow-through system, Fresh water, Experimental value, Lethal) 5410 mg/l (Equivalent or similar to OECD 202, 48 h, Daphnia magna, Static system, Fresh
HEXYLENE GLYCOL (107-41-5) LC50 - Fish [1] EC50 - Crustacea [1] 12.2. Persistence and degradability	effects in the environment. 9450 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Flow-through system, Fresh water, Experimental value, Lethal) 5410 mg/l (Equivalent or similar to OECD 202, 48 h, Daphnia magna, Static system, Fresh
HEXYLENE GLYCOL (107-41-5) LC50 - Fish [1] EC50 - Crustacea [1] 12.2. Persistence and degradability HEXYLENE GLYCOL (107-41-5)	effects in the environment. 9450 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Flow-through system, Fresh water, Experimental value, Lethal) 5410 mg/l (Equivalent or similar to OECD 202, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
HEXYLENE GLYCOL (107-41-5)         LC50 - Fish [1]         EC50 - Crustacea [1]         12.2.       Persistence and degradability         HEXYLENE GLYCOL (107-41-5)         Persistence and degradability	effects in the environment. 9450 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Flow-through system, Fresh water, Experimental value, Lethal) 5410 mg/l (Equivalent or similar to OECD 202, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect) Readily biodegradable in water.
HEXYLENE GLYCOL (107-41-5)         LC50 - Fish [1]         EC50 - Crustacea [1]         12.2. Persistence and degradability         HEXYLENE GLYCOL (107-41-5)         Persistence and degradability         Biochemical oxygen demand (BOD)	effects in the environment. 9450 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Flow-through system, Fresh water, Experimental value, Lethal) 5410 mg/l (Equivalent or similar to OECD 202, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect) Readily biodegradable in water. 0.02 g O <sub>2</sub> /g substance
HEXYLENE GLYCOL (107-41-5)         LC50 - Fish [1]         EC50 - Crustacea [1]         12.2.       Persistence and degradability         HEXYLENE GLYCOL (107-41-5)         Persistence and degradability	effects in the environment. 9450 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Flow-through system, Fresh water, Experimental value, Lethal) 5410 mg/l (Equivalent or similar to OECD 202, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect) Readily biodegradable in water.
HEXYLENE GLYCOL (107-41-5)         LC50 - Fish [1]         EC50 - Crustacea [1]         12.2. Persistence and degradability         HEXYLENE GLYCOL (107-41-5)         Persistence and degradability         Biochemical oxygen demand (BOD)         Chemical oxygen demand (COD)	effects in the environment. 9450 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Flow-through system, Fresh water, Experimental value, Lethal) 5410 mg/l (Equivalent or similar to OECD 202, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect) Readily biodegradable in water. 0.02 g O <sub>2</sub> /g substance 2.2 g O <sub>2</sub> /g substance
HEXYLENE GLYCOL (107-41-5)         LC50 - Fish [1]         EC50 - Crustacea [1]         12.2. Persistence and degradability         HEXYLENE GLYCOL (107-41-5)         Persistence and degradability         Biochemical oxygen demand (BOD)         Chemical oxygen demand (COD)         ThOD         12.3. Bioaccumulative potential         HEXYLENE GLYCOL (107-41-5)	effects in the environment. 9450 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Flow-through system, Fresh water, Experimental value, Lethal) 5410 mg/l (Equivalent or similar to OECD 202, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect) Readily biodegradable in water. 0.02 g O <sub>2</sub> /g substance 2.2 g O <sub>2</sub> /g substance
HEXYLENE GLYCOL (107-41-5)         LC50 - Fish [1]         EC50 - Crustacea [1]         12.2. Persistence and degradability         HEXYLENE GLYCOL (107-41-5)         Persistence and degradability         Biochemical oxygen demand (BOD)         Chemical oxygen demand (COD)         ThOD         12.3. Bioaccumulative potential         HEXYLENE GLYCOL (107-41-5)         Partition coefficient n-octanol/water (Log Pow)	effects in the environment. 9450 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Flow-through system, Fresh water, Experimental value, Lethal) 5410 mg/l (Equivalent or similar to OECD 202, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect) Readily biodegradable in water. 0.02 g O <sub>2</sub> /g substance 2.2 g O <sub>2</sub> /g substance 2.3 g O <sub>2</sub> /g substance 0.58 (QSAR, KOWWIN)
HEXYLENE GLYCOL (107-41-5)         LC50 - Fish [1]         EC50 - Crustacea [1]         12.2. Persistence and degradability         HEXYLENE GLYCOL (107-41-5)         Persistence and degradability         Biochemical oxygen demand (BOD)         Chemical oxygen demand (COD)         ThOD         12.3. Bioaccumulative potential         HEXYLENE GLYCOL (107-41-5)	effects in the environment. 9450 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Flow-through system, Fresh water, Experimental value, Lethal) 5410 mg/l (Equivalent or similar to OECD 202, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect) Readily biodegradable in water. 0.02 g O <sub>2</sub> /g substance 2.2 g O <sub>2</sub> /g substance 2.3 g O <sub>2</sub> /g substance
HEXYLENE GLYCOL (107-41-5)         LC50 - Fish [1]         EC50 - Crustacea [1]         12.2. Persistence and degradability         HEXYLENE GLYCOL (107-41-5)         Persistence and degradability         Biochemical oxygen demand (BOD)         Chemical oxygen demand (COD)         ThOD         12.3. Bioaccumulative potential         HEXYLENE GLYCOL (107-41-5)         Partition coefficient n-octanol/water (Log Pow)	effects in the environment. 9450 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Flow-through system, Fresh water, Experimental value, Lethal) 5410 mg/l (Equivalent or similar to OECD 202, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect) Readily biodegradable in water. 0.02 g O <sub>2</sub> /g substance 2.2 g O <sub>2</sub> /g substance 2.3 g O <sub>2</sub> /g substance 0.58 (QSAR, KOWWIN)
HEXYLENE GLYCOL (107-41-5)         LC50 - Fish [1]         EC50 - Crustacea [1]         12.2. Persistence and degradability         HEXYLENE GLYCOL (107-41-5)         Persistence and degradability         Biochemical oxygen demand (BOD)         Chemical oxygen demand (COD)         ThOD         12.3. Bioaccumulative potential         HEXYLENE GLYCOL (107-41-5)         Partition coefficient n-octanol/water (Log Pow)         Bioaccumulative potential	effects in the environment. 9450 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Flow-through system, Fresh water, Experimental value, Lethal) 5410 mg/l (Equivalent or similar to OECD 202, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect) Readily biodegradable in water. 0.02 g O <sub>2</sub> /g substance 2.2 g O <sub>2</sub> /g substance 2.3 g O <sub>2</sub> /g substance 0.58 (QSAR, KOWWIN)
HEXYLENE GLYCOL (107-41-5)         LC50 - Fish [1]         EC50 - Crustacea [1]         12.2. Persistence and degradability         HEXYLENE GLYCOL (107-41-5)         Persistence and degradability         Biochemical oxygen demand (BOD)         Chemical oxygen demand (COD)         ThOD         12.3. Bioaccumulative potential         HEXYLENE GLYCOL (107-41-5)         Partition coefficient n-octanol/water (Log Pow)         Bioaccumulative potential         12.4. Mobility in soil	effects in the environment. 9450 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Flow-through system, Fresh water, Experimental value, Lethal) 5410 mg/l (Equivalent or similar to OECD 202, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect) Readily biodegradable in water. 0.02 g O <sub>2</sub> /g substance 2.2 g O <sub>2</sub> /g substance 2.3 g O <sub>2</sub> /g substance 0.58 (QSAR, KOWWIN)

## 12.5. Other adverse effects

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: Disposal consideration	S
13.1. Disposal methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
SECTION 14: Transport information	
Department of Transportation (DOT)	
In accordance with DOT	
Transport document description (DOT)	: UN1266 Perfumery products (Regulated for Bulk only), Comb Liq, III
UN-No.(DOT)	: UN1266
Proper Shipping Name (DOT)	: Perfumery products
	(Regulated for Bulk only)
Class (DOT)	: Comb Liq - Combustible liquid
Packing group (DOT)	: III - Minor Danger
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Special Provisions (49 CFR 172.102)	<ul> <li>B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.</li> <li>IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).</li> <li>T2 - 1.5 178.274(d)(2) Normal</li></ul>
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Emergency Response Guide (ERG) Number	: 127
Other information	: No supplementary information available.
Transportation of Dangerous Goods	

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

## SECTION 15: Regulatory information

15.1. US Federal regulations

## Diethylene glycol monomethyl ether (111-77-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **HEXYLENE GLYCOL (107-41-5)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### 15.2. International regulations

#### **CANADA**

Diethylene glycol monomethyl ether (111-77-3) Listed on the Canadian DSL (Domestic Substances List)

**HEXYLENE GLYCOL (107-41-5)** 

Listed on the Canadian DSL (Domestic Substances List)

## ALCOHOL (64-17-5)

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

No additional information available

#### **National regulations**

ALCOHOL (64-17-5) Listed on IARC (International Agency for Research on Cancer) Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Diethylene glycol monomethyl ether(111-77-3)	U.S Pennsylvania - RTK (Right to Know) List
HEXYLENE GLYCOL(107-41-5)	U.S New Jersey - Right to Know Hazardous Substance List
ALCOHOL(64-17-5)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

## **SECTION 16: Other information**

Rev	ision date	: 04/18/2024	
Full	Full text of H-phrases:		
	H225	Highly flammable liquid and vapor	
	H227	Combustible liquid	
	H315	Causes skin irritation	
	H319	Causes serious eye irritation	
	H361	Suspected of damaging fertility or the unborn child	

SDS US (GHS HazCom 2012) - Lebermuth

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.