

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 05/18/2021 Revision date: 08/30/2023 Supersedes: 10/03/2022 Version: 1.4

SECTION 1: Identification

Identification

Product form : Mixture

Product name OIL, CINNAMON ORANGE CLOVE*

CAS-No. N/A Product code 95-5011-93

Recommended use and restrictions on use 1.2.

1.3. **Supplier**

The Lebermuth Company 4004 Technology Drive South Bend, IN 46628 - United States T 574-259-7000 - F 574-258-7450 info@lebermuth.com - www.lebermuth.com

1.4. **Emergency telephone number**

Emergency number : CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300

CCN 13010

SECTION 2: Hazard(s) identification

Classification of the substance or mixture

GHS US classification

Flammable liquids Category 4 Combustible liquid Skin corrosion/irritation Category 2 Causes skin irritation Serious eye damage/eye irritation Category 2 Causes serious eye irritation May cause an allergic skin reaction Skin sensitization, Category 1 May cause damage to organs through prolonged or repeated exposure

Specific target organ toxicity (repeated exposure)

Category 2

Aspiration hazard Category 1 May be fatal if swallowed and enters airways

GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)





Signal word (GHS US) : Danger

Combustible liquid Hazard statements (GHS US)

May be fatal if swallowed and enters airways

Causes skin irritation

May cause an allergic skin reaction Causes serious eye irritation

May cause damage to organs through prolonged or repeated exposure

Precautionary statements (GHS US) Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

Do not breathe dust/fume/gas/mist/vapors/spray. Avoid breathing dust/fume/gas/mist/vapors/spray.

Wash hands, forearms and face thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Immediately call a poison center or doctor.

If on skin: Wash with plenty of water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Get medical advice/attention if you feel unwell.

Specific treatment (see supplemental first aid instruction on this label).

10/20/2023 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Do NOT induce vomiting.

If skin irritation occurs: Get medical advice/attention.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

Wash contaminated clothing before reuse.

In case of fire: Use media other than water to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container to hazardous or special waste collection point, in accordance

with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | GHS US classification |
|---|---------------------|---------|--|
| BETA CARYOPHYLLENE | (CAS-No.) 87-44-5 | 10 – 25 | Skin Sens. 1B, H317 Asp. Tox. 1, H304 |
| LINALOOL | (CAS-No.) 78-70-6 | 5 – 10 | Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317 |
| CINNAMIC ALDEHYDE | (CAS-No.) 104-55-2 | 5 – 10 | Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1A, H317 |
| CITRAL | (CAS-No.) 5392-40-5 | 5 – 10 | Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 STOT RE 2, H373 |
| DECANAL | (CAS-No.) 112-31-2 | 5 – 10 | Flam. Liq. 4, H227 Eye Irrit. 2A, H319 |
| 2-Methyl-3-(p-isopropylphenyl)propionaldehyde | (CAS-No.) 103-95-7 | 1 – 5 | Skin Irrit. 2, H315 Skin Sens. 1B, H317 |
| ETHYL BUTYRATE | (CAS-No.) 105-54-4 | 1 – 5 | Flam. Liq. 3, H226 Eye Irrit. 2A, H319 |
| LIMONENE | (CAS-No.) 5989-27-5 | 1 – 5 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 |
| OCTANAL | (CAS-No.) 124-13-0 | 1 – 5 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 |
| ALLYL CYCLOHEXYLPROPIONATE | (CAS-No.) 2705-87-5 | 1 – 5 | Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Sens. 1, H317 |
| CITRONELLOL | (CAS-No.) 106-22-9 | 1 – 5 | Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317 |
| PHENYLETHYL ACETATE | (CAS-No.) 103-45-7 | 1 – 5 | Eye Dam. 1, H318 |
| GERANIOL | (CAS-No.) 106-24-1 | 1 – 5 | Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 |
| Ethyl methylphenylglycidate | (CAS-No.) 77-83-8 | 1 – 5 | Skin Sens. 1B, H317 |

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

10/20/2023 EN (English US) 2/12

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs:

Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

Symptoms/effects after ingestion : Risk of lung edema.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Specific hazards arising from the chemical

Fire hazard : Combustible liquid.

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Do not breathe

dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing shoul

: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands

after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Store locked up.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

10/20/2023 EN (English US) 3/12

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| ccording to Federal Register / Vol. //, No. 58 / Monday, March 2 | o, 2012 / Rules and Regulations | |
|--|---|--|
| OIL, CINNAMON ORANGE CLOVE* (N/A) | | |
| No additional information available | | |
| OCTANAL (124-13-0) | | |
| No additional information available | | |
| DECANAL (112-31-2) | | |
| No additional information available | | |
| Ethyl methylphenylglycidate (77-83-8) | | |
| No additional information available | | |
| ALLYL CYCLOHEXYLPROPIONATE (2705-87-5) | | |
| No additional information available | | |
| BETA CARYOPHYLLENE (87-44-5) | | |
| No additional information available | | |
| CITRAL (5392-40-5) | | |
| USA - ACGIH - Occupational Exposure Limits | | |
| Local name | Citral | |
| ACGIH OEL TWA [ppm] | 5 ppm (IFV - Inhalable fraction and vapor) | |
| Remark (ACGIH) | TLV® Basis: Body weight eff; URT irr; eye dam. Notations: Skin; DSEN; A4 (Not classifiable as a Human Carcinogen) | |
| Regulatory reference | ACGIH 2023 | |
| 2-Methyl-3-(p-isopropylphenyl)propionaldehyde (103-95-7) | | |
| No additional information available | | |
| ETHYL BUTYRATE (105-54-4) | ETHYL BUTYRATE (105-54-4) | |
| No additional information available | | |
| LINALOOL (78-70-6) | | |
| No additional information available | | |
| PHENYLETHYL ACETATE (103-45-7) | | |
| No additional information available | | |
| LIMONENE (5989-27-5) | | |
| No additional information available | | |
| GERANIOL (106-24-1) | | |
| No additional information available | | |
| | | |

CINNAMIC ALDEHYDE (104-55-2)

No additional information available

CITRONELLOL (106-22-9)

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

10/20/2023 EN (English US) 4/12

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : COLORLESS TO YELLOW

Odor : CHARACTERISTIC, MATCHING RETAINER SAMPLE

Odor threshold : No data available pH : No data available Melting point : Not applicable Freezing point : No data available Boiling point : No data available : No data available

Flash point : 71 °C

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Not applicable. Vapor pressure : No data available Relative vapor density at 20°C : No data available Relative density : 0.927 (0.917 – 0.937)

Solubility : Insoluble.

Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available : No data available Viscosity, kinematic Viscosity, dynamic : No data available **Explosion limits** : No data available Explosive properties : No data available Oxidizing properties : No data available

9.2. Other information

Refractive index : 1.478 (1.468 – 1.488)

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified

10/20/2023 EN (English US) 5/12

Safety Data Sheet

ATE US (dermal)

Skin corrosion/irritation

Serious eye damage/irritation

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Acute toxicity (inhalation) | : Not classified |
|-----------------------------|------------------|

| OCTANAL (124-13-0) | |
|--------------------------------------|--|
| LD50 oral rat | 4617 mg/kg body weight Animal: rat, Animal sex: male, Remarks on results: other: |
| LD50 dermal rabbit | 5207 mg/kg body weight Animal: rabbit, Animal sex: male |
| LC50 Inhalation - Rat | > 0.83 mg/l air Animal: rat, Animal sex: male, Remarks on results: other: |
| ATE US (oral) | 4617 mg/kg body weight |
| ATE US (dermal) | 5207 mg/kg body weight |
| ALLYL CYCLOHEXYLPROPIONATE | (2705-87-5) |
| LD50 oral rat | 585 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 480 - 714 |
| LD50 dermal rabbit | 1600 mg/kg body weight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 430 - 2770 |
| ATE US (oral) | 380 mg/kg body weight |
| ATE US (dermal) | 1600 mg/kg body weight |
| CITRAL (5392-40-5) | |
| LD50 oral rat | ≈ 6800 mg/kg body weight Animal: rat |
| LD50 dermal rat | > 2000 mg/kg body weight Animal: rat, Remarks on results: other: |
| 2-Methyl-3-(p-isopropylphenyl)propid | onaldehyde (103-95-7) |
| LD50 oral rat | 3810 mg/kg (Rat, Male / female, Weight of evidence, Oral, 14 day(s)) |
| LD50 dermal rat | > 5000 mg/kg (Rat, Male, Experimental value, Dermal, 14 day(s)) |
| ATE US (oral) | 3810 mg/kg body weight |
| ETHYL BUTYRATE (105-54-4) | |
| LD50 oral rat | > 2000 mg/kg body weight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Remarks on results: other: |
| LD50 dermal rat | > 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: |
| LC50 Inhalation - Rat [ppm] | > 4000 ppm Animal: rat, Guideline: other:, Remarks on results: other: |
| LINALOOL (78-70-6) | |
| ATE US (oral) | 2790 mg/kg body weight |
| PHENYLETHYL ACETATE (103-45-7) | |
| ATE US (oral) | 2500 mg/kg body weight |
| LIMONENE (5989-27-5) | |
| LD50 oral rat | > 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat Female, Experimental value, Oral, 14 day(s)) |
| LD50 dermal rabbit | > 5000 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Read-across, Dermal, 7 day(s)) |
| GERANIOL (106-24-1) | |
| ATE US (oral) | 3600 mg/kg body weight |
| CINNAMIC ALDEHYDE (104-55-2) | |
| LD50 oral rat | 2220 mg/kg (Rat, Oral) |
| LD50 dermal rabbit | 1260 ml/kg (24 h, Rabbit, Male / female, Experimental value, Dermal) |
| LC50 Inhalation - Rat | 68.88 mg/l (4 h, Rat, Male / female, QSAR, Inhalation) |
| ATE US (oral) | 2200 mg/kg body weight |
| ATE US (dermal) | 1100 mg/kg body weight |
| ATE US (vapors) | 68.88 mg/l/4h |
| ATE US (dust, mist) | 68.88 mg/l/4h |
| CITRONELLOL (106-22-9) | |
| LD50 oral rat | 3450 mg/kg (Rat, Inconclusive, insufficient data, Oral) |
| LD50 dermal rabbit | 2650 mg/kg (Rabbit, Inconclusive, insufficient data, Dermal) |
| ATE US (oral) | 3450 mg/kg body weight |
| ATE US (dermal) | 2000 mallar bady usainht |

10/20/2023 EN (English US) 6/12

2650 mg/kg body weight

: Causes serious eye irritation.

: Causes skin irritation.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

| CITRAL (5392-40-5) | | |
|--------------------|--|---|
| | NOAEL (chronic,oral,animal/male,2 years) | 60 mg/kg body weight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 |
| | · · · | (Combined Chronic Toxicity / Carcinogenicity Studies). Remarks on results: other: |

Reproductive toxicity : Not classified

| OCTANAL (124-13-0) | |
|---------------------------|---|
| NOAEL (animal/female, F1) | 300 mg/kg body weight Animal: rat, Animal sex: female |

STOT-single exposure : Not classified

STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure.

| CITRAL (5392-40-5) | |
|---|---|
| LOAEC (inhalation,rat,gas,90 days) 68 ppm Animal: rat, Animal sex: female | |
| NOAEL (oral,rat,90 days) | 100 mg/kg body weight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies) |
| NOAEC (inhalation,rat,gas,90 days) | 34 ppm Animal: rat, Animal sex: female |
| NOAEL (subchronic,oral,animal/male,90 days) | 60 mg/kg body weight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies) |
| STOT-repeated exposure | May cause damage to organs through prolonged or repeated exposure. |

Aspiration hazard : May be fatal if swallowed and enters airways.

Viscosity, kinematic : No data available

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.
Symptoms/effects after ingestion : Risk of lung edema.

SECTION 12: Ecological information

| 12.1. Toxicity | | |
|--|--|--|
| Ecology - general | The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. | |
| OCTANAL (124-13-0) | | |
| EC50 - Crustacea [1] | 1.54 mg/l Test organisms (species): Daphnia magna | |
| DECANAL (112-31-2) | | |
| LC50 - Fish [1] | 2.1 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) | |
| EC50 - Crustacea [1] | 1.94 mg/l Test organisms (species): Daphnia magna | |
| LC50 - Fish [2] | 1.45 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) | |
| EC50 - Crustacea [2] | 1.17 mg/l Test organisms (species): Daphnia magna | |
| ALLYL CYCLOHEXYLPROPIONATE (2705-87-5) | | |
| LC50 - Fish [1] | 0.13 mg/l Test organisms (species): Pimephales promelas | |
| EC50 - Crustacea [1] | 3.8 mg/l Test organisms (species): Daphnia magna | |
| BETA CARYOPHYLLENE (87-44-5) | | |
| EC50 - Crustacea [1] | > 0.17 mg/l Test organisms (species): Daphnia magna | |

10/20/2023 EN (English US) 7/12

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| CITRAL (5392-40-5) | | |
|-----------------------------------|--|--|
| LC50 - Fish [1] | 6.78 mg/l Test organisms (species): Leuciscus idus | |
| EC50 - Crustacea [1] | 6.8 mg/l Test organisms (species): Daphnia magna | |
| 2-Methyl-3-(p-isopropylphenyl)pro | pionaldehyde (103-95-7) | |
| LC50 - Fish [1] | 1.092 mg/l (96 h, Calculated value) | |
| EC50 - Crustacea [1] | 1.4 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semistatic system, Fresh water, Experimental value) | |
| LC50 - Fish [2] | 2.49 mg/l Test organisms (species): | |
| ETHYL BUTYRATE (105-54-4) | | |
| LC50 - Fish [1] | ≥ 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) | |
| EC50 - Crustacea [1] | 116.6 mg/l Test organisms (species): Daphnia magna | |
| NOEC (chronic) | 28833 mg/l Test organisms (species): Daphnia magna Duration: '21 d' | |
| NOEC chronic fish | 1483 mg/l Test organisms (species): other: Duration: '28 d' | |
| LIMONENE (5989-27-5) | | |
| LC50 - Fish [1] | 720 µg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value) | |
| EC50 - Crustacea [1] | 0.307 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semistatic system, Fresh water, Experimental value, GLP) | |
| LC50 - Fish [2] | 702 μg/l Test organisms (species): Pimephales promelas | |
| EC50 - Crustacea [2] | 0.51 mg/l Test organisms (species): Daphnia magna | |
| CINNAMIC ALDEHYDE (104-55-2) | | |
| LC50 - Fish [1] | 4.15 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP) | |
| EC50 - Crustacea [1] | 3.21 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect) | |
| CITRONELLOL (106-22-9) | | |
| LC50 - Fish [1] | 14.66 mg/l (DIN 38412-15, 96 h, Leuciscus idus, Static system, Fresh water, Experimental value) | |
| EC50 - Crustacea [1] | 17.48 mg/l (48 h, Daphnia magna, Static system, Fresh water, Experimental value) | |

12.2. Persistence and degradability

| 2-Methyl-3-(p-isopropylphenyl)propionaldehyde (103-95-7) | | |
|--|-------------------------------------|--|
| Persistence and degradability | Readily biodegradable in water. | |
| | | |
| LIMONENE (5989-27-5) | | |
| Persistence and degradability | Readily biodegradable in water. | |
| ThOD | 3.29 g O ₂ /g substance | |
| CINNAMIC ALDEHYDE (104-55-2) | | |
| Persistence and degradability | Readily biodegradable in water. | |
| CITRONELLOL (106-22-9) | | |
| Persistence and degradability | Readily biodegradable in water. | |
| Chemical oxygen demand (COD) | 2.05 g O ₂ /g substance | |
| ThOD | 2.961 g O ₂ /g substance | |

12.3. Bioaccumulative potential

| 2-Methyl-3-(p-isopropylphenyl)propionaldehyde (103-95-7) | |
|--|---|
| BCF - Fish [1] | 155 l/kg (Calculated value) |
| Partition coefficient n-octanol/water (Log Pow) | 3.4 (Practical experience/observation, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 35 °C) |
| Bioaccumulative potential | Low potential for bioaccumulation (BCF < 500). |

| LIMONENE (5989-27-5) | |
|----------------------|---|
| BCF - Fish [1] | 864.8 l/kg (BCFBAF v3.01, Pisces, QSAR, Fresh weight) |
| | |

10/20/2023 EN (English US) 8/12

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| LIMONENE (5989-27-5) | | |
|--|---|--|
| Partition coefficient n-octanol/water (Log Pow) | 4.38 (Experimental value, Equivalent or similar to OECD 117, 37 °C) | |
| Bioaccumulative potential | Potential for bioaccumulation (4 ≤ Log Kow ≤ 5). | |
| CINNAMIC ALDEHYDE (104-55-2) | | |
| Partition coefficient n-octanol/water (Log Pow) | 2.107 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C) | |
| Bioaccumulative potential | Low potential for bioaccumulation (Log Kow < 4). | |
| CITRONELLOL (106-22-9) | | |
| BCF - Fish [1] | 82.59 l/kg (BCFBAF v3.00, Estimated value) | |
| Partition coefficient n-octanol/water (Log Pow) | ol/water (Log Pow) 3.41 (Practical experience/observation, EU Method A.8: Partition Coefficient, 25 °C) | |
| Sioaccumulative potential Low potential for bioaccumulation (BCF < 500). | | |

12.4. Mobility in soil

| 2-Methyl-3-(p-isopropylphenyl)propionaldehyde (103-95-7) | |
|--|--|
| Organic Carbon Normalized Adsorption | 3.05 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on |
| Coefficient (Log Koc) | Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value) |
| Ecology - soil | Low potential for mobility in soil. |

| LIMONENE (5989-27-5) | |
|---|--|
| Surface tension | No data available in the literature |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 3.049 – 3.801 (log Koc, SRC PCKOCWIN v2.0, Calculated value) |
| Ecology - soil | Low potential for mobility in soil. |

| CINNAMIC ALDEHYDE (104-55-2) | | |
|--|--|--|
| Surface tension | 45.3 mN/m (20 °C, Experimental value) | |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 1.958 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value) | |
| Ecology - soil | Highly mobile in soil. | |
| CITRONELLOL (106-22-9) | | |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 1.85 (log Koc, EPIWIN 2.00, Estimated value) | |

Ecology - soil

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Transport document description (DOT) : NA1993 Combustible liquid, n.o.s. (Linalool, 2-tert-Butylcyclohexyl acetate) - Regulated for Bulk

only, Comb Liq, III

Highly mobile in soil.

UN-No.(DOT) : NA1993

Proper Shipping Name (DOT) : Combustible liquid, n.o.s.

(Linalool, 2-tert-Butylcyclohexyl acetate) - Regulated for Bulk only

Class (DOT) : Comb Liq - Combustible liquid

Packing group (DOT) : III - Minor Danger

DOT Packaging Non Bulk (49 CFR 173.xxx) : 203 DOT Packaging Bulk (49 CFR 173.xxx) : 241

10/20/2023 EN (English US) 9/12

Safety Data Sheet

DOT Symbols

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

requiring a technical name

DOT Special Provisions (49 CFR 172.102) : 148 - For domestic transportation, this entry directs to § 173.66 for: a. The standards for transporting a single bulk hazardous material for blasting by cargo tank motor vehicles (CTMV); and b. The standards for CTMVs capable of transporting multiple hazardous materials for

blasting in bulk and non-bulk packagings (i.e, a multipurpose bulk truck (MBT)).

: D - Proper shipping name for domestic use only, or to and from Canada, G - Identifies PSN

IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table

2 for UN2672)

T1 - 1.5 178.274(d)(2) Normal..... 178.275(d)(2)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.

DOT Packaging Exceptions (49 CFR 173.xxx) DOT Quantity Limitations Passenger aircraft/rail : 60 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 220 L CFR 175.75)

: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

Other information : No supplementary information available.

Transportation of Dangerous Goods

DOT Vessel Stowage Location

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

OCTANAL (124-13-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

DECANAL (112-31-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

ETHYL BUTYRATE (105-54-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

PHENYLETHYL ACETATE (103-45-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

CINNAMIC ALDEHYDE (104-55-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

10/20/2023 EN (English US) 10/12

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.2. International regulations

CANADA

OCTANAL (124-13-0)

Listed on the Canadian DSL (Domestic Substances List)

DECANAL (112-31-2)

Listed on the Canadian DSL (Domestic Substances List)

Ethyl methylphenylglycidate (77-83-8)

Listed on the Canadian DSL (Domestic Substances List)

ALLYL CYCLOHEXYLPROPIONATE (2705-87-5)

Listed on the Canadian DSL (Domestic Substances List)

BETA CARYOPHYLLENE (87-44-5)

Listed on the Canadian DSL (Domestic Substances List)

CITRAL (5392-40-5)

Listed on the Canadian DSL (Domestic Substances List)

2-Methyl-3-(p-isopropylphenyl)propionaldehyde (103-95-7)

Listed on the Canadian DSL (Domestic Substances List)

ETHYL BUTYRATE (105-54-4)

Listed on the Canadian DSL (Domestic Substances List)

LINALOOL (78-70-6)

Listed on the Canadian DSL (Domestic Substances List)

PHENYLETHYL ACETATE (103-45-7)

Listed on the Canadian DSL (Domestic Substances List)

CINNAMIC ALDEHYDE (104-55-2)

Listed on the Canadian DSL (Domestic Substances List)

CITRONELLOL (106-22-9)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

Ethyl methylphenylglycidate (77-83-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

ALLYL CYCLOHEXYLPROPIONATE (2705-87-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

BETA CARYOPHYLLENE (87-44-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

CITRAL (5392-40-5)

Listed on The United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

2-Methyl-3-(p-isopropylphenyl)propionaldehyde (103-95-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

LINALOOL (78-70-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

CITRONELLOL (106-22-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

10/20/2023 EN (English US) 11/12

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations

This product can expose you to toluene, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

WARNING:

This product can expose you to methyl eugenol, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

This product can expose you to myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

| Component | State or local regulations |
|--------------------------|---|
| OCTANAL(124-13-0) | U.S Massachusetts - Right To Know List |
| ETHYL BUTYRATE(105-54-4) | U.S New Jersey - Right to Know Hazardous Substance List |

SECTION 16: Other information

Revision date : 08/30/2023

Full text of H-phrases:

| ili text of n-prirases. | |
|-------------------------|---|
| H226 | Flammable liquid and vapor |
| H227 | Combustible liquid |
| H302 | Harmful if swallowed |
| H304 | May be fatal if swallowed and enters airways |
| H312 | Harmful in contact with skin |
| H315 | Causes skin irritation |
| H317 | May cause an allergic skin reaction |
| H318 | Causes serious eye damage |
| H319 | Causes serious eye irritation |
| H373 | May cause damage to organs through prolonged or repeated exposure |
| | |

SDS US (GHS HazCom 2012) - Lebermuth

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

10/20/2023 EN (English US) 12/12