

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 07/15/2024 Version: 1.0

1.2 Recommended use and restrictions on use 1.3. Supplier The Labernulty Company 4004 Technology Drive Toyle Japa-Proto - F 374-283-7430 from 284-28-1000 - F 374-283-7430 from 284-284-284-284-284-284-284-284-284-284-	1.1. Identification Product form : Mix Product name : OIL Product code : 11- 1.2. Recommended use and restrictions on use 1.3. Supplier The Lebermuth Company 4004 Technology Drive South Bend, IN 46628 - United States South Bend, IN 46628 - United States 574-259-7000 - F 574-258-7450 info@lebermuth.com - www.lebermuth.com 1.4. Emergency telephone number Emergency number Emergency number : CC SECTION 2: Hazard(S) identification 2.1. Classification Flammable liquids Category 4 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Skin sensitization, Category 1 Carcinogenicity Category 2 Carcinogenicity Category 2 Specific target organ toxicity (repeated exposure) Category 2 2.2. GHS Label elements, including precaution GHS US labeling Hazard pictograms (GHS US) : Hazard statements (GHS US) : Co	, FIELDS OF GREENS NDV* 0000-13 EMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 N 13010 Combustible liquid Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction
Product from : Mixture Product name : OLL, FIELDS OF GREENS NDV* Product code : 11-0000-13 1.2. Recommended use and restrictions on use 1.3. Supplier The Lebernuth Company 4004 Technology Drive Supplier 1.4. Energy Company 4004 Technology Drive Such Ben, IN 4628 - Unled States 5174-255-000 - 574-255-7480 Company 4004 Technology Drive Emergency number : CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 SECTION 21 Hezard(c) Idontification CCN 13910 Combustible liquid Causes string in traiton Causes string in traiton Caus	Product form : Mix Product name : Oll Product code : 111- 1.2. Recommended use and restrictions on use 1.3. Supplier The Lebermuth Company 4004 Technology Drive South Bend, IN 46628 - United States T 574-259-7000 - F 574-258-7450 info@lebermuth.com - www.lebermuth.com 1.4. Emergency telephone number Emergency number : CH CC SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixture GHS US classification Flammable liquids Category 4 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Skin sensitization, Category 1 Carcinogenicity Category 2 Specific target organ toxicity (repeated exposure) Category 2 2.2. GHS Label elements, including precaution GHS US labeling Hazard pictograms (GHS US) : Wa Hazard statements (GHS US) : Wa	, FIELDS OF GREENS NDV* 0000-13 EMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 N 13010 Combustible liquid Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction
Product code : 11-0000-13 1.2. Recommended use and restrictions on use 1.3. Suppler The Lebernuth Company (MOI Technology Drive Seath Bend, NI 46263 - United States 15/4-269-7000 - 15/4-26-7000 - 15/4-26-70000 - 15/4-26-7000 - 15/4-26-7000 - 15/4-26-7000 - 15/4-26-7000 - 1	Product code : 11- 1.2. Recommended use and restrictions on use 1.3. Supplier The Lebermuth Company 4004 Technology Drive South Bend, IN 46628 - United States T 574-259-7000 - F 574-258-7450 Info@lebermuth.com - www.lebermuth.com 1.4. Emergency telephone number Emergency number : CH CC SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixture GHS US classification Flammable liquids Category 4 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Skin sensitization, Category 1 Carcinogenicity Category 2 Specific target organ toxicity (repeated exposure) Category 2 2.2. GHS Label elements, including precaution GHS US labeling Hazard pictograms (GHS US) : Wa Hazard statements (GHS US) : Wa	Combustible liquid Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction
1.2 Recommended use and restrictions on use 1.3. Suppler The Lebernuth Company 4004 Technology DTM The Lebernuth Company 4004 Technology DTM 2004 Technology Technology DTM Energency telephone number 1.4. Energency telephone number Emergency number : CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 CCN 13010 2.1 Classification of the substance or mixture GHS US classification Combustible liquid Causes skin initiation Causes serious eyright skin reaction Causes serious eyr instain Causes earious eyr instain Causes serious eyr inst	1.2. Recommended use and restrictions on use 1.3. Supplier The Lebermuth Company 4004 Technology Drive South Bend, IN 46628 - United States T 574-259-7000 - F 574-258-7450 info@lebermuth.com - www.lebermuth.com 1.4. Emergency telephone number Emergency number : CH CC SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixture GHS US classification Flammable liquids Category 4 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Skin sensitization, Category 1 Carcinogenicity Category 2 Specific target organ toxicity (repeated exposure) Category 2 2.2. GHS Label elements, including precaution GHS US labeling Hazard pictograms (GHS US) : Wa Hazard statements (GHS US) : Wa	EMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 N 13010
1.3. Supplier The Lebernhology Drive South Bend, MA 8628 - United States 15.74-289-7000 - F 574-258-7450 Info@lebernhology Drive South Bend, MA 8628 - United States 15.74-289-7000 - F 574-258-7450 Info@lebernhology on www.lebernhology on the substance or mixture Effergency number CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 CCN 13010 SECTION 2: Hazard(S) Identification Combustible liquid Calculation of the substance or mixture Combustible liquid Calculation of the substance or mixture Caluese anallergic skin reaction State correston/mixture Causes skin irritation Calculation Category 2 Causes anallergic skin reaction State and state were irritation Suspected of causing cancer May cause an allergic skin reaction Suspected of Causing cancer Signal word (GHS US) : Warning Causes serious eye irritation Causes serious eye irritation Causes serious eye irritation Causes serious eye irritation Signal word (GHS US) : Warning Causes damage to organs through prolonged or repeated exposure May cause an allergic skin reaction Causes serious eye irritation <td< td=""><td>1.3. Supplier The Lebermuth Company 4004 Technology Drive South Bend, IN 46628 - United States T 574-259-7000 - F 574-258-7450 info@lebermuth.com - www.lebermuth.com 1.4. Emergency telephone number Emergency number Emergency number CC SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixture GHS US classification Flammable liquids Category 4 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Skin sensitization, Category 1 Carcinogenicity Category 2 Specific target organ toxicity (repeated exposure) Category 2 2.2. GHS Label elements, including precaution GHS US labeling Hazard pictograms (GHS US) : Kagnal word (GHS US) : Wa Signal word (GHS US) : Hazard statements (GHS US) :</td><td>EMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 N 13010</td></td<>	1.3. Supplier The Lebermuth Company 4004 Technology Drive South Bend, IN 46628 - United States T 574-259-7000 - F 574-258-7450 info@lebermuth.com - www.lebermuth.com 1.4. Emergency telephone number Emergency number Emergency number CC SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixture GHS US classification Flammable liquids Category 4 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Skin sensitization, Category 1 Carcinogenicity Category 2 Specific target organ toxicity (repeated exposure) Category 2 2.2. GHS Label elements, including precaution GHS US labeling Hazard pictograms (GHS US) : Kagnal word (GHS US) : Wa Signal word (GHS US) : Hazard statements (GHS US) :	EMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 N 13010
1.3. Supplier The Lebernhology Drive South Bend, MA 8628 - United States 15.74-289-7000 - F 574-258-7450 Info@lebernhology Drive South Bend, MA 8628 - United States 15.74-289-7000 - F 574-258-7450 Info@lebernhology on www.lebernhology on the substance or mixture Effergency number CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 CCN 13010 SECTION 2: Hazard(S) Identification Combustible liquid Calculation of the substance or mixture Combustible liquid Calculation of the substance or mixture Caluese anallergic skin reaction State correston/mixture Causes skin irritation Calculation Category 2 Causes anallergic skin reaction State and state were irritation Suspected of causing cancer May cause an allergic skin reaction Suspected of Causing cancer Signal word (GHS US) : Warning Causes serious eye irritation Causes serious eye irritation Causes serious eye irritation Causes serious eye irritation Signal word (GHS US) : Warning Causes damage to organs through prolonged or repeated exposure May cause an allergic skin reaction Causes serious eye irritation <td< th=""><th>1.3. Supplier The Lebermuth Company 4004 Technology Drive South Bend, IN 46628 - United States T 574-259-7000 - F 574-258-7450 info@lebermuth.com - www.lebermuth.com 1.4. Emergency telephone number Emergency number Emergency number CC SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixture GHS US classification Flammable liquids Category 4 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Skin sensitization, Category 1 Carcinogenicity Category 2 Specific target organ toxicity (repeated exposure) Category 2 2.2. GHS Label elements, including precaution GHS US labeling Hazard pictograms (GHS US) : Kagnal word (GHS US) : Wa Hazard statements (GHS US) :</th><th>EMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 N 13010</th></td<>	1.3. Supplier The Lebermuth Company 4004 Technology Drive South Bend, IN 46628 - United States T 574-259-7000 - F 574-258-7450 info@lebermuth.com - www.lebermuth.com 1.4. Emergency telephone number Emergency number Emergency number CC SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixture GHS US classification Flammable liquids Category 4 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Skin sensitization, Category 1 Carcinogenicity Category 2 Specific target organ toxicity (repeated exposure) Category 2 2.2. GHS Label elements, including precaution GHS US labeling Hazard pictograms (GHS US) : Kagnal word (GHS US) : Wa Hazard statements (GHS US) :	EMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 N 13010
The Lebernuth Company South Bend, N 46628 - United States 1574-259-700. F 574-258-77450 mb0jelebernuth.com - www.lebernuth.com 1.4. Energency telephone number Emergency number : CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887/1-800-424-9300 CCN 13010 SECTION 2: Hazard(s) Identification CCN 13010 SECTION 2: Hazard(s) Identification CCN 13010 Causes skin irritation Section and section and the substance of mixture CGN 13010 Causes skin irritation Section and section and the substance of mixture CAUSE Category 4 Skin consolon/irritation Category 4 Skin consolon/irritation Category 7 Section (Category 2 Section and section 2 Section (Category 2 Section and section 2 Section 2 Section 3 Section 2 Section 3 Section 3 Sectio	The Lebermuth Company 4004 Technology Drive South Bend, IN 46628 - United States T 574-259-7000 - F 574-258-7450 info@lebermuth.com - www.lebermuth.com 1.4. Emergency telephone number Emergency number : CH CC SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixture GHS US classification Flammable liquids Category 4 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Skin sensitization, Category 1 Carcinogenicity Category 2 Specific target organ toxicity (repeated exposure) Category 2 2.2. GHS Label elements, including precaution GHS US labeling Hazard pictograms (GHS US) : Wa Hazard statements (GHS US) : Wa	N 13010 Combustible liquid Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction
The Lebernuth Company South Bend, N 46628 - United States 1574-259-700. F 574-258-77450 mb0jelebernuth.com - www.lebernuth.com 1.4. Energency telephone number Emergency number : CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887/1-800-424-9300 CCN 13010 SECTION 2: Hazard(s) Identification CCN 13010 SECTION 2: Hazard(s) Identification CCN 13010 Causes skin irritation Section and section and the substance of mixture CGN 13010 Causes skin irritation Section and section and the substance of mixture CAUSE Category 4 Skin consolon/irritation Category 4 Skin consolon/irritation Category 7 Section (Category 2 Section and section 2 Section (Category 2 Section and section 2 Section 2 Section 3 Section 2 Section 3 Section 3 Sectio	The Lebermuth Company 4004 Technology Drive South Bend, IN 46628 - United States T 574-259-7000 - F 574-258-7450 info@lebermuth.com - www.lebermuth.com 1.4. Emergency telephone number Emergency number : CH CC SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixture GHS US classification Flammable liquids Category 4 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Skin sensitization, Category 1 Carcinogenicity Category 2 Specific target organ toxicity (repeated exposure) Category 2 2.2. GHS Label elements, including precaution GHS US labeling Hazard pictograms (GHS US) : Wa Hazard statements (GHS US) : Wa	N 13010 Combustible liquid Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction
Emergency number : CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 CCN 13010 SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixture GHS US classification Rammable liquids Category 4 Serious eye damageleye irritation Category 2 Serious eye damageleye irritation Causes serious eye irritation Suspected of causing cancer May cause and are to organs through prolonged or repeated exposure CHS US labeling Hazard pictograms (GHS US) Figual word (GHS US)	Emergency number : CH CC SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixture GHS US classification Flammable liquids Category 4 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Skin sensitization, Category 1 Carcinogenicity Category 2 Specific target organ toxicity (repeated exposure) Category 2 2.2. GHS Label elements, including precaution GHS US labeling Hazard pictograms (GHS US) : Wa Hazard statements (GHS US) : Wa	N 13010 Combustible liquid Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction
CCN 13010 SECTION 2: Hazard(s) identification 21. Classification of the substance or mixture CM 13010 Combustible liquid Causes serious eye damage/eye initiation Category 2 Serious eye damage/eye initiation Category 2 Serious eye damage/eye initiation Category 2 Combustible liquid Causes as sin initiation Serious eye damage/eye initiation Category 2 Serious eye danage to organs through prolonged or repeated exposure Seriolic target organ toxicity (repeated exposure) Gent Classing cancer May cause damage to organs through prolonged or repeated exposure Causes serious eye irritation May cause damage to organs through prolonged or repeated exposure May cause damage to organs through prolonged or repeated exposure May cause damage to organs through prolonged or repeated exposure May cause damage to organs through prolonged or repeated exposure May cause damage to organs through prolonged or repeated exposure May cause damage to organs through prolonged or repeated exposure May cau	CC SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixture GHS US classification Flammable liquids Category 4 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Skin sensitization, Category 1 Carcinogenicity Category 2 Specific target organ toxicity (repeated exposure) Category 2 2.2. GHS Label elements, including precaution GHS US labeling Hazard pictograms (GHS US) : Wa Signal word (GHS US) : Wa Hazard statements (GHS US) : Con Category 2: Con Signal word (GHS US) : Con Category 2: Con Signal word (GHS US) : Con Category 2: Con Signal word (GHS US) : Con Category 2: Con Categor	N 13010 Combustible liquid Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction
2.1. Classification of the substance or mixture GHS US classification Flammable liquids Category 4 Skin corrosion/inflation Category 2 Serious eye damage/eye inflation Category 2 Skin sensitization, Category 1 Carcinogenicity Category 2 Specific target organ toxicity (repeated exposure) Category 2 2.2. GHS Labol elements, including procautionary statements GHS US labeling Hazard pictograms (GHS US) Hazard statements (GHS US) Eigen 2 2.1 Consult (GHS US) Hazard statements (GHS US) Ferecautionary statements (GHS US) 2.2 Consult (GHS US) Hazard statements (GHS US) 2.3 Consult (GHS US) Hazard statements (GHS US) 2.4 Consult (GHS US) Ferecautionary statements (GHS US) 2. Combustible liquid Causes skin irritation Causes skin irritation Causes skin irritation Causes skin use consult is secial instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and ounderstood. Keep away from heat, hot surfaces, sparks, open flames and ounderstood. Keep away from heat, hot surfaces, sparks, open flames and ounderstood. Keep away from heat, hot surfaces, sparks, open flames and ounderstood. Keep away from heat, hot surfaces, sparks, open flames, and ounderstood. Kee	2.1. Classification of the substance or mixture GHS US classification Flammable liquids Category 4 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Skin sensitization, Category 1 Carcinogenicity Category 2 Specific target organ toxicity (repeated exposure) Category 2 2.2. GHS Label elements, including precaution GHS US labeling Hazard pictograms (GHS US) : Value Signal word (GHS US) : Wa Hazard statements (GHS US) :	Causes skin irr ⁱ tation Causes serious eye irritation May cause an allergic skin reaction
GHS US classification Flammable liquids Category 4 Combustible liquid Skin corrosion/irritation Category 2 Combustible liquid Causes skin irritation Skin corrosion/irritation Category 1 Causes skin irritation Causes skin irritation Scarcinogenicity (Category 2 Suspected of causing cancer May cause an allergic skin reaction Specific target organ toxicity (repeated exposure) Category 2 Category 2 2.2. CHS Label elements, including procautionary statements CHSUS fabeling Event Statements Hazard pictograms (GHS US) : Varing Signal word (GHS US) : Warning Precautionary statements (GHS US) : Combustible liquid Causes skin irritation May cause skin irritation May cause skin irritation Causes skin irritation May cause skin irritation May cause skin irritation Causes skin irritation May cause skin irritation May cause damage to organs through prolonged or repeated exposure May cause skin irritation Signal word (GHS US) : Warning Precautionary statements (GHS US) : Obtain special instructions before use. Do not handle until al	GHS US classification Flammable liquids Category 4 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Skin sensitization, Category 1 Carcinogenicity Category 2 Specific target organ toxicity (repeated exposure) Category 2 2.2. GHS Label elements, including precaution GHS US labeling Hazard pictograms (GHS US) : Value Signal word (GHS US) : Wataard statements (GHS US) :	Causes skin irr ⁱ tation Causes serious eye irritation May cause an allergic skin reaction
Flammable liquids Category 4 Skin corrosion/irritation Category 2 Skin services explores explosible liquid Causes skin irritation Causes scin intration Suspected of causing cancer May cause damage to organs through prolonged or repeated exposure Category 2 22. GHS Label elements, including procautionary statements GHS US labeling Hazard pictograms (GHS US) Flazard pictograms (GHS US) Signal word (GHS US) Flazard statements (GHS US) F	Flammable liquids Category 4 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Skin sensitization, Category 1 Carcinogenicity Category 2 Specific target organ toxicity (repeated exposure) Category 2 2.2. GHS Label elements, including precaution GHS US labeling Hazard pictograms (GHS US) : Value : Signal word (GHS US) : Wa Hazard statements (GHS US) : Category 2	Causes skin irr ⁱ tation Causes serious eye irritation May cause an allergic skin reaction
Skin corosion/irritation Čafegory 2 Serious eye damage/eye irritation Category 2A Skin sensitization, Category 1 Carcinogenicity Category 2 Specific target organ toxicity (repeated exposure) Category 2 2 2.2. GHS Label elements, including precautionary statements GHS US labeling Hazard pictograms (GHS US) Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US) Corosing a serious eye irritation May cause an allergic skin reaction Causes skin irritation May cause an allergic skin reaction Causes skin irritation May cause an allergic skin reaction Causes skin irritation Causes skin irritation Causes serious eye irritation Suspected of causing cancer May cause damage to organs through prolonged or repeated exposure Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not breathing dust/fume/gas/mist/vapors/spray. Avoid breathing dust/fume/gas/mist/vapors/spray. If exposed or concerned: Get medical advive/attention. Get medical	Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Skin sensitization, Category 1 Carcinogenicity Category 2 Specific target organ toxicity (repeated exposure) Category 2 2.2. GHS Label elements, including precaution GHS US labeling Hazard pictograms (GHS US) : Signal word (GHS US) : Wa Hazard statements (GHS US) : Coi Cai Ma	Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction
GHS US labeling Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US) Hazard statements (GHS US) Combustible liquid Causes skin irritation May cause an allergic skin reaction Causes serious eye irritation Suspected of causing cancer May cause damage to organs through prolonged or repeated exposure Precautionary statements (GHS US) Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid breathing dust/fume/gas/mist/vapors/spray. Mash hands, forearms and face thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection. If on skin: Wash with plenty of water. If FIN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if prese and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Get medical advice/attention if you feel unvell.	GHS US labeling Hazard pictograms (GHS US) : Signal word (GHS US) : Wa Hazard statements (GHS US) : Coi Cai Ma	May cause damage to organs through prolonged or repeated exposure
 Hazard pictograms (GHS US) : Warning : Warning : Combustible liquid Causes skin irritation May cause an allergic skin reaction Causes serious eye irritation Suspected of causing cancer May cause damage to organs through prolonged or repeated exposure Precautionary statements (GHS US) : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands, forearms and face thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If on skin: Wash with plenty of water. If NIE YES: Rinse cautiously with water for several minutes. Remove contact lenses, if prese and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Get medical advice/attention if you feel unvell. 	Hazard pictograms (GHS US) : Signal word (GHS US) : Wa Hazard statements (GHS US) : Co Ca Ma	ary statements
Signal word (GHS US) : Warning Hazard statements (GHS US) : Combustible liquid Causes skin irritation May cause an allergic skin reaction Causes serious eye irritation Suspected of causing cancer May cause damage to organs through prolonged or repeated exposure Precautionary statements (GHS US) : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands, forearms and face thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection. If on skin: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if prese and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Get medical advice/attention if you feel unwell.	Signal word (GHS US) : Wa Hazard statements (GHS US) : Co Ca Ma	
Hazard statements (GHS US) : Combustible liquid Causes skin irritation May cause an allergic skin reaction Causes serious eye irritation Suspected of causing cancer May cause damage to organs through prolonged or repeated exposure Precautionary statements (GHS US) : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands, forearms and face thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If on skin: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if prese and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Get medical advice/attention if you feel unwell.	Hazard statements (GHS US) : Co Ca Ma	GHS07 GHS08
Causes skin irritation May cause an allergic skin reaction Causes serious eye irritation Suspected of causing cancer May cause damage to organs through prolonged or repeated exposure Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands, forearms and face thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If on skin: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if prese and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Get medical advice/attention if you feel unwell.	Ca Ma	rning
 Precautionary statements (GHS US) Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands, forearms and face thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If on skin: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if prese and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Get medical advice/attention if you feel unwell. 		uses skin irritation y cause an allergic skin reaction uses serious eye irritation spected of causing cancer
	Do Kea sm Do Ava Wa Co We If o If I If I ge Ge	not handle until all safety precautions have been read and understood. ep away from heat, hot surfaces, sparks, open flames and other ignition sources. No oking. not breathe dust/fume/gas/mist/vapors/spray. bid breathing dust/fume/gas/mist/vapors/spray. sh hands, forearms and face thoroughly after handling. ntaminated work clothing must not be allowed out of the workplace. ar protective gloves/protective clothing/eye protection/face protection. n skin: Wash with plenty of water. N EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present d easy to do. Continue rinsing. xposed or concerned: Get medical advice/attention. t medical advice/attention if you feel unwell.
	•	ecific treatment (see supplemental first aid instruction on this label).

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	If skin irritation occurs: Get media If skin irritation or rash occurs: G If eye irritation persists: Get med Take off contaminated clothing before In case of fire: Use media other t Store in a well-ventilated place. If Store locked up. Dispose of contents/container to with local, regional, national and/	et medical advice/a ical advice/attentio nd wash it before r ore reuse. han water to exting keep cool. hazardous or spec	attention. n. reuse. guish. cial waste collection point, in accordance
2.3. Other hazards which do not re	esult in classification		
lo additional information available			
2.4. Unknown acute toxicity (GHS	US)		
ot applicable			
SECTION 3: Composition/Inforr	nation on ingredients		
.1. Substances			
ot applicable			
.2. Mixtures			
Name	Product identifier	%	GHS US classification
LINALOOL	(CAS-No.) 78-70-6	10 – 25	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317
CARVONE	(CAS-No.) 6485-40-1	1 – 5	Flam. Liq. 4, H227 Skin Sens. 1B, H317
PHENYLETHYL ALCOHOL	(CAS-No.) 60-12-8	1 – 5	Acute Tox. 4 (Oral), H302 Eye Irrit. 2A, H319
EUGENOL	(CAS-No.) 97-53-0	1 – 5	Eye Irrit. 2A, H319 Skin Sens. 1B, H317
METHYL GAMMA-IONONE	(CAS-No.) 127-51-5	1 – 5	Skin Sens. 1B, H317 STOT RE 2, H373
2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde	(CAS-No.) 27939-60-2	1 – 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317
ESTRAGOLE	(CAS-No.) 140-67-0	0.1 – 1	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 Muta. 2, H341 Carc. 2, H351 STOT SE 3, H335
2 Mothyl 4 phonylpoptopol	(CAC No.) 02595 24 5	01 1	Skin Sono 1 U217

2-Methyl-4-phenylpentanol

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.
4.2. Most important symptoms and effect	ts (acute and delayed)
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: None under normal conditions.

0.1 – 1

Skin Sens. 1, H317

(CAS-No.) 92585-24-5

OFOTION A. Fine

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.3. Immediate medical attention and special treatment, if necessary			
Treat symptomatically.			
SECTION 5: Fire-fighting measures			
5.1. Suitable (and unsuitable) extinguishin			
Suitable extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide.		
Unsuitable extinguishing media	Do not use a heavy water stream.		
5.2. Specific hazards arising from the cher	nical		
Fire hazard :	Combustible liquid.		
Explosion hazard :	No direct explosion hazard.		
Reactivity	The product is non-reactive under normal conditions of use, storage and transport.		
5.3. Special protective equipment and pre-	cautions for fire-fighters		
Firefighting instructions	Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.		
Protection during firefighting	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.		
SECTION 6: Accidental release measu	ires		
6.1. Personal precautions, protective equi			
General measures	Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.		
6.1.1. For non-emergency personnel			
0 71	Wear recommended personal protective equipment.		
Emergency procedures	Ventilate spillage area. No open flames, no sparks, and no smoking. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.		
6.1.2 Ear amarganov reasondare			
6.1.2. For emergency responders Protective equipment :	Do not attempt to take action without suitable protective equipment. For further information		
	refer to section 8: "Exposure controls/personal protection".		
Emergency procedures :	Evacuate unnecessary personnel. Stop leak if safe to do so.		
6.2. Environmental precautions			
Avoid release to the environment.			
6.3. Methods and material for containment	t and cleaning up		
For containment :	Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk.		
Methods for cleaning up	Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.		
Other information :	Dispose of materials or solid residues at an authorized site.		
6.4. Reference to other sections			
For further information refer to section 13.			
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
U	Not expected to present a significant hazard under anticipated conditions of normal use.		
Precautions for safe handling	Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.		
Hygiene measures :	Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, including	7.2. Conditions for safe storage, including any incompatibilities		
	Keep in a cool, well-ventilated place away from heat.		
-	Store in a well-ventilated place. Keep cool. Store locked up.		
Packaging materials	Store always product in container of same material as original container.		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 8: Exposure controls/personal protection 8.1. **Control parameters OIL, FIELDS OF GREENS NDV*** No additional information available **METHYL GAMMA-IONONE (127-51-5)** No additional information available 2-Methyl-4-phenylpentanol (92585-24-5) No additional information available **ESTRAGOLE (140-67-0)** No additional information available EUGENOL (97-53-0) No additional information available CARVONE (6485-40-1) No additional information available PHENYLETHYL ALCOHOL (60-12-8) No additional information available LINALOOL (78-70-6) No additional information available 2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde (27939-60-2) No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls Environmental exposure controls : Ensure good ventilation of the work station.: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment



SECTION 9: Physical and chemical properties			
9.1.	Information on basic physical and chemical properties		
Physical	state	: Liquid	
Color		: AMBER TO ORANGE	
Odor		: CHARACTERISTIC, MATCHING RETAINER SAMPLE	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6	
Odor threshold	: No data available
pH	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 92 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: 0.9357 (0.9257 – 0.9457)
Solubility	: Insoluble.
Partition coefficient n-octanol/water (Log Pow)) : No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	

Refractive index

: 1.46145 (1.45145 - 1.47145)

SECTIO	ON 10: Stability and reactivity		
10.1.	Reactivity		
The prod	uct is non-reactive under normal conditi	ons of use, storage and transport.	
10.2.	Chemical stability		
Stable ur	nder normal conditions.		
10.3.	Possibility of hazardous reactions		
No dange	erous reactions known under normal co	nditions of use.	
10.4.	Conditions to avoid		
Avoid coi	ntact with hot surfaces. Heat. No flames	, no sparks. Eliminate all sources of ignition.	
10.5.	Incompatible materials		
No additi	onal information available		
10.6.	.6. Hazardous decomposition products		
Under no	rmal conditions of storage and use, haz	ardous decomposition products should not be produced.	
SECTIO	ON 11: Toxicological informat	ion	
11.1.	Information on toxicological effects		
Acute tox	ticity (oral)	: Not classified	
Acute tox	ticity (dermal)	: Not classified	
Acute tox	ticity (inhalation)	: Not classified	
METHY	L GAMMA-IONONE (127-51-5)		
LD50 o	ral rat	> 2000 mg/kg body weight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423	

	(Acute Oral toxicity - Acute Toxic Class Method), Remarks on results: other:	
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:	
ESTRAGOLE (140-67-0)		
LD50 oral rat	1820 mg/kg (Rat, Oral)	
ATE US (oral)	1230 mg/kg body weight	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

CARVONE (6485-40-1)		
ATE US (oral)	2500 mg/kg body weight	
ATE US (dermal)	3800 mg/kg body weight	
PHENYLETHYL ALCOHOL (60-12-8)		
LD50 oral rat	1603 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimenta value, Oral, 14 day(s))	
LD50 dermal rabbit	2535 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s))	
LC50 Inhalation - Rat	> 4.63 mg/l (4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s))	
ATE US (oral)	500 mg/kg body weight	
LINALOOL (78-70-6)		
ATE US (oral)	2790 mg/kg body weight	
2,4-Dimethyl-3-cyclohexen-1-carboxa	aldehyde (27939-60-2)	
LD50 oral rat	3900 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2900 - 5100	
LD50 dermal rabbit	> 5000 mg/kg body weight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
ATE US (oral)	3900 mg/kg body weight	
Skin corrosion/irritation	: Causes skin irritation.	
	. Gauses skin initiation.	
	: Causes skin mation. : Causes serious eye irritation.	
Serious eye damage/irritation		
Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity	: Causes serious eye irritation.	

EUGENOL (97-53-0)	
IARC group	3 - Not classifiable
Reproductive toxicity	Not classified

STOT-single exposure :	Not classified
ESTRAGOLE (140-67-0)	
STOT-single exposure	May cause respiratory irritation.
·	
STOT-repeated exposure :	May cause damage to organs through prolonged or repeated exposure.
STOT-repeated exposure :	May cause damage to organs through prolonged or repeated exposure.

METHYL GAMMA-IONONE (127-51-5)	
NOAEL (oral,rat,90 days)	30 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408
	(Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (dermal,rat/rabbit,90 days)	50 mg/kg body weight Animal: rat, Guideline: other:, Remarks on results: other:
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard Viscosity, kinematic	Not classifiedNo data available
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: None under normal conditions.

SECTION 12: Ecological information	1
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

METHYL GAMMA-IONONE (127-51-5)	
LC50 - Fish [1]	10.9 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	9 mg/l Test organisms (species): Daphnia magna

PHENYLETHYL ALCOHOL (60-12-8)		
LC50 - Fish [1]	215 – 464 mg/l (DIN 38412: German standard methods for the examination of water, waste water and sludge, 96 h, Leuciscus idus, Static system, Fresh water, Experimental value, Nominal concentration)	
EC50 - Crustacea [1]	287.17 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)	
ErC50 algae	1300 mg/l (DIN 38412: German standard methods for the examination of water, waste water and sludge, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)	
2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde (27939-60-2)		
LC50 - Fish [1]	15 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oryzias latipes, Semi-static system, Fresh water, Experimental value, GLP)	
EC50 - Crustacea [1]	7.74 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi- static system, Fresh water, Experimental value, GLP)	

12.2. Persistence and degradability

ErC50 algae

Persistence and degradability Biodegradability in soil: no data available.	
Biodegradable in the soil. Readily biodegradable in water.	
1.45 g O ₂ /g substance	
2.5 g O ₂ /g substance	
2.6 g O ₂ /g substance	

22.8 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)

2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde	(27939-60-2)
Persistence and degradability	Not readily biodegradable in water.

12.3. **Bioaccumulative potential**

ESTRAGOLE (140-67-0)		
Bioaccumulative potential No bioaccumulation data available.		
PHENYLETHYL ALCOHOL (60-12-8)		
Partition coefficient n-octanol/water (Log Pow)	1.3 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 20 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde (27939-60-2)		
BCF - Other aquatic organisms [1]	86.1 l/kg (Calculated value)	
Partition coefficient n-octanol/water (Log Pow)	3.1 (Experimental value, Equivalent or similar to OECD 117, 25 °C)	
Bioaccumulative potential	oaccumulative potential Low potential for bioaccumulation (Log Kow < 4).	

12.4. Mobility in soil

PHENYLETHYL ALCOHOL (60-12-8)		
Surface tension	59.7 mN/m (20 °C, 1 g/l, OECD 115: Surface Tension of Aqueous Solutions)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.5 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)	
Ecology - soil	Highly mobile in soil.	
2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde (27939-60-2)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.2 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)	
07/15/2024	EN (English US) 7/10	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde (27939-60-2)	
Ecology - soil	Low potential for adsorption in soil.

12.5. Other adverse effects No additional information available

SECTION 13: Disposal consideration	
13.1. Disposal methods	
Regional waste regulation Waste treatment methods Sewage disposal recommendations Product/Packaging disposal recommendations Additional information	 Disposal must be done according to official regulations. Dispose of contents/container in accordance with licensed collector's sorting instructions. Disposal must be done according to official regulations. Disposal must be done according to official regulations. Do not re-use empty containers.
SECTION 14: Transport information	
Department of Transportation (DOT) In accordance with DOT Transport document description (DOT) UN-No.(DOT)	: UN1266 Perfumery products (Regulated for Bulk only), Comb Liq, III : UN1266
Proper Shipping Name (DOT)	: Perfumery products
Class (DOT) Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Special Provisions (49 CFR 172.102)	 (Regulated for Bulk only) Comb Liq - Combustible liquid III - Minor Danger 203 242 B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T2 - 1.5 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Emergency Response Guide (ERG) Number	: 127

Transportation of Dangerous Goods

Not regulated

μ

Transport by sea

Not regulated

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Air transport

Not regulated

SECTION 15: Regulatory information

15.1. US Federal regulations

2-Methyl-4-phenylpentanol (92585-24-5)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

METHYL GAMMA-IONONE (127-51-5)
Listed on the Canadian DSL (Domestic Substances List)
2-Methyl-4-phenylpentanol (92585-24-5)
Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)
ESTRAGOLE (140-67-0)
Listed on the Canadian DSL (Domestic Substances List)
EUGENOL (97-53-0)
Listed on the Canadian DSL (Domestic Substances List)
CARVONE (6485-40-1)
Listed on the Canadian DSL (Domestic Substances List)
PHENYLETHYL ALCOHOL (60-12-8)
Listed on the Canadian DSL (Domestic Substances List)
LINALOOL (78-70-6)
Listed on the Canadian DSL (Domestic Substances List)
2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde (27939-60-2)
Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

METHYL GAMMA-IONONE (127-51-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

ESTRAGOLE (140-67-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

EUGENOL (97-53-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

CARVONE (6485-40-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

PHENYLETHYL ALCOHOL (60-12-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

LINALOOL (78-70-6)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)	
2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde (27939-60-2)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)	

15.3. US State regulations

F

This product can expose you to methyl eugenol, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

WARNING: This product can expose you to beta-myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

This product can expose you to estragole, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information

11007		
H227	Combustible liquid	
H302	Harmful if swallowed	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	
H335	May cause respiratory irritation	
H341	Suspected of causing genetic defects	
H351	Suspected of causing cancer	
H373	May cause damage to organs through prolonged or repeated exposure	

SDS US (GHS HazCom 2012) - Lebermuth

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.