

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 07/15/2024 Version: 1.0

SECTION 1: Identification		
1.1. Identification		
Product form	: Mixture	
Product name	: OIL, SUMMIT GROVE AN*	
CAS-No.	: N/A	
Product code	: 11-0000-20	
1.2. Recommended use and restrictions	s on use	
1.3. Supplier		
The Lebermuth Company 4004 Technology Drive South Bend, IN 46628 - United States T 574-259-7000 - F 574-258-7450 info@lebermuth.com - www.lebermuth.com		
1.4. Emergency telephone number		
Emergency number	: CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 CCN 13010	
SECTION 2: Hazard(s) identification		
2.1. Classification of the substance or r	nixture	
GHS US classification		
Flammable liquids Category 4Combustible liquidSerious eye damage/eye irritation Category 2Causes serious eye irritationSkin sensitization, Category 1May cause an allergic skin reactionSpecific target organ toxicity (single exposure) Category 2May cause damage to organsSpecific target organ toxicity (repeated exposure)Causes damage to organs through prolonged or repeated exposureCategory 1Combustible liquid		
2.2. GHS Label elements, including pre	cautionary statements	
GHS US labeling		
Hazard pictograms (GHS US)	GHS07 GHS08	
Signal word (GHS US)	: Danger	
Hazard statements (GHS US)	 Combustible liquid May cause an allergic skin reaction Causes serious eye irritation May cause damage to organs Causes damage to organs through prolonged or repeated exposure 	
Precautionary statements (GHS US)	 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If on skin: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Call a poison center or doctor. Get medical advice/attention if you feel unwell. Specific treatment (see supplemental first aid instruction on this label). If skin irritation or rash occurs: Get medical advice/attention. 	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	If eye irritation persists: Get med Wash contaminated clothing befor In case of fire: Use media other t Store in a well-ventilated place. H Store locked up. Dispose of contents/container to with local, regional, national and/	ore reuse. han water to extin ƙeep cool. hazardous or spe	guish. cial waste collection point, in accordance
.3. Other hazards which do not	result in classification		
o additional information available			
.4. Unknown acute toxicity (GH	S US)		
lot applicable			
SECTION 3: Composition/Info	rmation on ingredients		
.1. Substances			
lot applicable .2. Mixtures			
	Duo duoti de utiliou	0/	
Name LINALYL ACETATE	Product identifier (CAS-No.) 115-95-7	%	GHS US classification Flam. Lig. 4, H227
	(04040.) 110-30-7	1-3	Skin Irrit. 2, H315 Eye Irrit. 2B, H320 Skin Sens. 1B, H317
BETA-PINENE	(CAS-No.) 127-91-3	1 – 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
EUGENOL	(CAS-No.) 97-53-0	1 – 5	Eye Irrit. 2A, H319 Skin Sens. 1B, H317
DELTA-3-CARENE	(CAS-No.) 13466-78-9	1 – 5	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
ALPHA-PINENE	(CAS-No.) 80-56-8	1 – 5	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
CAMPHOR	(CAS-No.) 464-49-3	1 – 5	Flam. Sol. 2, H228 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 2, H371 STOT RE 1, H372
CINNAMALDEHYDE	(CAS-No.) 104-55-2	0.1 – 1	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1A, H317

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.
4.2. Most important symptoms and effect	s (acute and delayed)
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material expected to be an inhalation hazard.
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
07/15/2024	EN (English US) 2/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

: None under normal conditions. Symptoms/effects after ingestion Immediate medical attention and special treatment, if necessary 4.3. Treat symptomatically. SECTION 5: Fire-fighting measures Suitable (and unsuitable) extinguishing media 5.1. Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide. Unsuitable extinguishing media : Do not use a heavy water stream. 52 Specific hazards arising from the chemical Fire hazard : Combustible liquid. Explosion hazard : No direct explosion hazard. Reactivity : The product is non-reactive under normal conditions of use, storage and transport. 5.3. Special protective equipment and precautions for fire-fighters **Firefighting instructions** : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. Protection during firefighting Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. SECTION 6: Accidental release measures Personal precautions, protective equipment and emergency procedures 61 General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage. For non-emergency personnel 6.1.1. Protective equipment : Wear recommended personal protective equipment. Ventilate spillage area. No open flames, no sparks, and no smoking. Do not breathe Emergency procedures dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. 6.1.2. For emergency responders Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so. 62 **Environmental precautions** Avoid release to the environment. 6.3. Methods and material for containment and cleaning up For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk. Methods for cleaning up Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. Other information Dispose of materials or solid residues at an authorized site. **Reference to other sections** 6.4. For further information refer to section 13. SECTION 7: Handling and storage Precautions for safe handling 7.1. Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, inc	Conditions for safe storage, including any incompatibilities		
Technical measures	: Keep in a cool, well-ventilated place away from heat.		
Storage conditions	: Store in a well-ventilated place. Keep cool. Store locked up.		
Packaging materials	: Store always product in container of same material as original container.		

Hygiene measures

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 8: Exposure controls/personal protection 8.1. **Control parameters** OIL, SUMMIT GROVE AN* (N/A) No additional information available **BETA-PINENE (127-91-3)** No additional information available DELTA-3-CARENE (13466-78-9) No additional information available ALPHA-PINENE (80-56-8) No additional information available LINALYL ACETATE (115-95-7) No additional information available EUGENOL (97-53-0) No additional information available **CINNAMALDEHYDE (104-55-2)** No additional information available CAMPHOR (464-49-3) **USA - ACGIH - Occupational Exposure Limits** ACGIH OEL TWA 2 ppm (Camphor, synthetic; USA; Time-weighted average exposure limit 8 h; TLV -Adopted Value) ACGIH OEL STEL 3 ppm (Camphor, synthetic; USA; Short time value; TLV - Adopted Value)

8.2. Appropriate engineering controls

Appropriate engineering controls Environmental exposure controls : Ensure good ventilation of the work station.: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment



SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Color	: COLORLESS TO PALE YELLOW	
Odor	: CHARACTERISTIC, MATCHING RETAINER SAMPLE	
07/15/2024	EN (English US)	4/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Odor threshold	: No data available
рН	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 77 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: 0.945 (0.935 – 0.955)
Solubility	: Insoluble.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	

9.2.	Other information		
Refract	tive index	: 1.457 (1.447 – 1.467)	
SECT	TION 10: Stability and r	eactivity	
10.1.	Reactivity		
The pro	The product is non-reactive under normal conditions of use, storage and transport.		
10.2.	Chemical stability		
Stable	under normal conditions.		
10.3.	Possibility of hazardous	reactions	
No dangerous reactions known under normal conditions of use.			
10.4.	Conditions to avoid		
Avoid o	contact with hot surfaces. Heat	. No flames, no sparks. Eliminate all sources of ignition.	
10.5.	0.5. Incompatible materials		
No add	litional information available		
10.6.	0.6. Hazardous decomposition products		
Under	normal conditions of storage a	nd use, hazardous decomposition products should not be produced.	
SECT	ION 11: Toxicological	information	
11.1.	Information on toxicologi	cal effects	
Acute t	oxicity (oral)	: Not classified	
Acute t	oxicity (dermal)	: Not classified	
Acute t	oxicity (inhalation)	: Not classified	
BETA	A-PINENE (127-91-3)		
LD50	oral rat	4700 mg/kg (Rat, Oral)	
ATE U	US (oral)	4700 mg/kg body weight	

ATE US (oral)	4700 mg/kg body weight
DELTA-3-CARENE (13466-78-9)	
ATE US (oral)	4800 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ALPHA-PINENE (80-56-8)	
LD50 oral rat	> 500 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 01 day(s))
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Skin, 14 day(s))
ATE US (oral)	500 mg/kg body weight
CINNAMALDEHYDE (104-55-2) LD50 oral rat	2220 mg/kg (Rat, Oral)
LD50 dermal rabbit	1260 ml/kg (24 h, Rabbit, Male / female, Experimental value, Dermal)
LC50 Inhalation - Rat	68.88 mg/l (4 h, Rat, Male / female, QSAR, Inhalation)
ATE US (oral)	2200 mg/kg body weight
ATE US (dermal)	1100 mg/kg body weight
ATE US (vapors)	68.88 mg/l/4h
ATE US (dust, mist)	68.88 mg/l/4h
CAMPHOR (464-49-3)	
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal
	Toxicity)
LC50 Inhalation - Rat	0.5 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
ATE US (oral)	1500 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
EUGENOL (97-53-0)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause damage to organs.
CAMPHOR (464-49-3)	
STOT-single exposure	May cause damage to organs.
<u> </u>	
STOT-repeated exposure	: Causes damage to organs through prolonged or repeated exposure.
CAMPHOR (464-49-3)	
NOAEL (oral,rat,90 days)	3.2 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (dermal,rat/rabbit,90 days)	250 mg/kg body weight Animal: rat, Guideline: other:
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material
Symptoms/offacts after akin contact	expected to be an inhalation hazard.
Symptoms/effects after skin contact	: May cause an allergic skin reaction.

- : Eye irritation.
- Symptoms/effects after ingestion : None under normal conditions.

Symptoms/effects after eye contact

Safety Data Sheet

07/15/2024

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
BETA-PINENE (127-91-3)	
LC50 - Fish [1]	0.557 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio, Semi-static system, Fresh water, Weight of evidence, Other isomer)
ErC50 algae	0.826 mg/l (OECD 201: Alga, Growth Inhibition Test, 48 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Weight of evidence, Other isomer)
ALPHA-PINENE (80-56-8)	
LC50 - Fish [1]	0.303 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	0.475 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi- static system, Fresh water, Experimental value, Locomotor effect)
CINNAMALDEHYDE (104-55-2)	
LC50 - Fish [1]	4.15 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	3.21 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
CAMPHOR (464-49-3)	
LC50 - Fish [1]	33.25 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	4.23 mg/l Test organisms (species): Daphnia magna
12.2. Persistence and degradability	
BETA-PINENE (127-91-3) Persistence and degradability	Readily biodegradable in water.
. ,	
ALPHA-PINENE (80-56-8)	
Persistence and degradability	Readily biodegradable in water.
CINNAMALDEHYDE (104-55-2)	
Persistence and degradability	Readily biodegradable in water.
CAMPHOR (464-49-3)	
Persistence and degradability	Readily biodegradable in water.
ThOD	2.8 g O ₂ /g substance
12.3. Bioaccumulative potential	
BETA-PINENE (127-91-3)	
BCF - Fish [1]	1125 l/kg (BCFBAF v3.01, Pisces, Fresh water, QSAR, Other isomer)
Partition coefficient n-octanol/water (Log Pow)	4.425 (Similar product, Read-across, Equivalent or similar to OECD 107, 25 °C)
Bioaccumulative potential	Potential for bioaccumulation ($4 \le Log Kow \le 5$).
ALPHA-PINENE (80-56-8) BCF - Other aquatic organisms [1]	1233.1 – 1248 l/kg (BCFBAF v3.01, Read-across, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	4.487 (Experimental value, Equivalent or similar to OECD 107, 25 °C)
Bioaccumulative potential	Potential for bioaccumulation ($500 \le BCF \le 5000$).
•	
CINNAMALDEHYDE (104-55-2)	
Partition coefficient n-octanol/water (Log Pow)	2.107 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
CAMPHOR (464-49-3)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
12.4. Mobility in soil	
BETA-PINENE (127-91-3)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.009 – 3.836 (log Koc, Calculated value, Other isomer)
07/15/2024	EN (English LIS) 7/1

EN (English US)

7/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

BETA-PINENE (127-91-3)		
Ecology - soil	Low potential for mobility in soil.	
ALPHA-PINENE (80-56-8)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.009 – 3.853 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Ecology - soil	Low potential for mobility in soil. May be harmful to plant growth, blooming and fruit formation.	
CINNAMALDEHYDE (104-55-2)		
Surface tension	45.3 mN/m (20 °C, Experimental value)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.958 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)	
Ecology - soil	Highly mobile in soil.	

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations		
13.1. Disposal methods		
Regional waste regulation	: Disposal must be done according to official regulations.	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.	
Sewage disposal recommendations	: Disposal must be done according to official regulations.	
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.	
Additional information	: Do not re-use empty containers.	
SECTION 14: Transport information		
Department of Transportation (DOT)		
In accordance with DOT		
Transport document description (DOT)	: UN1266 Perfumery products (Regulated for Bulk only), Comb Liq, III	
UN-No.(DOT)	: UN1266	
Proper Shipping Name (DOT)	: Perfumery products	
	(Regulated for Bulk only)	
Class (DOT)	: Comb Liq - Combustible liquid	
Packing group (DOT)	: III - Minor Danger	
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203	
DOT Packaging Bulk (49 CFR 173.xxx)	: 242	
DOT Special Provisions (49 CFR 172.102)	 B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T2 - 1.5 178.274(d)(2) Normal	
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150	
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L	
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L	
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.	
Emergency Response Guide (ERG) Number	: 127	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other information

: No supplementary information available.

Transportation of Dangerous Goods

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

SECTION 15: Regulatory information

15.1. US Federal regulations

CINNAMALDEHYDE (104-55-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

CAMPHOR (464-49-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

BETA-PINENE (127-91-3)
Listed on the Canadian DSL (Domestic Substances List)
DELTA-3-CARENE (13466-78-9)
Listed on the Canadian DSL (Domestic Substances List)
ALPHA-PINENE (80-56-8)
Listed on the Canadian DSL (Domestic Substances List)
LINALYL ACETATE (115-95-7)
Listed on the Canadian DSL (Domestic Substances List)
EUGENOL (97-53-0)
Listed on the Canadian DSL (Domestic Substances List)
CINNAMALDEHYDE (104-55-2)
Listed on the Canadian DSL (Domestic Substances List)
CAMPHOR (464-49-3)
Listed on the Canadian DSL (Domestic Substances List)
EU-Regulations

No additional information available

National regulations

BETA-PINENE (127-91-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

DELTA-3-CARENE (13466-78-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ALPHA-PINENE (80-56-8)
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)
LINALYL ACETATE (115-95-7)
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)
EUGENOL (97-53-0)
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)
15.3. US State regulations
This product can expose you to methyl eugenol, which is known to the State of California to cause cancer. For more

WARNING:

information go to www.P65Warnings.ca.gov.

This product can expose you to beta-myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Component	State or local regulations
ALPHA-PINENE(80-56-8)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

H226	Flammable liquid and vapor
H227	Combustible liquid
H228	Flammable solid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H320	Causes eye irritation
H332	Harmful if inhaled
H371	May cause damage to organs
H372	Causes damage to organs through prolonged or repeated exposure

SDS US (GHS HazCom 2012) - Lebermuth

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.