

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 07/16/2024 Version: 1.0

| SECTION 1: Identification | |
|--|---|
| | |
| 1.1. Identification Product form | : Mixture |
| Product form Product name | : MIXTURE : OIL, SWEET NECTAR RADIANCE* |
| CAS-No. | : N/A |
| | |
| Product code | : 11-0000-27 |
| 1.2. Recommended use and restrictions | on use |
| 1.3. Supplier | |
| The Lebermuth Company 4004 Technology Drive South Bend, IN 46628 - United States T 574-259-7000 - F 574-258-7450 info@lebermuth.com - www.lebermuth.com | |
| 1.4. Emergency telephone number | |
| Emergency number | : CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 CCN 13010 |
| SECTION 2: Hazard(s) identification | |
| 2.1. Classification of the substance or m | lixture |
| GHS US classification | |
| Flammable liquids Category 4 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 Skin sensitization, Category 1 Reproductive toxicity Category 2 | Combustible liquid Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction Suspected of damaging fertility or the unborn child |
| 2.2. GHS Label elements, including prec GHS US labeling | autionary statements |
| Hazard pictograms (GHS US) | : GHS07 GHS08 |
| Signal word (GHS US) | : Warning |
| Hazard statements (GHS US) | Combustible liquid Causes skin irritation May cause an allergic skin reaction Causes serious eye irritation Suspected of damaging fertility or the unborn child |
| Precautionary statements (GHS US) | Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands, forearms and face thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If on skin: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. |
| 07/16/2024 | EN (English US) Page 1 |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | Take off contaminated clothing a Wash contaminated clothing before In case of fire: Use media other the Store in a well-ventilated place. If Store locked up. Dispose of contents/container to with local, regional, national and, | ore reuse. han water to exting Keep cool. hazardous or spec | guish. cial waste collection point, in accordance |
|---|--|--|---|
| .3. Other hazards which do not result ir | classification | | |
| lo additional information available | | | |
| .4. Unknown acute toxicity (GHS US) | | | |
| lot applicable | | | |
| SECTION 3: Composition/Informatio | n on ingredients | | |
| .1. Substances | | | |
| lot applicable | | | |
| .2. Mixtures | | | |
| Name | Product identifier | % | GHS US classification |
| LINALOOL | (CAS-No.) 78-70-6 | 10 – 25 | Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317 |
| PHENYLETHYL ALCOHOL | (CAS-No.) 60-12-8 | 5 – 10 | Acute Tox. 4 (Oral), H302 Eye Irrit. 2A, H319 |
| 2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol | (CAS-No.) 63500-71-0 | 5 – 10 | Eye Irrit. 2A, H319 |
| HEXYL SALICYLATE | (CAS-No.) 6259-76-3 | 1 – 5 | Skin Sens. 1B, H317 |
| 2-Methyl-3-(p-isopropylphenyl)propionaldehyde | (CAS-No.) 103-95-7 | 1 – 5 | Skin Irrit. 2, H315 Skin Sens. 1B, H317 |
| 3,7-Dimethyl-1,6-nonadien-3-ol | (CAS-No.) 10339-55-6 | 1 – 5 | Flam. Liq. 4, H227 Eye Irrit. 2A, H319 Skin Sens. 1B, H317 |
| Nerolidol (isomer unspecified) | (CAS-No.) 7212-44-4 | 1 – 5 | Eye Irrit. 2B, H320 |
| AMYL SALICYLATE | (CAS-No.) 2050-08-0 | 1 – 5 | Acute Tox. 4 (Oral), H302 |
| p-tert-Butyldihydrocinnamaldehyde | (CAS-No.) 18127-01-0 | 0.1 – 1 | Skin Irrit. 2, H315 Skin Sens. 1B, H317 Repr. 2, H361 STOT RE 2, H373 |

Full text of hazard classes and H-statements : see section 16

| SECTION 4: First-aid measures | |
|--|--|
| 4.1. Description of first aid measures | |
| First-aid measures general | : IF exposed or concerned: Get medical advice/attention. |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. |
| First-aid measures after skin contact | : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. |
| First-aid measures after eye contact | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| First-aid measures after ingestion | : Call a poison center/doctor/physician if you feel unwell. |
| 4.2. Most important symptoms and effect | s (acute and delayed) |
| Symptoms/effects after inhalation | : Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard. |
| Symptoms/effects after skin contact | : Irritation. May cause an allergic skin reaction. |
| Symptoms/effects after eye contact | : Eye irritation. |
| Symptoms/effects after ingestion | : None under normal conditions. |
| 4.3. Immediate medical attention and spe | cial treatment, if necessary |

Treat symptomatically.

| SECTIO | N 5: Fire-fighting measures | |
|------------|---------------------------------------|--|
| 5.1. | Suitable (and unsuitable) extinguishi | ng media |
| Suitable e | xtinguishing media | : Water spray. Dry powder. Foam. Carbon dioxide. |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| , | |
|--|---|
| Unsuitable extinguishing media | : Do not use a heavy water stream. |
| 5.2. Specific hazards arising from the ch | emical |
| Fire hazard | : Combustible liquid. |
| Explosion hazard | : No direct explosion hazard. |
| Reactivity | : The product is non-reactive under normal conditions of use, storage and transport. |
| 5.3. Special protective equipment and pr | recautions for fire-fighters |
| Firefighting instructions | : Fight fire from safe distance and protected location. Do not enter fire area without proper |
| | protective equipment, including respiratory protection. |
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |
| SECTION 6: Accidental release meas | sures |
| 6.1. Personal precautions, protective eq | uipment and emergency procedures |
| General measures | : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage. |
| 6.1.1. For non-emergency personnel | |
| Protective equipment | : Wear recommended personal protective equipment. |
| Emergency procedures | : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. |
| 6.1.2. For emergency responders | |
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
| Emergency procedures | : Evacuate unnecessary personnel. Stop leak if safe to do so. |
| 6.2. Environmental precautions | |
| Avoid release to the environment. | |
| 6.3. Methods and material for containme | ent and cleaning up |
| For containment | : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk. |
| Methods for cleaning up | : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. |
| Other information | : Dispose of materials or solid residues at an authorized site. |
| 6.4. Reference to other sections | |
| For further information refer to section 13. | |
| SECTION 7: Handling and storage | |
| 7.1. Precautions for safe handling | |
| Additional hazards when processed | : Not expected to present a significant hazard under anticipated conditions of normal use. |
| Precautions for safe handling | : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open |
| r recautoris for sale narialing | flames and other ignition sources. No smoking. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. |
| Hygiene measures | : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. |
| 7.2. Conditions for safe storage, including | ng any incompatibilities |
| Technical measures | : Keep in a cool, well-ventilated place away from heat. |
| Storage conditions | : Store in a well-ventilated place. Keep cool. Store locked up. |
| Packaging materials | : Store always product in container of same material as original container. |
| | |

| SECTION 8: Exposure controls/personal protection | |
|---|--|
| ISECTION 6: EXDOSURE CONTROLS/DERSONAL DROLECTION | |

8.1. Control parameters

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| OIL, SWEET NECTAR RADIANCE* (N/A) |
|--|
| No additional information available |
| PHENYLETHYL ALCOHOL (60-12-8) |
| No additional information available |
| Nerolidol (isomer unspecified) (7212-44-4) |
| No additional information available |
| LINALOOL (78-70-6) |
| No additional information available |
| HEXYL SALICYLATE (6259-76-3) |
| No additional information available |
| 2-IsobutyI-4-methyltetrahydro-2H-pyran-4-ol (63500-71-0) |
| No additional information available |
| 3,7-Dimethyl-1,6-nonadien-3-ol (10339-55-6) |
| No additional information available |
| 2-Methyl-3-(p-isopropylphenyl)propionaldehyde (103-95-7) |
| No additional information available |
| p-tert-Butyldihydrocinnamaldehyde (18127-01-0) |
| No additional information available |
| AMYL SALICYLATE (2050-08-0) |
| No additional information available |

8.2. Appropriate engineering controls

Appropriate engineering controls Environmental exposure controls : Ensure good ventilation of the work station.: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.



SECTION 9: Physical and chemical properties

| 0.4 | | | | the second s | |
|--------|---------------|----------|------------|--|-----------|
| 9.1. I | nformation on | hasic nh | veical and | chomical n | ronortios |
| | | | | | |

| Physical state | : Liquid |
|----------------|--|
| Color | : COLORLESS TO YELLOW |
| Odor | : CHARACTERISTIC, MATCHING RETAINER SAMPLE |
| Odor threshold | : No data available |
| рН | : No data available |
| | |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Melting point | : | Not applicable |
|---|---|-----------------------|
| Freezing point | | No data available |
| Boiling point | : | No data available |
| Flash point | : | 88 °C |
| Relative evaporation rate (butyl acetate=1) | : | No data available |
| Flammability | : | Not applicable. |
| Vapor pressure | : | No data available |
| Relative vapor density at 20°C | : | No data available |
| Relative density | : | 0.944 (0.934 – 0.954) |
| Solubility | : | Insoluble. |
| Partition coefficient n-octanol/water (Log Pow) | | No data available |
| Auto-ignition temperature | | No data available |
| Decomposition temperature | | No data available |
| Viscosity, kinematic | | No data available |
| Viscosity, dynamic | | No data available |
| Explosion limits | | No data available |
| Explosive properties | | No data available |
| Oxidizing properties | : | No data available |
| 9.2. Other information | | |

Refractive index

: 1.468 (1.458 - 1.478)

SECTION 10: Stability and reactivity 10.1. Reactivity The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

| SECTION 11: Toxicological information | | |
|---|--|--|
| 11.1. Information on toxicological effects | | |
| Acute toxicity (oral) | : Not classified | |
| Acute toxicity (dermal) | : Not classified | |
| Acute toxicity (inhalation) | : Not classified | |
| PHENYLETHYL ALCOHOL (60-12-8) | | |
| LD50 oral rat | 1603 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s)) | |
| LD50 dermal rabbit | 2535 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s)) | |
| LC50 Inhalation - Rat | > 4.63 mg/l (4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s)) | |
| ATE US (oral) | 500 mg/kg body weight | |
| LINALOOL (78-70-6) | | |
| ATE US (oral) | 2790 mg/kg body weight | |
| 3,7-Dimethyl-1,6-nonadien-3-ol (10339-55-6) | | |
| LD50 dermal rabbit | > 5000 mg/kg body weight Animal: rabbit, Guideline: other: | |
| | | |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| 3,7-Dimethyl-1,6-nonadien-3-ol (10339-5 | 5-6) | |
|---|--|--|
| LC50 Inhalation - Rat | > 1 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Remarks on results: other: | |
| ATE US (oral) | 5000 mg/kg body weight | |
| 2-Methyl-3-(p-isopropylphenyl)propiona | ldehyde (103-95-7) | |
| LD50 oral rat | 3810 mg/kg (Rat, Male / female, Weight of evidence, Oral, 14 day(s)) | |
| LD50 dermal rat | > 5000 mg/kg (Rat, Male, Experimental value, Dermal, 14 day(s)) | |
| ATE US (oral) | 3810 mg/kg body weight | |
| p-tert-Butyldihydrocinnamaldehyde (18 | 127-01-0) | |
| ATE US (oral) | 2500 mg/kg body weight | |
| AMYL SALICYLATE (2050-08-0) | | |
| LD50 oral rat | ≈ 2000 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity) | |
| LD50 dermal rabbit | > 2000 mg/kg body weight Animal: rabbit, Guideline: EU Method B.3 (Acute Toxicity (Dermal)) | |
| ATE US (oral) | 2000 mg/kg body weight | |
| Skin corrosion/irritation | : Causes skin irritation. | |
| Serious eye damage/irritation | : Causes serious eye irritation. | |
| Respiratory or skin sensitization | : May cause an allergic skin reaction. | |
| Germ cell mutagenicity | : Not classified | |
| Carcinogenicity | : Not classified | |
| Reproductive toxicity | : Suspected of damaging fertility or the unborn child. | |
| STOT-single exposure | : Not classified | |
| STOT-repeated exposure | : Not classified | |

| 3,7-Dimethyl-1,6-nonadien-3-ol (10339- | -55-6) |
|--|--|
| NOAEL (dermal,rat/rabbit,90 days) | 250 mg/kg body weight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) |
| p-tert-Butyldihydrocinnamaldehyde (1 | 8127-01-0) |
| STOT-repeated exposure | May cause damage to organs through prolonged or repeated exposure. |
| Aspiration hazard | : Not classified |
| Viscosity, kinematic | : No data available |
| Symptoms/effects after inhalation | : Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard. |
| Symptoms/effects after skin contact | : Irritation. May cause an allergic skin reaction. |
| Symptoms/effects after eye contact | : Eye irritation. |
| Symptoms/effects after ingestion | : None under normal conditions. |
| SECTION 12: Ecological information | ation |
| 12.1. Toxicity | |
| Ecology - general | : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. |
| PHENYLETHYL ALCOHOL (60-12-8) | |
| LC50 - Fish [1] | 215 – 464 mg/l (DIN 38412: German standard methods for the examination of water, waste |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| PHENYLETHYL ALCOHOL (60-12-8) | |
|-------------------------------|---|
| ErC50 algae | 1300 mg/l (DIN 38412: German standard methods for the examination of water, waste water and sludge, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration) |

| 3,7-Dimethyl-1,6-nonadien-3-ol (10339-55-6) | |
|--|--|
| LC50 - Fish [1] | 24 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) |
| EC50 - Crustacea [1] | 23 mg/l Test organisms (species): Daphnia magna |
| 2-Methyl-3-(p-isopropylphenyl)propionaldehyde (103-95-7) | |
| LC50 - Fish [1] | 1.092 mg/l (96 h, Calculated value) |
| EC50 - Crustacea [1] | 1.4 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi- static system, Fresh water, Experimental value) |
| LC50 - Fish [2] | 2.49 mg/l Test organisms (species): |
| AMYL SALICYLATE (2050-08-0) | |
| LC50 - Fish [1] | 1.34 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) |
| EC50 - Crustacea [1] | 0.88 mg/l Test organisms (species): Daphnia magna |

12.2. Persistence and degradability

| PHENYLETHYL ALCOHOL (60-12-8) | |
|---------------------------------|--|
| Persistence and degradability | Biodegradable in the soil. Readily biodegradable in water. |
| Biochemical oxygen demand (BOD) | 1.45 g O ₂ /g substance |
| Chemical oxygen demand (COD) | 2.5 g O ₂ /g substance |
| ThOD | 2.6 g O ₂ /g substance |

| 2-Methyl-3-(p-isopropylphenyl)propionaldehyde (103-95-7) | |
|--|---------------------------------|
| Persistence and degradability | Readily biodegradable in water. |

12.3. Bioaccumulative potential

| PHENYLETHYL ALCOHOL (60-12-8) | |
|---|---|
| Partition coefficient n-octanol/water (Log Pow) | 1.3 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 20 °C) |
| Bioaccumulative potential | Low potential for bioaccumulation (Log Kow < 4). |

| 2-Methyl-3-(p-isopropylphenyl)propionaldehyde (103-95-7) | |
|--|---|
| BCF - Fish [1] | 155 l/kg (Calculated value) |
| Partition coefficient n-octanol/water (Log Pow) | 3.4 (Practical experience/observation, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 35 °C) |
| Bioaccumulative potential | Low potential for bioaccumulation (BCF < 500). |

12.4. Mobility in soil

| PHENYLETHYL ALCOHOL (60-12-8) | |
|---|--|
| Surface tension | 59.7 mN/m (20 °C, 1 g/l, OECD 115: Surface Tension of Aqueous Solutions) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 1.5 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value) |
| Ecology - soil | Highly mobile in soil. |

| 2-Methyl-3-(p-isopropylphenyl)propionaldehyde (103-95-7) | |
|---|---|
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 3.05 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value) |
| Ecology - soil | Low potential for mobility in soil. |

12.5. Other adverse effects

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| SECTION 13: Disposal consideration | S |
|--|---|
| 13.1. Disposal methods | |
| Regional waste regulation | : Disposal must be done according to official regulations. |
| Waste treatment methods | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| Sewage disposal recommendations | : Disposal must be done according to official regulations. |
| Product/Packaging disposal recommendations | : Disposal must be done according to official regulations. |
| Additional information | : Do not re-use empty containers. |
| SECTION 14: Transport information | |
| | |
| Department of Transportation (DOT) | |
| In accordance with DOT | |
| Transport document description (DOT) | : UN1266 Perfumery products (Regulated for Bulk only), Comb Liq, III |
| UN-No.(DOT) | : UN1266 |
| Proper Shipping Name (DOT) | : Perfumery products |
| | (Regulated for Bulk only) |
| Class (DOT) | : Comb Liq - Combustible liquid |
| Packing group (DOT) | : III - Minor Danger |
| DOT Packaging Non Bulk (49 CFR 173.xxx) | : 203 |
| DOT Packaging Bulk (49 CFR 173.xxx) | : 242 |
| DOT Special Provisions (49 CFR 172.102) | B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T2 - 1.5 178.274(d)(2) Normal |
| DOT Packaging Exceptions (49 CFR 173.xxx) | : 150 |
| DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) | : 60 L |
| DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) | : 220 L |
| DOT Vessel Stowage Location | : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel. |
| Emergency Response Guide (ERG) Number | : 127 |
| Other information | : No supplementary information available. |

Transportation of Dangerous Goods

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

SECTION 15: Regulatory information

15.1. US Federal regulations

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| EPA TSCA Regulatory Flag | PMN - PMN - indicates a commenced PMN substance. | |
|---|--|--|
| p-tert-Butyldihydrocinnamaldehyde (18127-01-0) | | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | | |
| | | |
| AMYL SALICYLATE (2050-08-0) | | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | | |
| | | |

15.2. International regulations CANADA

| PHENTLETHTE ALCOHOL (00-12-0) |
|--|
| Listed on the Canadian DSL (Domestic Substances List) |
| Nerolidol (isomer unspecified) (7212-44-4) |
| Listed on the Canadian DSL (Domestic Substances List) |
| LINALOOL (78-70-6) |
| Listed on the Canadian DSL (Domestic Substances List) |
| HEXYL SALICYLATE (6259-76-3) |
| Listed on the Canadian DSL (Domestic Substances List) |
| 2-IsobutyI-4-methyltetrahydro-2H-pyran-4-ol (63500-71-0) |
| Listed on the Canadian DSL (Domestic Substances List) |
| 3,7-Dimethyl-1,6-nonadien-3-ol (10339-55-6) |
| Listed on the Canadian DSL (Domestic Substances List) |
| 2-Methyl-3-(p-isopropylphenyl)propionaldehyde (103-95-7) |
| Listed on the Canadian DSL (Domestic Substances List) |
| p-tert-Butyldihydrocinnamaldehyde (18127-01-0) |
| Listed on the Canadian DSL (Domestic Substances List) |
| AMYL SALICYLATE (2050-08-0) |
| Listed on the Canadian DSL (Domestic Substances List) |

EU-Regulations

No additional information available

National regulations

PHENYLETHYL ALCOHOL (60-12-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

Nerolidol (isomer unspecified) (7212-44-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

LINALOOL (78-70-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

HEXYL SALICYLATE (6259-76-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

2-IsobutyI-4-methyltetrahydro-2H-pyran-4-ol (63500-71-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3,7-Dimethyl-1,6-nonadien-3-ol (10339-55-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

2-Methyl-3-(p-isopropylphenyl)propionaldehyde (103-95-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

15.3. US State regulations

WARNING: This product can expose you to beta-myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information

| Full text of H-phrases: | |
|-------------------------|---|
| H227 | Combustible liquid |
| H302 | Harmful if swallowed |
| H315 | Causes skin irritation |
| H317 | May cause an allergic skin reaction |
| H319 | Causes serious eye irritation |
| H320 | Causes eye irritation |
| H361 | Suspected of damaging fertility or the unborn child |
| H373 | May cause damage to organs through prolonged or repeated exposure |

SDS US (GHS HazCom 2012) - Lebermuth

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.