

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 09/12/2018 Revision date: 06/11/2024 Supersedes: 02/15/2024

Version: 1.10

	Issue date: 09/12/2018         Revision date: 06/11/2024         Supersedes: 02/15/2024         Version: 1.10
SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Product name	: FRANKINCENSE PURE
CAS-No.	: 8016-36-2
Product code	: 50-5100-10
1.2. Recommended use and r	estrictions on use
1.3. Supplier	
The Lebermuth Company 4004 Technology Drive South Bend, IN 46628 - United State T 574-259-7000 - F 574-258-7450 <u>nfo@lebermuth.com</u> - <u>www.lebermu</u>	
1.4. Emergency telephone nu	mber
Emergency number	: CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 CCN 13010
SECTION 2: Hazard(s) ident	
2.1. Classification of the subs	tance or mixture
GHS US classification	
Flammable liquids Category 3 Acute toxicity (oral) Category 4 Skin corrosion/irritation Category 2 Skin sensitization, Category 1 Reproductive toxicity Category 2 Aspiration hazard Category 1	Flammable liquid and vapor Harmful if swallowed Causes skin irritation May cause an allergic skin reaction Suspected of damaging fertility or the unborn child May be fatal if swallowed and enters airways
2.2. GHS Label elements, incl	uding precautionary statements
GHS US labeling	
Hazard pictograms (GHS US)	GHS02 GHS07 GHS08
Signal word (GHS US)	: Danger
Hazard statements (GHS US)	<ul> <li>Flammable liquid and vapor Harmful if swallowed</li> <li>May be fatal if swallowed and enters airways</li> <li>Causes skin irritation</li> <li>May cause an allergic skin reaction</li> <li>Suspected of damaging fertility or the unborn child</li> </ul>
Precautionary statements (GHS US)	<ul> <li>Obtain special instructions before use.</li> <li>Do not handle until all safety precautions have been read and understood.</li> <li>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>Keep container tightly closed.</li> <li>Ground/Bond container and receiving equipment.</li> <li>Use explosion-proof electrical/ventilating/lighting equipment.</li> <li>Use only non-sparking tools.</li> <li>Take precautionary measures against static discharge.</li> </ul>

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

If swallowed: Immediately call a poison center or doctor. If swallowed: Call a poison center or doctor if you feel unwell. If on skin: Wash with plenty of water. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If exposed or concerned: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). Rinse mouth. Do NOT induce vomiting. If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. Wash contaminated clothing before reuse. In case of fire: Use media other than water to extinguish. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards which do not result in classification

### No additional information available

Mixturos

2.4. Unknown acute toxicity (GHS US)

Not applicable

2 2

## SECTION 3: Composition/Information on ingredients

lame	Product identifier	%	GHS US classification
DLIBANUM OIL	(CAS-No.) 8016-36-2	100	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361 Asp. Tox. 1, H304

Full text of hazard classes and H-statements : see section 16

3.2. WIXTURES	
Not applicable	
SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.
4.2. Most important symptoms and effect	ts (acute and delayed)
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: None under normal conditions.
Symptoms/effects after ingestion	: Risk of lung edema.
4.3. Immediate medical attention and spo	ecial treatment, if necessary
Treat symptomatically.	
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguish	ing media
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Specific hazards arising from the ch	emical
Fire hazard	: Flammable liquid and vapor.

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

E-mlaster hanned	
Explosion hazard : No direct explosion hazard.	
Reactivity	: Flammable liquid and vapor.
5.3. Special protective equipment and p	recautions for fire-fighters
Firefighting instructions	<ul> <li>Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.</li> </ul>
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release meas	sures
6.1. Personal precautions, protective eq	uipment and emergency procedures
General measures	: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.
6.1.1. For non-emergency personnel	
Protective equipment	: Wear recommended personal protective equipment.
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Evacuate unnecessary personnel. Stop leak if safe to do so.
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containme	ent and cleaning up
For containment	: Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk.
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Not expected to present a significant hazard under anticipated conditions of normal use.
Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.
Hygiene measures	<ul> <li>Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li> </ul>
	ng any incompatibilities
7.2. Conditions for safe storage, including	
7.2. Conditions for safe storage, includin Technical measures	: Ground/bond container and receiving equipment.
	<ul><li>Ground/bond container and receiving equipment.</li><li>Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.</li></ul>

## SECTION 8: Exposure controls/personal protection

8.1. Control parameters

## OLIBANUM OIL (8016-36-2)

No additional information available

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## 8.2. Appropriate engineering controls

Appropriate engineering controls Environmental exposure controls Ensure good ventilation of the work station.Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

### Personal protective equipment:

Wear recommended personal protective equipment.

### Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

### **Respiratory protection:**

[In case of inadequate ventilation] wear respiratory protection.



#### **SECTION 9: Physical and chemical properties** 9.1. Information on basic physical and chemical properties Physical state : Liquid Color : YELLOW TO AMBER LIQUID STRONG DIFFUSIVE, FRESH, TERPENELY, GREEN, BALSAMIC Odor Odor threshold No data available pН : No data available Not applicable Melting point No data available Freezing point Boiling point : No data available Flash point : 40 °C Relative evaporation rate (butyl acetate=1) : No data available Flammability : Not applicable. Vapor pressure : 2.2 mm Hg Relative vapor density at 20°C No data available : Relative density 0.8669 (0.86 - 0.89)Solubility : Insoluble. Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : No data available : No data available Decomposition temperature Viscosity, kinematic : No data available Viscosity, dynamic : No data available **Explosion** limits : No data available : No data available Explosive properties Oxidizing properties No data available 9.2. Other information VOC content : 92.4 % Refractive index : 1.475 (1.465 - 1.485)

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 10: Stability and reactivit	· · · · · · · · · · · · · · · · · · ·		
10.1. Reactivity			
Flammable liquid and vapor.			
10.2. Chemical stability			
Stable under normal conditions.			
10.3. Possibility of hazardous reactions			
No dangerous reactions known under normal c			
10.4. Conditions to avoid	-		
Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.			
10.5. Incompatible materials			
No additional information available			
10.6. Hazardous decomposition product	ts		
	azardous decomposition products should not be produced.		
SECTION 11: Toxicological informa			
11.1. Information on toxicological effect			
Acute toxicity (oral)	: Harmful if swallowed.		
Acute toxicity (dermal)	: Not classified		
Acute toxicity (inhalation)	: Not classified		
ATE US (oral)	500 mg/kg body weight		
Skin corrosion/irritation	: Causes skin irritation.		
Serious eye damage/irritation	: Not classified		
Respiratory or skin sensitization	: May cause an allergic skin reaction.		
Germ cell mutagenicity	: Not classified		
	: Not classified		
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.		
STOT-single exposure	: Not classified		
STOT-repeated exposure	: Not classified		
Aspiration hazard	: May be fatal if swallowed and enters airways.		
Viscosity, kinematic	: No data available		
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.		
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.		
Symptoms/effects after eye contact	: None under normal conditions.		
Symptoms/effects after ingestion	: Risk of lung edema.		
<b>SECTION 12: Ecological informatio</b>	n		
12.1. Toxicity			
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.		
12.2. Persistence and degradability			
No additional information available			
12.3. Bioaccumulative potential			
No additional information available			
12.4. Mobility in soil			
No additional information available			
12.5. Other adverse effects			
No additional information available			

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

: UN1197

: Extracts, flavoring, liquid (Regulated for Bulk only)

<b>SECTION 13: Disposal consideration</b>	ns
13.1. Disposal methods	
Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.
Additional information	: Flammable vapors may accumulate in the container. Do not re-use empty containers.

: UN1197 Extracts, flavoring, liquid (Regulated for Bulk only), 3, III

: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

## **SECTION 14: Transport information**

### **Department of Transportation (DOT)**

In accordance with DOT
Transport document description (DOT)

UN-No.(DOT) Proper Shipping Name (DOT)

Class (DOT) Packing group (DOT)

Packing group (DOT)	:	III - Minor Danger
Hazard labels (DOT)	:	3 - Flammable liquid
DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Special Provisions (49 CFR 172.102)		<ul> <li>203</li> <li>242</li> <li>B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.</li> <li>IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).</li> <li>T2 - 1.5 178.274(d)(2) Normal</li></ul>
DOT Packaging Exceptions (49 CFR 173.xxx)	:	150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	:	60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	:	220 L
DOT Vessel Stowage Location	:	A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Emergency Response Guide (ERG) Number	:	127
Other information	:	No supplementary information available.
Transportation of Dangerous Goods Transport document description (TDG) UN-No. (TDG) Proper Shipping Name (TDG) TDG Primary Hazard Classes Packing group (TDG) Explosive Limit and Limited Quantity Index Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index	::	UN1197 EXTRACTS, FLAVOURING, LIQUID (Regulated for Bulk only) , 3, III UN1197 EXTRACTS, FLAVOURING, LIQUID 3 - Class 3 - Flammable Liquids III - Minor Danger 5 L 60 L

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Transport by sea

QUID, 3, III
g low danger

### Air transport

Transport document description (IATA)	: UN 1197 Extracts, liquid, 3, III
UN-No. (IATA)	: 1197
Proper Shipping Name (IATA)	: Extracts, liquid
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: III - Low danger

## **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

No additional information available

## 15.2. International regulations

#### **CANADA**

### OLIBANUM OIL (8016-36-2)

Listed on the Canadian DSL (Domestic Substances List)

### **EU-Regulations**

No additional information available

### **National regulations**

**WARNING**:

**OLIBANUM OIL (8016-36-2)** 

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

15.3. US State regulations

This product can expose you to toluene, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

This product can expose you to beta-myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

### **SECTION 16: Other information**

Revision	date

Revision date	: 06/11/2024
Full text of H-phrases:	
H226	Flammable liquid and vapor
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H361	Suspected of damaging fertility or the unborn child

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SDS US (GHS HazCom 2012) - Lebermuth

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.