

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 11/21/2018 Revision date: 06/11/2024 Supersedes: 04/17/2023

SECTI	ON 1: Identification	
1.1.	Identification	
Product f	orm	: Substance
Product r	name	: HELICHRYSUM BALKAN OIL
CAS-No.		: 8023-95-8
Product	ode	: 50-5113-02
1.2.	Recommended use and re	strictions on uso
1.2.	Recommended use and re	
1.3.	Supplier	
	ermuth Company	
4004 Teo South Be T 574-25	hnology Drive nd, IN 46628 - United States 9-7000 - F 574-258-7450 ermuth.com - <u>www.lebermuth</u>	
1.4.	Emergency telephone num	nber
Emergen	cy number	: CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 CCN 13010
SECTI	ON 2: Hazard(s) identi	fication
2.1.	Classification of the subst	
GHS US	classification	
	le liquids Category 3	Flammable liquid and vapor
	osion/irritation Category 2	Causes skin irritation
	sitization, Category 1	May cause an allergic skin reaction
Aspiratio	n hazard Category 1	May be fatal if swallowed and enters airways
2.2.	GHS Label elements, inclu	Iding precautionary statements
GHS US	labeling	
Hazard p	ictograms (GHS US)	
		GHS02 GHS07 GHS08
Signal w	ord (GHS US)	: Danger
-	tatements (GHS US)	: Flammable liquid and vapor
	· · · · ·	May be fatal if swallowed and enters airways
		Causes skin irritation May cause an allergic skin reaction
Precautio	onary statements (GHS US)	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
Flecauli	inary statements (GHS 03)	smoking.
		Keep container tightly closed.
		Ground/Bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment.
		Use only non-sparking tools.
		Take precautionary measures against static discharge.
		Avoid breathing dust/fume/gas/mist/vapors/spray.
		Wash hands, forearms and face thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace.
		Wear protective gloves/protective clothing/eye protection/face protection.
		If swallowed: Immediately call a poison center or doctor.
		If on skin: Wash with plenty of water. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with
		water/shower.
Specific treatment (see supplemental first aid instruction on this label).		
		Do NOT induce vomiting. If skin irritation occurs: Get medical advice/attention.

Version: 1.6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	If skin irritation or rash occu Take off contaminated cloth Wash contaminated clothin In case of fire: Use media of Store in a well-ventilated pl Store locked up. Dispose of contents/contain with local, regional, national	hing and wash it before n ng before reuse. other than water to exting lace. Keep cool. ner to hazardous or spec	euse. guish. cial waste	collection point, in accordance	
2.3. Other hazards which do not resu	It in classification				
No additional information available					
2.4. Unknown acute toxicity (GHS US Not applicable)				
	tion on insurationto				
SECTION 3: Composition/Informat	cion on ingredients				
3.1. Substances		B	0/		
Name HELICHRYSUM OIL		Product identifier	% 100	GHS US classification Flam. Liq. 3, H226	
		(CAS-No.) 8023-95-8	100	Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304	
Full text of hazard classes and H-statements	: see section 16				
3.2. Mixtures					
Not applicable					
SECTION 4: First-aid measures					
4.1. Description of first aid measures					
First-aid measures general	: Call a physician immediate	•			
First-aid measures after inhalation	: Remove person to fresh ai			-	
First-aid measures after skin contact	: Rinse skin with water/show irritation or rash occurs: Ge			all contaminated clothing. If skin	
First-aid measures after eye contact	: Rinse eyes with water as a	•			
First-aid measures after ingestion	: Do not induce vomiting. Ca	all a physician immediate	ly.		
4.2. Most important symptoms and ef	ffects (acute and delayed)				
Symptoms/effects after inhalation	: Although no appropriate hu expected to be an inhalation		fects data	are known to exist, this material is	
Symptoms/effects after skin contact		Irritation. May cause an allergic skin reaction.			
Symptoms/effects after eye contact	: None under normal condition	ons.			
Symptoms/effects after ingestion	: Risk of lung edema.				
4.3. Immediate medical attention and	special treatment, if necessary				
Treat symptomatically.					
SECTION 5: Fire-fighting measure	S				
5.1. Suitable (and unsuitable) extingu Suitable extinguishing media		Foam. Carbon dioxide.			
5.1. Suitable (and unsuitable) extingu Suitable extinguishing media	lishing media				
5.1. Suitable (and unsuitable) extingu Suitable extinguishing media Unsuitable extinguishing media	uishing media : Water spray. Dry powder. I : Do not use a heavy water s				
 5.1. Suitable (and unsuitable) extingut Suitable extinguishing media Unsuitable extinguishing media 5.2. Specific hazards arising from the 	uishing media : Water spray. Dry powder. I : Do not use a heavy water s	stream.			
Suitable (and unsuitable) extingut Suitable extinguishing media Jnsuitable extinguishing media S.2. Specific hazards arising from the Fire hazard	 ishing media : Water spray. Dry powder. I : Do not use a heavy water se chemical 	stream. pr.			
 5.1. Suitable (and unsuitable) extingut Suitable extinguishing media Unsuitable extinguishing media 5.2. Specific hazards arising from the Fire hazard Explosion hazard 	ishing media : Water spray. Dry powder. F : Do not use a heavy water s chemical : Flammable liquid and vapo	stream. pr.			
 5.1. Suitable (and unsuitable) extingut Suitable extinguishing media Unsuitable extinguishing media 5.2. Specific hazards arising from the Fire hazard Explosion hazard Reactivity 	 ishing media Water spray. Dry powder. F Do not use a heavy water sector chemical Flammable liquid and vapo No direct explosion hazard Flammable liquid and vapo 	stream. pr.			
Suitable extinguishing media Unsuitable extinguishing media 5.2. Specific hazards arising from the Fire hazard Explosion hazard Reactivity	 ishing media Water spray. Dry powder. F Do not use a heavy water sector chemical Flammable liquid and vapo No direct explosion hazard Flammable liquid and vapo 	stream. or. or. e and protected location		nter fire area without proper	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTI	ON 6: Accidental release measu	Ires		
6.1. Personal precautions, protective equipment and emergency procedures				
		 Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage. 		
6.1.1.	For non-emergency personnel			
Protectiv	e equipment	Wear recommended personal protective equipment.		
Emerger	icy procedures	Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.		
6.1.2.	For emergency responders			
Protectiv	e equipment	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
Emerger	cy procedures	Evacuate unnecessary personnel. Stop leak if safe to do so.		
6.2.	Environmental precautions			
Avoid re	ease to the environment.			
6.3.	Methods and material for containment	t and cleaning up		
For conta	ainment	 Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk. 		
Methods	for cleaning up	 Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. 		
Other inf	ormation	Dispose of materials or solid residues at an authorized site.		
6.4.	Reference to other sections			
For furth	er information refer to section 13.			
SECTI	ON 7: Handling and storage			
7.1.	Precautions for safe handling			
Additiona	al hazards when processed	Not expected to present a significant hazard under anticipated conditions of normal use.		
Precautio	ons for safe handling	Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.		
Hygiene	measures	 Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 		
7.2.	Conditions for safe storage, including	any incompatibilities		
Technica	I measures	Ground/bond container and receiving equipment.		
Storage	conditions	Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.		
Packagir	ng materials	Store always product in container of same material as original container.		
SECTI	ON 8: Exposure controls/perso	nal protection		
8.1.	Control parameters			
J. 1.				
HELIC	HRYSUM OIL (8023-95-8)			
	No additional information available			

8.2.	Appropriate engineering controls		
Appropria	ate engineering controls	:	Ensure good ventilation of the work station.

Environmental exposure controls

: Ensure good ventilation of the work station.: Avoid release to the environment.

.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment



SECTION 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties

9.1. Information on basic physical and (chemical properties
Physical state	: Liquid
Color	: PALE YELLOW TO YELLOW TO ORANGE
Odor	: CHARACTERISTIC, STRONG, PLEASANT ODOR
Odor threshold	: No data available
pН	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 60 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: 0.892 (0.88 - 0.9)
Solubility	: Insoluble.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	
Refractive index	: 1.48 (1.47 – 1.49)

SECTION 10: Stability and reactivity				
10.1.	Reactivity			
Flamma	ble liquid and vapor.			
10.2.	Chemical stability			
Stable ι	inder normal conditions.			
10.3.	Possibility of hazardous reactions			
No dang	perous reactions known under normal conditions of use.			

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information			
11.1. Information on toxicological effects			
Acute toxicity (oral)	: Not classified		
Acute toxicity (dermal)	: Not classified		
Acute toxicity (inhalation)	: Not classified		
Skin corrosion/irritation	: Causes skin irritation.		
Serious eye damage/irritation	: Not classified		
Respiratory or skin sensitization	: May cause an allergic skin reaction.		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Reproductive toxicity	: Not classified		
STOT-single exposure	: Not classified		
STOT-repeated exposure	: Not classified		
Aspiration hazard	: May be fatal if swallowed and enters airways.		
Viscosity, kinematic	: No data available		
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.		
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.		
Symptoms/effects after eye contact	: None under normal conditions.		
Symptoms/effects after ingestion	: Risk of lung edema.		

SECT	SECTION 12: Ecological information				
12.1.	Toxicity				
Ecology	- general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.			
12.2.	Persistence and degradability				
No addi	tional information available				
12.3.	Bioaccumulative potential				
No addi	tional information available				
12.4.	12.4. Mobility in soil				
No addi	No additional information available				

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations			
13.1. Disposal methods			
Regional waste regulation	: Disposal must be done according to official regulations.		
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.		
Sewage disposal recommendations	: Disposal must be done according to official regulations.		
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.		
Additional information	: Flammable vapors may accumulate in the container. Do not re-use empty containers.		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Transport document description (DOT)

UN-No.(DOT) Proper Shipping Name (DOT)

Class (DOT) Packing group (DOT) Hazard labels (DOT)

: UN1197 Extracts, flavoring, liquid (Regulated for Bulk only), 3, III

- : UN1197
- : Extracts, flavoring, liquid
- (Regulated for Bulk only)
- : 3 Class 3 Flammable and combustible liquid 49 CFR 173.120
- : III Minor Danger
- : 3 Flammable liquid



: 203

DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx)

: 242 DOT Special Provisions (49 CFR 172.102) : B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T2 - 1.5 178.274(d)(2) Normal..... 178.275(d)(3) TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. DOT Packaging Exceptions (49 CFR 173.xxx) : 150 DOT Quantity Limitations Passenger aircraft/rail : 60 L (49 CFR 173.27) DOT Quantity Limitations Cargo aircraft only (49 : 220 L CFR 175.75) **DOT Vessel Stowage Location** : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel. Emergency Response Guide (ERG) Number : 127 Other information : No supplementary information available. **Transportation of Dangerous Goods** : UN1197 EXTRACTS, FLAVOURING, LIQUID (Regulated for Bulk only), 3, III Transport document description (TDG) UN-No. (TDG) : UN1197 : EXTRACTS, FLAVOURING, LIQUID Proper Shipping Name (TDG) **TDG Primary Hazard Classes** : 3 - Class 3 - Flammable Liquids Packing group (TDG) : III - Minor Danger Explosive Limit and Limited Quantity Index : 5 L Passenger Carrying Road Vehicle or Passenger : 60 L Carrying Railway Vehicle Index Transport by sea Transport document description (IMDG) : UN 1197 EXTRACTS, LIQUID, 3, III UN-No. (IMDG) : 1197

Proper Shipping Name (IMDG)

Limited quantities (IMDG)

: 5 L

: EXTRACTS, LIQUID

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Air transport

Transport document description (IATA)	: UN 1197 Extracts, liquid, 3, III
UN-No. (IATA)	: 1197
Proper Shipping Name (IATA)	: Extracts, liquid
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: III - Low danger

SECTION 15: Regulatory information		
15.1. US Federal regulations		
HELICHRYSUM OIL (8023-95-8)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		

15.2. International regulations

CANADA

HELICHRYSUM OIL (8023-95-8)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations No additional information available

National regulations

No additional information available

15.3. US State regulations

WARNING: This product can expose you to beta-myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information		
sion date	: 06/11/2024	
text of H-phrases:		
H226	Flammable liquid and vapor	
H304	May be fatal if swallowed and enters airways	
11304	iviay be latal il swallowed and effets all ways	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
1017	iviay cause an allergic skin reaction	
	sion date text of H-phrases: H226 H304	

SDS US (GHS HazCom 2012) - Lebermuth

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.