

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 10/10/2024 Issue date: 11/26/2018

Supersedes: 04/25/2023 Version: 1.7

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Product name	: BASIL SWEET OIL
CAS-No.	: 8015-73-4
Product code	: 50-6024-02
1.2. Recommended use and restrictions	on use
1.3. Supplier	
The Lebermuth Company 4004 Technology Drive South Bend, IN 46628 - United States T 574-259-7000 - F 574-258-7450 info@lebermuth.com - www.lebermuth.com	
1.4. Emergency telephone number	
Emergency number	: CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 CCN 13010
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or mi	ixture
GHS US classification	
Flammable liquids Category 4 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Skin sensitization, category 1B Carcinogenicity Category 1B Aspiration hazard Category 1	Combustible liquid Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction May cause cancer May be fatal if swallowed and enters airways
2.2. GHS Label elements, including preca	autionary statements
GHS US labeling	
Hazard pictograms (GHS US)	: GHS07 GHS08
Signal word (GHS US)	: Danger
Hazard statements (GHS US)	<ul> <li>Combustible liquid</li> <li>May be fatal if swallowed and enters airways</li> <li>Causes skin irritation</li> <li>May cause an allergic skin reaction</li> <li>Causes serious eye irritation</li> <li>May cause cancer</li> </ul>
Precautionary statements (GHS US)	<ul> <li>Obtain special instructions before use.</li> <li>Do not handle until all safety precautions have been read and understood.</li> <li>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>Avoid breathing dust/fume/gas/mist/vapors/spray.</li> <li>Wash hands, forearms and face thoroughly after handling.</li> <li>Contaminated work clothing must not be allowed out of the workplace.</li> <li>Wear protective gloves/protective clothing/eye protection/face protection.</li> <li>If swallowed: Immediately call a poison center or doctor.</li> <li>If on skin: Wash with plenty of water.</li> <li>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>If exposed or concerned: Get medical advice/attention.</li> <li>Specific treatment (see supplemental first aid instruction on this label).</li> </ul>

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Do NOT induce vomiting.
If skin irritation occurs: Get medical advice/attention.
If skin irritation or rash occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
Wash contaminated clothing before reuse.
In case of fire: Use media other than water to extinguish.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container to hazardous or special waste collection point, in accordance
with local, regional, national and/or international regulation.

o not re	ו do	which	hazards	Other	2.3.
o not re	1 00	WHICH	nazarus	Other	Z.J.

#### No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Com	position/Informatior	on ingredients

3.1. Substances			
Name	Product identifier	%	GHS US classification
BASIL OIL	(CAS-No.) 8015-73-4	100	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317 Carc. 1B, H350 Asp. Tox. 1, H304

#### Full text of hazard classes and H-statements : see section 16

3.2. Mixtures	
Not applicable	
SECTION 4: First-aid measures	
4.1. Description of first aid measure	is
First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	<ul> <li>Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.</li> </ul>
First-aid measures after ingestion	: Do not induce vomiting. Call a physician immediately.
4.2. Most important symptoms and	effects (acute and delayed)
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: Risk of lung edema.
4.3. Immediate medical attention an	d special treatment, if necessary
Treat symptomatically.	
SECTION 5: Fire-fighting measur	res
5.1. Suitable (and unsuitable) exting	guishing media
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Specific hazards arising from the	ne chemical
Fire hazard	: Combustible liquid.
Explosion hazard	: No direct explosion hazard.
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
5.3. Special protective equipment a	nd precautions for fire-fighters
Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
10/10/2024	EN (English US) 2/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	
SECTION 6: Accidental release meas	ures	
6.1. Personal precautions, protective equ	ipment and emergency procedures	
General measures	: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.	
6.1.1. For non-emergency personnel		
Protective equipment	: Wear recommended personal protective equipment.	
Emergency procedures	: No open flames, no sparks, and no smoking. Only qualified personnel equipped with suitable protective equipment may intervene. Avoid breathing dust/fume/gas/mist/vapors/spray.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures	: Evacuate unnecessary personnel. Stop leak if safe to do so.	
6.2. Environmental precautions		
Avoid release to the environment. Notify authoritie	es if product enters sewers or public waters.	
6.3. Methods and material for containment	nt and cleaning up	
For containment	: Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk.	
Methods for cleaning up	Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.	
Other information	: Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		
For further information refer to section 13.		
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Additional hazards when processed	: Not expected to present a significant hazard under anticipated conditions of normal use.	
Precautions for safe handling	Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.	
Hygiene measures	: Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, includin	g any incompatibilities	
Technical measures	: Keep in a cool, well-ventilated place away from heat.	
Storage conditions	: Store in a well-ventilated place. Keep cool. Store locked up.	
Packaging materials	: Store always product in container of same material as original container.	
SECTION 8: Exposure controls/perso	nal protection	
8.1. Control parameters		

BAS	L OIL (8015-73-4)		
No a	No additional information available		
8.2.	Appropriate engineering controls		
Approp	priate engineering controls	: Ensure good ventilation of the work station.	

Environmental exposure controls

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Wear recommended personal protective equipment.

#### Hand protection:

Protective gloves

#### Eye protection:

Chemical goggles or safety glasses

#### Skin and body protection:

Wear suitable protective clothing

#### **Respiratory protection:**

[In case of inadequate ventilation] wear respiratory protection.



### **SECTION 9: Physical and chemical properties**

#### Information on basic physical and chemical properties 9.1. Physical state : Liquid Color : YELLOW LIQUID Odor : SPICEY, FLORAL ODOR, CHARACTERISTIC OF BASIL Odor threshold No data available pН : No data available Melting point Not applicable Freezing point : No data available : No data available Boiling point Flash point 82.2 °C Relative evaporation rate (butyl acetate=1) : No data available Flammability : Not applicable. : No data available Vapor pressure : No data available Relative vapor density at 20°C Relative density · 0.892(0.89 - 0.915)Solubility : Insoluble. : No data available Partition coefficient n-octanol/water (Log Pow) Auto-ignition temperature : No data available : No data available Decomposition temperature Viscosity, kinematic : No data available Viscosity, dynamic : No data available Explosion limits : No data available Explosive properties : No data available Oxidizing properties : No data available 9.2. Other information Refractive index : 1.473 (1.465 - 1.49)

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition. None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

#### **SECTION 11: Toxicological information** 11.1. Information on toxicological effects Acute toxicity (oral) : Not classified : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Causes serious eye irritation. Respiratory or skin sensitization : May cause an allergic skin reaction. : Not classified Germ cell mutagenicity Carcinogenicity : May cause cancer. Reproductive toxicity : Not classified STOT-single exposure Not classified STOT-repeated exposure Not classified Aspiration hazard : May be fatal if swallowed and enters airways. Viscosity, kinematic : No data available Symptoms/effects after inhalation Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard. Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction. Symptoms/effects after eye contact : Eye irritation. Symptoms/effects after ingestion : Risk of lung edema.

SECT	ON 12: Ecological information	
12.1.	Toxicity	
Ecology	- general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
12.2.	Persistence and degradability	
No addi	tional information available	
12.3.	Bioaccumulative potential	
No addi	tional information available	
12.4.	Mobility in soil	
No addi	tional information available	
12.5.	Other adverse effects	
No addi	tional information available	

SECTI	ON 13: Disposal consideration	IS
13.1.	Disposal methods	
Regiona	l waste regulation	: Disposal must be done according to official regulations.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Waste treatment methods Sewage disposal recommendations Product/Packaging disposal recommendations	<ul> <li>Dispose of contents/container in accordance with licensed collector's sorting instructions.</li> <li>Disposal must be done according to official regulations.</li> <li>Disposal must be done according to official regulations.</li> </ul>
Additional information	: Do not re-use empty containers.
SECTION 14: Transport information	
Department of Transportation (DOT)	
In accordance with DOT	
Transport document description (DOT)	: UN1197 Extracts, flavoring, liquid (Regulated for Bulk only), Comb Liq, III
UN-No.(DOT)	: UN1197
Proper Shipping Name (DOT)	: Extracts, flavoring, liquid
	(Regulated for Bulk only)
Class (DOT)	: Comb Liq - Combustible liquid
Packing group (DOT)	: III - Minor Danger
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Special Provisions (49 CFR 172.102)	<ul> <li>B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.</li> <li>IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).</li> <li>T2 - 1.5 178.274(d)(2) Normal</li></ul>
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Emergency Response Guide (ERG) Number	: 127
Other information	: No supplementary information available.

**Transportation of Dangerous Goods** 

Not regulated

Transport by sea

Not regulated

## Air transport

Not regulated

SECTION 15: F	Regulatory	y information
---------------	------------	---------------

15.1. US Federal regulations

### BASIL OIL (8015-73-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 15.2. International regulations

#### CANADA

### BASIL OIL (8015-73-4)

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

No additional information available

#### National regulations

No additional information available

#### 15.3. US State regulations

This product can expose you to methyl eugenol, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

**WARNING:** This product can expose you to beta-myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

This product can expose you to estragole, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

## SECTION 16: Other information

Rev	ision date	: 10/10/2024
Full text of H-phrases:		
	H227	Combustible liquid
	H304	May be fatal if swallowed and enters airways
	H315	Causes skin irritation
	H317	May cause an allergic skin reaction
	H319	Causes serious eye irritation
	H350	May cause cancer

#### SDS US (GHS HazCom 2012) - Lebermuth

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.