

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Issue date: 11/18/2019 Revision date: 09/03/2024 Supersedes: 11/18/2019 Version: 1.1

SECTION 1: Identification

1.1. Product identifier

Product form : Substance

Substance name : CINNAMON LEAF B&F

Substance type : UVCB
CAS-No. : 8015-91-6
Product code : 50-6080-20
Product group : Trade product

1.2. Recommended use and restrictions on use

1.3. Supplier

The Lebermuth Company
4004 Technology Drive
46628 South Bend, IN - United States
T 574-259-7000 - F 574-258-7450
info@lebermuth.com - www.lebermuth.com

1.4. Emergency telephone number

Emergency number : CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300

CCN 13010

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS CA)

Flammable liquids H227

Category 4 Serious eye H319

damage/eye irritation

Category 2A

Skin sensitization, H317

Category 1

Germ cell mutagenicity H341 Category 2 Carcinogenicity H350

Category 1B

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS CA labeling

Hazard pictograms (GHS CA)





Signal word (GHS CA) : Danger

Hazard statements (GHS CA) : H227 - Combustible liquid

H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation H341 - Suspected of causing genetic defects

H350 - May cause cancer

Precautionary statements (GHS CA) : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

09/03/2024 EN (English US) Page 1

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

contact lenses, if present and easy to do. Continue rinsing.

P308+P313 - IF exposed or concerned: Get medical advice/attention. P321 - Specific treatment (see supplemental first aid instruction on this label). P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P370+P378 - In case of fire: Use media other than water to extinguish.

P403 - Store in a well-ventilated place.

P405 - Store locked up

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

Other hazards

No additional information available

Unknown acute toxicity (GHS CA)

No data available

SECTION 3: Composition/Information on ingredients

Substances

· UVCB Substance type

: CINNAMON LEAF OIL Custom name

CAS-No. : 8015-91-6 EC-No. : 283-479-0

Name	Chemical name/Synonyms	Product identifier	%	Classification (GHS CA)
CINNAMON LEAF OIL		(CAS-No.) 8015-91-6	100	Flam. Liq. 4, H227 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Muta. 2, H341 Carc. 1B, H350

Full text of hazard classes and H-statements : see section 16

Mixtures 3.2.

Not applicable

SECTION 4: First-aid measures

Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs:

Get medical advice/attention.

First-aid measures after eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell. First-aid measures general IF exposed or concerned: Get medical advice/attention.

4.2. Most important symptoms and effects (acute and delayed)

: Although no appropriate human or animal health effects data are known to exist, this material is Symptoms/effects after inhalation

expected to be an inhalation hazard.

Symptoms/effects after skin contact . May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eve irritation.

None under normal conditions. Symptoms/effects after ingestion

Immediate medical attention and special treatment, if necessary

Other medical advice or treatment : Treat symptomatically.

SECTION 5: Fire-fighting measures

Suitable extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media

Unsuitable extinguishing media : Do not use a heavy water stream.

Specific hazards arising from the hazardous product

Fire hazard : Combustible liquid.

Explosion hazard : No direct explosion hazard.

09/03/2024 EN (English US) 2/7

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

5.4. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper

protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb

spillage to prevent material-damage.

6.2. Methods and materials for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to

prevent migration and entry into sewers or streams. Stop leak, if possible without risk.

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters

Other information : Dispose of materials or solid residues at an authorized site.

6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Avoid contact

with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

Hygiene measures : Separate working clothes from town clothes. Launder separately. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not

eat, drink or smoke when using this product. Always wash hands after handling the product.

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.

Storage conditions : Store in a well-ventilated place. Keep cool. Store locked up.

Packaging materials : Store always product in container of same material as original container.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Protective gloves

Eye protection:

Chemical goggles or safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

Personal protective equipment symbol(s):

09/03/2024 EN (English US) 3/7

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)







SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : No data available

Color : PALE YELLOW TO AMBER/BROWNISH LIQUID

Odor : CHARACTERISTIC, SPICY CINNAMON, CLOVE-LIKE ODOR

Odor threshold : No data available pH : No data available Relative evaporation rate (butyl acetate=1) : No data available Relative evaporation rate (ether=1) : No data available Melting point : Not applicable Freezing point : No data available Boiling point : No data available

Flash point : 85 °C

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability : Not applicable

Vapor pressure : No data available

Vapor pressure at 50°C : No data available

Relative density : 1.04 (1.017 – 1.055)

Solubility : Insoluble.

Partition coefficient n-octanol/water (Log Pow) : No data available Explosion limits : No data available

9.2. Other information

VOC content : 10.5 %

Refractive index : 1.529 (1.515 – 1.545)

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reactions known under normal conditions of use.

Conditions to avoid : Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

None under recommended storage and handling conditions (see section 7).

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be

produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified.

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

CINNAMON	I FAF RXF	(2015-91-6)

CHANAMON LEAF DOT (0013-31-0)	INVAMON LEAR BER (0013-31-0)	
LD50 oral	2650 mg/kg	
ATE CA (oral)	2650 mg/kg body weight	

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Suspected of causing genetic defects.

Carcinogenicity : May cause cancer.

09/03/2024 EN (English US) 4/7

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

: Not classified

STOT-repeated exposure

Aspiration hazard : Not classified

Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this material is

expected to be an inhalation hazard.

Symptoms/effects after skin contact : May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

Symptoms/effects after ingestion : None under normal conditions.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-

term (acute)

: Not classified

Hazardous to the aquatic environment, long-

term (chronic)

: Not classified

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Ozone : Not classified

SECTION 13: Disposal considerations

13.1. Disposal methods

Regional waste regulation : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations : Disposal must be done according to official regulations. Product/Packaging disposal recommendations : Disposal must be done according to official regulations.

Additional information : Do not re-use empty containers.

SECTION 14: Transport information

14.1. Basic shipping description

In accordance with TDG

Transportation of Dangerous Goods

Not regulated for transport

14.2. Transport information/DOT

Department of Transport

DOT NA No : NA1993

Packing group (DOT) : III - Minor Danger

09/03/2024 EN (English US) 5/7

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

DOT Symbols : D - Proper shipping name for domestic use only, or to and from Canada,G - Identifies PSN

requiring a technical name

Transport document description (DOT) : NA1993 Combustible liquid, n.o.s. (CINNAMON LEAF OIL) - Regulated for Bulk Only, Comb

Liq, III

Proper Shipping Name (DOT) : Combustible liquid, n.o.s.

(CINNAMON LEAF OIL) - Regulated for Bulk Only

Contains Statement Field Selection (DOT)

Class (DOT) : Comb Liq - Combustible liquid

Division (DOT) : Combustible liquid

Dangerous for the environment : No

DOT Special Provisions (49 CFR 172.102) : 148 - For domestic transportation, this entry directs to § 173.66 for: a. The standards for

transporting a single bulk hazardous material for blasting by cargo tank motor vehicles (CTMV); and b. The standards for CTMVs capable of transporting multiple hazardous materials for

blasting in bulk and non-bulk packagings (i.e, a multipurpose bulk truck (MBT)).

IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table

2 for UN2672).

T1 - 1.5 178.274(d)(2) Normal...... 178.275(d)(2)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.

DOT Packaging Exceptions (49 CFR 173.xxx) : 150
DOT Packaging Non Bulk (49 CFR 173.xxx) : 203
DOT Packaging Bulk (49 CFR 173.xxx) : 241
DOT Quantity Limitations Passenger aircraft/rail : 60 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 220 L

CFR 175.75)

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

Other information : No supplementary information available.

14.3. Air and sea transport

IMDG

Not regulated for transport

IATA

Not regulated for transport

SECTION 15: Regulatory information

15.1. National regulations

CINNAMON LEAF B&F (8015-91-6)

Listed on the Canadian DSL (Domestic Substances List)

15.2. International regulations

CINNAMON LEAF B&F (8015-91-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

SECTION 16: Other information

 SDS Major/Minor
 : None

 Issue date
 : 11/18/2019

 Revision date
 : 09/03/2024

 Supersedes
 : 11/18/2019

Full text of H-phrases:

H227	Combustible liquid
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H341	Suspected of causing genetic defects

09/03/2024 EN (English US) 6/7

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

H350	May cause cancer		

SDS Canada (GHS) - Lebermuth

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

09/03/2024 EN (English US) 7/7