

 Safety Data Sheet

 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

 Issue date: 10/23/2018
 Revision date: 06/05/2024
 Supersedes: 06/14/2023

Contraction of the second seco	6	Issue date: 10/23/2018	Revision date: 06/05/2024	Supersedes: 06/14/2023	Version: 1.5
SECTION 1	Identification				
	ification				
Product form		: Substance			
Product name		: CYPRESS O	RGANIC OIL		
CAS-No.		: 8013-86-3			
Product code		: 50-6101-03			
1.2. Reco	mmended use and	restrictions on use			
1.3. Supp	lier				
T 574-259-7000					
1.4. Emer	gency telephone n	umber			
Emergency nun	nber	: CHEMTREC CCN 13010	- USA: 800-424-9300 Inter	rnational: +1 703-527-3887 / 1-	800-424-9300
SECTION 2:	Hazard(s) iden	tification			
2.1. Class	sification of the sub	ostance or mixture			
GHS US classi	fication				
Flammable liqui Skin corrosion/ii Skin sensitizatic Aspiration haza	rritation Category 2 on, Category 1	Caus May o	nable liquid and vapor es skin irritation cause an allergic skin reactio pe fatal if swallowed and ente		
2.2. GHS	Label elements, inc	cluding precautionary staten	nents		
GHS US labelir	ng				
Hazard pictogra	ams (GHS US)	: GHS02	GHS07 GHS0	8	
Signal word (GF	HS US)	: Danger			
Hazard stateme	ents (GHS US)	May be fatal i Causes skin i	uid and vapor f swallowed and enters airwa rritation n allergic skin reaction	ays	
Precautionary s	tatements (GHS US	smoking. Keep contain Ground/Bond Use explosion Use only non Take precaut Avoid breathi Wash hands, Contaminate Wear protecti If swallowed: If on skin: Wa If on skin (or water/shower Specific treat Do NOT indu	er tightly closed. container and receiving equi n-proof electrical/ventilating/li sparking tools. ionary measures against stat ng dust/fume/gas/mist/vapors forearms and face thoroughl work clothing must not be a ve gloves/protective clothing, Immediately call a poison ce sh with plenty of water. nair): Take off immediately al ment (see supplemental first	, ghting equipment. ic discharge. s/spray. y after handling. Ilowed out of the workplace. /eye protection/face protection. nter or doctor. I contaminated clothing. Rinse aid instruction on this label).	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	Take off contaminated of Wash contaminated clot In case of fire: Use med Store in a well-ventilated Store locked up. Dispose of contents/cor with local, regional, natio	lia other than water to extin d place. Keep cool.	^r euse. guish. cial waste	collection point, in accordance
2.3. Other hazards which do not re	esult in classification			
No additional information available 2.4. Unknown acute toxicity (GHS				
Not applicable	00)			
SECTION 3: Composition/Inform	mation on ingredients			
3.1. Substances	nation on ingredients			
Name		Product identifier	%	GHS US classification
CYPRESS OIL		(CAS-No.) 8013-86-3	100	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
Full text of hazard classes and H-statemer	nts : see section 16			
3.2. Mixtures				
Not applicable				
SECTION 4: First-aid measures				
.1. Description of first aid measu		-4-1-		
irst-aid measures general irst-aid measures after inhalation	: Call a physician immedi	•	or broathi	
irst-aid measures after skin contact		n air and keep comfortable f		ig. all contaminated clothing. If skin
		Get medical advice/attentio		an contaminated clothing. If skin
First-aid measures after eye contact	: Rinse eyes with water a	is a precaution.		
irst-aid measures after ingestion	: Do not induce vomiting.	Call a physician immediate	ly.	
I.2. Most important symptoms and	d effects (acute and delayed)			
Symptoms/effects after inhalation	: Although no appropriate expected to be an inhala		fects data	are known to exist, this material is
Symptoms/effects after skin contact	: Irritation. May cause an	allergic skin reaction.		
Symptoms/effects after eye contact	: None under normal con	ditions.		
Symptoms/effects after ingestion	: Risk of lung edema.			
1.3. Immediate medical attention a	and special treatment, if necessa	ary		
reat symptomatically.				
SECTION 5: Fire-fighting measu	ures			
5.1. Suitable (and unsuitable) extir	nguishing media			
Suitable extinguishing media	: Water spray. Dry powde	er. Foam. Carbon dioxide.		
Insuitable extinguishing media	: Do not use a heavy wat	er stream.		
5.2. Specific hazards arising from	the chemical			
ire hazard	: Flammable liquid and va	apor.		
licitazatu				
	: No direct explosion haz			
Explosion hazard	: No direct explosion haza : Flammable liquid and va			
Explosion hazard Reactivity	•	apor.		
Explosion hazard Reactivity	Flammable liquid and va and precautions for fire-fighters Fight fire from safe dista	apor.		nter fire area without proper

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release meas	sures			
6.1. Personal precautions, protective equ	lipment and emergency procedures			
General measures	: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.			
6.1.1. For non-emergency personnel				
Protective equipment	: Wear recommended personal protective equipment.			
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.			
6.1.2. For emergency responders				
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".			
Emergency procedures	: Evacuate unnecessary personnel. Stop leak if safe to do so.			
6.2. Environmental precautions				
Avoid release to the environment.				
6.3. Methods and material for containment	nt and cleaning up			
For containment	: Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk.			
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.			
Other information	: Dispose of materials or solid residues at an authorized site.			
6.4. Reference to other sections				
For further information refer to section 13.				
SECTION 7: Handling and storage				
7.1. Precautions for safe handling				
Additional hazards when processed	: Not expected to present a significant hazard under anticipated conditions of normal use.			
Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.			
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.			
7.2. Conditions for safe storage, includin	g any incompatibilities			
Technical measures	: Ground/bond container and receiving equipment.			
Storage conditions	: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.			
Packaging materials	: Store always product in container of same material as original container.			
SECTION 8: Exposure controls/perso	onal protection			
8.1. Control parameters				

CYPR	ESS OIL (8013-86-3)		
No add	ditional information available		
8.2.	Appropriate engineering controls		
Appropr	iate engineering controls	: Ensure good ventilation of the work station.	
Environ	mental exposure controls	: Avoid release to the environment.	
8.3.	Individual protection measures/Pe	rsonal protective equipment	

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and c	chemical properties
Physical state	: Liquid
Color	: COLORLESS TO PALE YELLOW
Odor	: WOODY, TERPINTINE ODOR.
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 40 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: 0.8707 (0.86 – 0.88)
Solubility	: Insoluble.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	

 Refractive index
 : 1.472 (1.465 – 1.485)

 SECTION 10: Stability and reactivity

 10.1.
 Reactivity

 Flammable liquid and vapor.

 10.2.
 Chemical stability

 No additional information available

 10.3.
 Possibility of hazardous reactions

 No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity (oral)	: Not classified	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitization	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: May be fatal if swallowed and enters airways.	
Viscosity, kinematic	: No data available	
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.	
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.	
Symptoms/effects after eye contact	: None under normal conditions.	
Symptoms/effects after ingestion	: Risk of lung edema.	

SECT	ON 12: Ecological information	
12.1.	Toxicity	
Ecology	- general	The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
12.2.	Persistence and degradability	
No addi	ional information available	
12.3.	Bioaccumulative potential	
No addi	ional information available	
12.4.	Mobility in soil	
No addit	ional information available	

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations			
13.1. Disposal methods			
Regional waste regulation	: Disposal must be done according to official regulations.		
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.		
Sewage disposal recommendations	: Disposal must be done according to official regulations.		
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.		
Additional information	: Flammable vapors may accumulate in the container. Do not re-use empty containers.		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Transport document description (DOT)

UN-No.(DOT) Proper Shipping Name (DOT)

Class (DOT) Packing group (DOT) Hazard labels (DOT)

: UN1169 Extracts, aromatic, liquid (Regulated for Bulk only), 3, III

- : UN1169
- : Extracts, aromatic, liquid
- (Regulated for Bulk only)
- : 3 Class 3 Flammable and combustible liquid 49 CFR 173.120
- : III Minor Danger
- : 3 Flammable liquid



: 203

DOT Packaging Non Bulk (49 CFR 173.xxx)	
DOT Packaging Bulk (49 CFR 173.xxx)	

		200
DOT Packaging Bulk (49 CFR 173.xxx)	:	242
DOT Special Provisions (49 CFR 172.102)	:	B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. B3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T2 - 1.5 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	:	150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	:	60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	:	220 L
DOT Vessel Stowage Location	:	A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Emergency Response Guide (ERG) Number	:	127
Other information	:	No supplementary information available.
Transportation of Dangerous Goods		
Transport document description (TDG)	:	UN1169 EXTRACTS, AROMATIC, LIQUID (Regulated for Bulk only), 3, III
UN-No. (TDG)	:	UN1169
Proper Shipping Name (TDG)	:	EXTRACTS, AROMATIC, LIQUID
TDG Primary Hazard Classes	:	3 - Class 3 - Flammable Liquids
Packing group (TDG)	:	III - Minor Danger
Explosive Limit and Limited Quantity Index	:	5 L
Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index	:	60 L
Transport by sea		
Transport document description (IMDG)	:	UN 1197 EXTRACTS, LIQUID, 3, III
UN-No. (IMDG)	:	1197
Proper Shipping Name (IMDG)	:	EXTRACTS, LIQUID
Class (IMDG)	:	3 - Flammable liquids
Packing group (IMDG)	:	III - substances presenting low danger

Limited quantities (IMDG)

06/05/2024

: 5 L

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Air transport

Transport document description (IATA)	: UN 1197 Extracts, liquid, 3, III
UN-No. (IATA)	: 1197
Proper Shipping Name (IATA)	: Extracts, liquid
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: III - Low danger

SECTION 15: Regulatory information
15.1. US Federal regulations
CYPRESS OIL (8013-86-3)
Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

CYPRESS OIL (8013-86-3)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations No additional information available

National regulations

No additional information available

15.3. US State regulations

WARNING: This product can expose you to beta-myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

CTION 16: Other information	
ision date	: 06/05/2024
text of H-phrases:	
H226	Flammable liquid and vapor
H304	May be fatal if swallowed and enters airways
1004	
H315	Causes skin irritation
H317	May cause an allergic skin reaction
1317	
	H304

SDS US (GHS HazCom 2012) - Lebermuth

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.