

 Safety Data Sheet

 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

 Issue date: 04/18/2018
 Revision date: 06/11/2024
 Supersedes: 06/27/2023

Issu	e date: 04/18/2018	Revision date: 06/11/2024	Supersedes: 06/27/2023	Version: 1.4
SECTION 1: Identification				
1.1. Identification Product form	: Substance			
Product name	: JUNIPERBER			
CAS-No.	: 8002-68-4			
Product code	: 50-6150-02			
I.2. Recommended use and restrict	ions on use			
I.3. Supplier				
Fhe Lebermuth Company 4004 Technology Drive South Bend, IN 46628 - United States Γ 574-259-7000 - F 574-258-7450 nfo@lebermuth.com - www.lebermuth.com				
I.4. Emergency telephone number				
Emergency number	: CHEMTREC CCN 13010	- USA: 800-424-9300 Intern	ational: +1 703-527-3887 / 1-{	300-424-9300
SECTION 2: Hazard(s) identificat	ion			
2.1. Classification of the substance	or mixture			
GHS US classification				
Flammable liquids Category 3 Acute toxicity (oral) Category 4 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category Skin sensitization, Category 1 Reproductive toxicity Category 2 Aspiration hazard Category 1	Harmi Cause 2A Cause May c Suspe	nable liquid and vapor ful if swallowed es skin irritation es serious eye irritation ause an allergic skin reaction ected of damaging fertility or the e fatal if swallowed and enters		
2.2. GHS Label elements, including	precautionary statem	ients		
GHS US labeling				
Hazard pictograms (GHS US)	: GHS02	GHS07 GHS08		
Signal word (GHS US)	: Danger			
Hazard statements (GHS US)	Causes skin i May cause an Causes seriou	llowed f swallowed and enters airway		
Precautionary statements (GHS US)	: Obtain specia Do not handle Keep away fro smoking. Keep containe Ground/Bond Use explosior Use only non- Take precauti	I instructions before use. until all safety precautions ha om heat, hot surfaces, sparks, er tightly closed. container and receiving equip p-proof electrical/ventilating/ligit sparking tools. onary measures against static	ave been read and understood open flames and other ignitio ment. hting equipment.	
	Wash hands,	ng dust/fume/gas/mist/vapors/s forearms and face thoroughly ink or smoke when using this	after handling.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Immediately call a poison center or doctor.
If swallowed: Call a poison center or doctor if you feel unwell.
If on skin: Wash with plenty of water.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If exposed or concerned: Get medical advice/attention.
Specific treatment (see supplemental first aid instruction on this label).
Rinse mouth
Do NOT induce vomiting.
If skin irritation occurs: Get medical advice/attention.
If skin irritation or rash occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
Wash contaminated clothing before reuse.
In case of fire: Use media other than water to extinguish.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances			
Name	Product identifier	%	GHS US classification
JUNIPERBERRY OIL	(CAS-No.) 8002-68-4	100	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Repr. 2, H361 Asp. Tox. 1, H304

Full text of hazard classes and H-statements : see section 16

3.2. Mixtures		
Not applicable		
SECTION 4: First-aid measures		
4.1. Description of first aid measures		
First-aid measures general	: Call a physician immediately.	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.	
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.	
First-aid measures after eye contact	 Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. 	
First-aid measures after ingestion	: Do not induce vomiting. Call a physician immediately. Rinse mouth.	
4.2. Most important symptoms and effects (acute and delayed)		
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.	
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.	
Symptoms/effects after eye contact	: Eye irritation.	
Symptoms/effects after ingestion	: Risk of lung edema.	
4.3. Immediate medical attention and sp	ecial treatment, if necessary	

Treat symptomatically.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

media Water spray. Dry powder. Foam. Carbon dioxide. Do not use a heavy water stream.
Water spray. Dry powder. Foam. Carbon dioxide.
•
ical
Flammable liquid and vapor.
No direct explosion hazard.
Flammable liquid and vapor.
autions for fire-fighters Fight fire from safe distance and protected location. Do not enter fire area without proper
protective equipment, including respiratory protection.
Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
es
ment and emergency procedures
Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.
Wear recommended personal protective equipment.
Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.
Do not attempt to take action without suitable protective equipment. For further information
refer to section 8: "Exposure controls/personal protection".
Evacuate unnecessary personnel. Stop leak if safe to do so.
and cleaning up
Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk.
Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Dispose of materials or solid residues at an authorized site.
Not expected to present a significant hazard under anticipated conditions of normal use.
Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.
Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
iny incompatibilities
Ground/bond container and receiving equipment.
Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

JUNIPERBERRY OIL (8002-68-4)

No additional information available

8.2. Appropriate engineering controls

: Ensure good ventilation of the work station.

Appropriate engineering controls Environmental exposure controls

: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. [In case of inadequate ventilation] wear respiratory protection.



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Color	: COLORLESS TO PALE YELLOW LIQUID	
Odor	: GREEN, FRESH, WOODY-SWEET, PINE NEEDLE-LIKE ODOR	
Odor threshold	: No data available	
рН	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: 40 °C	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability	: Not applicable.	
Vapor pressure	: No data available	
Relative vapor density at 20°C	: No data available	
Relative density	: 0.861 (0.85 – 0.885)	
Solubility	: Insoluble.	
Partition coefficient n-octanol/water (Log Pow)	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Viscosity, kinematic	: No data available	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Monday,	March 26, 2012 / Rules and Regulations	
Viscosity, dynamic	: No data available	
Explosion limits	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
9.2. Other information		
Refractive index	: 1.475 (1.47 – 1.49)	
SECTION 10: Stability and reactivity		
10.1. Reactivity		
Flammable liquid and vapor.		
10.2. Chemical stability		
Stable under normal conditions.		
10.3. Possibility of hazardous reactions		
No dangerous reactions known under normal con	nditions of use.	
10.4. Conditions to avoid		
Avoid contact with hot surfaces. Heat. No flames	, no sparks. Eliminate all sources of ignition.	
10.5. Incompatible materials		
No additional information available		
10.6. Hazardous decomposition products		
Under hormal conditions of storage and use, haz	ardous decomposition products should not be produced.	
SECTION 11: Toxicological informat	ion	
11.1. Information on toxicological effects		
Acute toxicity (oral)	: Harmful if swallowed.	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	
ATE US (oral)	500 mg/kg body weight	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitization	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: May be fatal if swallowed and enters airways.	
Viscosity, kinematic	: No data available	
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.	
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.	
Symptoms/effects after eye contact	: Eve irritation.	
Symptoms/effects after ingestion	: Risk of lung edema.	
SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - general	: Very toxic to aquatic life with long lasting effects.	

12.2. Persistence and degradability No additional information available

12.3. Bioaccumulative potential

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal consideration	IS
13.1. Disposal methods	
Regional waste regulation Waste treatment methods Sewage disposal recommendations Product/Packaging disposal recommendations Additional information	 Disposal must be done according to official regulations. Dispose of contents/container in accordance with licensed collector's sorting instructions. Disposal must be done according to official regulations. Disposal must be done according to official regulations. Flammable vapors may accumulate in the container. Do not re-use empty containers.
SECTION 14: Transport information	
Department of Transportation (DOT) In accordance with DOT Transport document description (DOT)	: UN1197 Extracts, flavoring, liquid (Regulated for Bulk only), 3, III
UN-No.(DOT) Proper Shipping Name (DOT) Class (DOT) Packing group (DOT) Hazard labels (DOT)	 UN1197 Extracts, flavoring, liquid (Regulated for Bulk only) 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120 III - Minor Danger 3 - Flammable liquid
DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Special Provisions (49 CFR 172.102)	 203 242 B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T2 - 1.5 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx) DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) DOT Quantity Limitations Cargo aircraft only (49	
CFR 175.75) DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Emergency Response Guide (ERG) Number	: 127
Other information	: No supplementary information available.
Transportation of Dangerous Goods Transport document description (TDG)	: UN1197 EXTRACTS, FLAVOURING, LIQUID (Regulated for Bulk only), 3, III

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

UN-No. (TDG)	: UN1197
Proper Shipping Name (TDG)	: EXTRACTS, FLAVOURING, LIQUID
TDG Primary Hazard Classes	: 3 - Class 3 - Flammable Liquids
Packing group (TDG)	: III - Minor Danger
Explosive Limit and Limited Quantity Index	: 5L
Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index	: 60 L
Transport by sea	
Transport document description (IMDG)	: UN 1197 EXTRACTS, LIQUID, 3, III
UN-No. (IMDG)	: 1197
Proper Shipping Name (IMDG)	: EXTRACTS, LIQUID
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: III - substances presenting low danger
Limited quantities (IMDG)	: 5L
Air transport	
Transport document description (IATA)	: UN 1197 Extracts, liquid, 3, III
UN-No. (IATA)	: 1197
Proper Shipping Name (IATA)	: Extracts, liquid
Class (IATA)	: 3 - Flammable Liquids
	: III - Low danger

JUNIPERBERRY OIL (8002-68-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations	
CANADA	
JUNIPERBERRY OIL (8002-68-4)	
Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations WARNING: This

This product can expose you to beta-myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information

Revision date

: 06/11/2024

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full	text of H-phrases:	
	H226	Flammable liquid and vapor
	H302	Harmful if swallowed
	H304	May be fatal if swallowed and enters airways
	H315	Causes skin irritation
	H317	May cause an allergic skin reaction
	H319	Causes serious eye irritation
	H361	Suspected of damaging fertility or the unborn child

SDS US (GHS HazCom 2012) - Lebermuth

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.