

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 08/01/2018 Revision date: 09/17/2024 Supersedes: 05/20/2020

Version: 1.4

C. C	6	Issue date: 08/01/2018	Revision date: 09/17/2024	Supersedes: 05/20/2020	Version: 1.4
SECTION 1:	Identification				
	ification				
Product form		: Substance			
Product name		: LITSEA CUBE	BA ORGANIC OIL		
CAS-No.		: 68855-99-2			
Product code		: 50-6172-02			
1.2. Recoi	mmended use and	restrictions on use			
1.3. Suppl	lier				
T 574-259-7000					
1.4. Emerg	gency telephone n	umber			
Emergency num	nber	: CHEMTREC CCN 13010	- USA: 800-424-9300 Intern	national: +1 703-527-3887 / 1-{	300-424-9300
	Hazard(s) ider				
2.1. Class	ification of the sub	ostance or mixture			
GHS US classif	fication				
	rritation Category 2 nage/eye irritation C on, Category 1	Cause Category 2A Cause May c	ustible liquid is skin irritation is serious eye irritation ause an allergic skin reaction e fatal if swallowed and enter		
2.2. GHS I	Label elements, in	cluding precautionary statem	ents		
GHS US labelin	ng				
Hazard pictogra	ms (GHS US)	: GHS07	GHS08		
Signal word (G⊦	IS US)	: Danger			
Hazard stateme	nts (GHS US)	Causes skin ir May cause an	swallowed and enters airway	rs	
Precautionary st	tatements (GHS US	smoking. Avoid breathir Wash hands, Contaminated Wear protectiv If swallowed: I If on skin: Wa IF IN EYES: F and easy to do Specific treatr Do NOT induc If skin irritation If skin irritation If skin irritation If skin irritation	g dust/fume/gas/mist/vapors/ forearms and face thoroughly work clothing must not be all e gloves/protective clothing/e mmediately call a poison cen sh with plenty of water. tinse cautiously with water for b. Continue rinsing. nent (see supplemental first a e vomiting. noccurs: Get medical advice/ or rash occurs: Get medical persists: Get medical advice/	after handling. owed out of the workplace. eye protection/face protection. ter or doctor. several minutes. Remove cor id instruction on this label). attention. advice/attention.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Wash contaminated clothing before reuse. In case of fire: Use media other than water to extinguish. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances			
Name	Product identifier	%	GHS US classification
LITSEA CUBEBA OIL	(CAS-No.) 68855-99-2	100	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304

Full text of hazard classes and H-statements : see section 16

3.2. Mixtures				
Not applicable				
SECTION 4: First-aid measures				
4.1. Description of first aid measures				
First-aid measures general	: Call a physician immediately.			
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.			
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.			
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.			
First-aid measures after ingestion	: Do not induce vomiting. Call a physician immediately.			
4.2. Most important symptoms and effect	ts (acute and delayed)			
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.			
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.			
Symptoms/effects after eye contact	: Eye irritation.			
Symptoms/effects after ingestion	: Risk of lung edema.			
4.3. Immediate medical attention and special treatment, if necessary				
Treat symptomatically.				
SECTION 5: Fire-fighting measures				
5.1. Suitable (and unsuitable) extinguishing media				
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.			

Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Specific hazards arising from the cl	hemical
Fire hazard	: Combustible liquid.
Explosion hazard	: No direct explosion hazard.
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
5.3. Special protective equipment and p	recautions for fire-fighters
Firefighting instructions	 Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	 Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equ	ipment and emergency procedures	
General measures	: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.	
6.1.1. For non-emergency personnel		
Protective equipment	: Wear recommended personal protective equipment.	
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures	: Evacuate unnecessary personnel. Stop leak if safe to do so.	
6.2. Environmental precautions		
Avoid release to the environment.		
6.3. Methods and material for containmer	It and cleaning up	
	: Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk.	
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.	
Other information	: Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		
For further information refer to section 13.		
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
	: Not expected to present a significant hazard under anticipated conditions of normal use.	
Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open	
	flames and other ignition sources. No smoking. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.	
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, including	g any incompatibilities	
Technical measures	: Keep in a cool, well-ventilated place away from heat.	
Storage conditions	: Store in a well-ventilated place. Keep cool. Store locked up.	
Packaging materials	: Store always product in container of same material as original container.	
SECTION 8: Exposure controls/perso	nal protection	
8.1. Control parameters		
LITSEA CUBEBA OIL (68855-99-2)		
No additional information available		
8.2. Appropriate engineering controls		
Appropriate engineering controls	: Ensure good ventilation of the work station.	
Environmental exposure controls	: Avoid release to the environment.	
8.3. Individual protection measures/Perso	inal protective equipment	
Personal protective equipment:		
Wear recommended personal protective equipme	nt.	
Hand protection:		
Protective gloves		
Eye protection:		
09/17/2024	EN (English US) 3/7	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Chemical goggles or safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment



SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Color	: YELLOW TO AMBER/ORANGE LIQUID	
Odor	: HARSH LEMON TYPE ODOR	
Odor threshold	: No data available	
рН	: No data available	
Melting point	: Not applicable	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: 65 °C	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability	: Not applicable.	
Vapor pressure	: No data available	
Relative vapor density at 20°C	: No data available	
Relative density	: 0.883 (0.88 – 0.895)	
Solubility	: Insoluble.	
Partition coefficient n-octanol/water (Log Pow)	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosion limits	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
9.2. Other information		
Refractive index	: 1.482 (1.475 – 1.498)	
SECTION 10: Stability and reactivity		
10.1. Reactivity		
The product is non-reactive under normal conditio	ns of use, storage and transport.	

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

09/17/2024

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Under normal conditions of storage and use, hazardous decomposition products should not be produced.		
SECTION 11: Toxicological information		
11.1. Information on toxicological effe	cts	
Acute toxicity (oral)	: Not classified	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	
ATE US (dermal)	4800 mg/kg body weight	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitization	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: May be fatal if swallowed and enters airways.	
Viscosity, kinematic	: No data available	
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.	
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.	
Symptoms/effects after eye contact	: Eye irritation.	
Symptoms/effects after ingestion	: Risk of lung edema.	
SECTION 12: Ecological informati	on	
12.1. Toxicity		
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.	
12.2. Persistence and degradability		
No additional information available		
12.3. Bioaccumulative potential		
No additional information available		
12.4. Mobility in soil		
No additional information available		
12.5 Other adverse offects		

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations				
13.1. Disposal methods				
Regional waste regulation	: Disposal must be done according to official regulations.			
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.			
Sewage disposal recommendations	: Disposal must be done according to official regulations.			
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.			
Additional information	: Do not re-use empty containers.			
SECTION 14: Transport information				
Department of Transportation (DOT)				

In accordance with DOT	
Transport document description (DOT)	: UN1197 Extracts, flavoring, liquid (Regulated for Bulk only), Comb Liq, III
00/47/0004	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

UN-No.(DOT)	:	UN1197
Proper Shipping Name (DOT)	:	Extracts, flavoring, liquid
		(Regulated for Bulk only)
Class (DOT)	:	Comb Liq - Combustible liquid
Packing group (DOT)	:	III - Minor Danger
DOT Packaging Non Bulk (49 CFR 173.xxx)	:	203
DOT Packaging Bulk (49 CFR 173.xxx)	:	242
DOT Special Provisions (49 CFR 172.102)	:	B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HD2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T2 - 1.5 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	:	150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	:	60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	:	220 L
DOT Vessel Stowage Location	:	A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Emergency Response Guide (ERG) Number	:	127
Other information	:	No supplementary information available.

Transportation of Dangerous Goods

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

SECTION 15: Regulatory information		
15.1. US Federal regulations		
LITSEA CUBEBA OIL (68855-99-2)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		

15.2. International regulations

CANADA

LITSEA CUBEBA OIL (68855-99-2)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

National regulations

No additional information available

15.3. US State regulations

🗥 WARNING:

This product can expose you to safrole, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

This product can expose you to beta-myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information

Rev	vision date	: 09/17/2024
Full	text of H-phrases:	
	H227	Combustible liquid
	H304	May be fatal if swallowed and enters airways
	H315	Causes skin irritation
	H317	May cause an allergic skin reaction
	H319	Causes serious eye irritation

SDS US (GHS HazCom 2012) - Lebermuth

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.