

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Issue date: 11/16/2018 Revision date: 08/11/2025 Supersedes: 11/09/2023 Version: 1.3

## **SECTION 1: Identification**

#### 1.1. Product identifier

Product form : Substance

Substance name : ROSEMARY MOROCCAN

 Substance type
 : UVCB

 CAS-No.
 : 8000-25-7

 Product code
 : 50-6230-03

 Product group
 : Trade product

#### 1.2. Recommended use and restrictions on use

#### 1.3. Supplier

The Lebermuth Company
4004 Technology Drive
46628 South Bend, IN - United States
T 574-259-7000 - F 574-258-7450
info@lebermuth.com - www.lebermuth.com

#### 1.4. Emergency telephone number

Emergency number : CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300

CCN 13010

#### **SECTION 2: Hazard identification**

#### 2.1. Classification of the substance or mixture

#### Classification (GHS CA)

Flammable liquids H226

Category 3 Skin corrosion/irritation H315

Category 2

Serious eye H319

damage/eye irritation

Category 2A

Skin sensitization, H317 category 1B Specific target organ H371

toxicity (single exposure) Category 2

Aspiration hazard H304

Category 1

Full text of H statements : see section 16

#### 2.2. GHS Label elements, including precautionary statements

## **GHS CA labeling**

Hazard pictograms (GHS CA)







Signal word (GHS CA) : Danger

Hazard statements (GHS CA) : H226 - Flammable liquid and vapor

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation H371 - May cause damage to organs

Precautionary statements (GHS CA) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 - Keep container tightly closed.

P240 - Ground/bond container and receiving equipment.

P241 - Use explosion-proof electrical/ventilating/lighting equipment.

P242 - Use only non-sparking tools.

08/11/2025 EN (English US) Page 1

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

P243 - Take action to prevent static discharges.

P260 - Do not breathe dust/fume/gas/mist/vapors/spray.

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. P264 - Wash hands, forearms and face thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water .

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P308+P311 - IF exposed or concerned: Call a POISON CENTER or doctor. P321 - Specific treatment (see supplemental first aid instruction on this label).

P331 - Do NOT induce vomiting.

P332+P313 - If skin irritation occurs: Get medical advice/attention.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P370+P378 - In case of fire: Use media other than water to extinguish.

P403+P235 - Store in a well-ventilated place. Keep cool

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards

No additional information available

### 2.4. Unknown acute toxicity (GHS CA)

No data available

## **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substances

Substance type : UVCB

 Custom name
 : ROSEMARY OIL

 CAS-No.
 : 8000-25-7

 EC-No.
 : 283-291-9

Name	Chemical name/Synonyms	Product identifier	%	Classification (GHS CA)
ROSEMARY OIL		(CAS-No.) 8000-25-7	100	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317 STOT SE 2, H371 Asp. Tox. 1, H304

Full text of hazard classes and H-statements : see section 16

## 3.2. Mixtures

Not applicable

## SECTION 4: First-aid measures

# 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin

irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Do not induce vomiting. Call a physician immediately.

First-aid measures general : Call a physician immediately.

#### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : No data available.

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

Symptoms/effects after ingestion : Risk of lung edema.

#### 4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment : Treat symptomatically.

08/11/2025 EN (English US) 2/7

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

# SECTION 5: Fire-fighting measures

#### 5.1. Suitable extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Unsuitable extinguishing media

Unsuitable extinguishing media : Do not use a heavy water stream.

5.3. Specific hazards arising from the hazardous product

Fire hazard : Flammable liquid and vapor. Explosion hazard : No direct explosion hazard.

#### 5.4. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper

protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb

spillage to prevent material-damage.

#### 6.2. Methods and materials for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to

prevent migration and entry into sewers or streams. Stop leak, if possible without risk.

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof

equipment. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed

out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands

after handling the product.

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

Packaging materials : Store always product in container of same material as original container.

#### **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

No additional information available

## 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

## 8.3. Individual protection measures/Personal protective equipment

# Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Protective gloves

Eye protection:

08/11/2025 EN (English US) 3/7

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Chemical goggles or safety glasses

### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### Personal protective equipment symbol(s):







## SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : No data available

Color : COLORLESS TO PALE YELLOW

Odor : CHARACTERISTIC ROSEMARY ODOR AND CAMPHORACEOUS TASTE

Odor threshold : No data available pH : No data available Relative evaporation rate (butyl acetate=1) : No data available Relative evaporation rate (ether=1) : No data available Melting point : No data available Freezing point : No data available Boiling point : No data available

Flash point : 40 °C

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability : Not applicable
Vapor pressure : No data available
Vapor pressure at 50°C : No data available
Relative density : 0.9098 (0.905 – 0.925)

Solubility : Insoluble.

Partition coefficient n-octanol/water (Log Pow) : No data available Explosion limits : No data available

9.2. Other information

Refractive index : 1.467 (1.453 – 1.482)

## **SECTION 10: Stability and reactivity**

10.1. Reactivity

Reactivity : Flammable liquid and vapor.

Conditions to avoid : Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

# SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

08/11/2025 EN (English US) 4/7

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Reproductive toxicity : Not classified

STOT-single exposure : May cause damage to organs.

: Not classified

STOT-repeated exposure

Aspiration hazard : May be fatal if swallowed and enters airways.

Symptoms/effects after inhalation : No data available.

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

Symptoms/effects after ingestion : Risk of lung edema.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-

term (acute)

: Not classified

Hazardous to the aquatic environment, long-

term (chronic)

: Not classified

### 12.2. Persistence and degradability

No additional information available

## 12.3. Bioaccumulative potential

No additional information available

## 12.4. Mobility in soil

No additional information available

## 12.5. Other adverse effects

Ozone : Not classified

# **SECTION 13: Disposal considerations**

## 13.1. Disposal methods

Regional waste regulation : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations : Disposal must be done according to official regulations. Product/Packaging disposal recommendations : Disposal must be done according to official regulations.

Additional information : Flammable vapors may accumulate in the container. Do not re-use empty containers.

## **SECTION 14: Transport information**

### 14.1. Basic shipping description

In accordance with TDG

### **Transportation of Dangerous Goods**

UN-No. (TDG) : UN1197

Packing group (TDG) : III - Minor Danger

TDG Primary Hazard Classes : 3 - Class 3 - Flammable Liquids

Transport document description (TDG) : UN1197 EXTRACTS, LIQUID (Regulated for Bulk only), 3, III

Proper Shipping Name (TDG)

: UNTIBY EXTRACTS, LIQUID (Regulated for

: EXTRACTS, LIQUID (Regulated for Bulk only)

08/11/2025 EN (English US) 5/7

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Hazard labels (TDG) : 3 - Flammable Liquids



Explosive Limit and Limited Quantity Index : 5 L

Excepted quantities (TDG) : E1

Passenger Carrying Road Vehicle or Passenger : 60 L

Carrying Railway Vehicle Index

#### 14.2. Transport information/DOT

#### **Department of Transport**

DOT NA No : UN1197 UN-No. (DOT) : 1197

Packing group (DOT) : III - Minor Danger

Transport document description (DOT) : UN1197 Extracts, liquid (Regulated for Bulk Only), 3, III

Proper Shipping Name (DOT) : Extracts, liquid

(Regulated for Bulk Only)

Contains Statement Field Selection (DOT)

Class (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Division (DOT) : 3

Hazard labels (DOT) : 3 - Flammable liquid



Marine pollutant : NO
Dangerous for the environment : No

DOT Special Provisions (49 CFR 172.102)

B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.

IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T2 - 1.5 178.274(d)(2) Normal...... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.

DOT Packaging Exceptions (49 CFR 173.xxx) : 150
DOT Packaging Non Bulk (49 CFR 173.xxx) : 203
DOT Packaging Bulk (49 CFR 173.xxx) : 242
DOT Quantity Limitations Passenger aircraft/rail : 60 L
(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 220 L

CFR 175.75)

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

Emergency Response Guide (ERG) Number : 12

Other information : No supplementary information available.

### 14.3. Air and sea transport

#### **IMDG**

UN-No. (IMDG) : 1197

Proper Shipping Name (IMDG) : EXTRACTS, LIQUID

Transport document description (IMDG) : UN 1197 EXTRACTS, LIQUID, 3, III, MARINE POLLUTANT/ENVIRONMENTALLY

HAZARDOUS

Class (IMDG) : 3 - Flammable liquids

08/11/2025 EN (English US) 6/7

# Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Packing group (IMDG) : III - substances presenting low danger

**IATA** 

UN-No. (IATA) : 1197

Proper Shipping Name (IATA) : Extracts, liquid

Transport document description (IATA) : UN 1197 Extracts, liquid, 3, III, ENVIRONMENTALLY HAZARDOUS

Class (IATA) : 3 - Flammable Liquids
Packing group (IATA) : III - Low danger

# **SECTION 15: Regulatory information**

#### 15.1. National regulations

#### **ROSEMARY MOROCCAN (8000-25-7)**

Listed on the Canadian DSL (Domestic Substances List)

#### 15.2. International regulations

#### **ROSEMARY MOROCCAN (8000-25-7)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory

## **SECTION 16: Other information**

 SDS Major/Minor
 : None

 Issue date
 : 11/16/2018

 Revision date
 : 08/11/2025

 Supersedes
 : 11/09/2023

#### Full text of H-phrases:

H226	Flammable liquid and vapor
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H371	May cause damage to organs

## SDS Canada (GHS) - Lebermuth

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

08/11/2025 EN (English US) 7/7