

 Safety Data Sheet

 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

 Issue date: 08/01/2018
 Revision date: 04/12/2024
 Supersedes: 04/17/2023
 Version: 1.4

	Issue date: 08/01/2018	Revision date: 04/12/2024	Supersedes: 04/17/2023	Version: 1.4
SECTION 1: Identification				
1.1. Identification				
Product form	: Substance			
Product name	: TEA TREE C			
CAS-No.	: 68647-73-4			
	: 50-6270-02			
Product code 1.2. Recommended use and res				
1.3. Supplier				
The Lebermuth Company 4004 Technology Drive South Bend, IN 46628 - United States T 574-259-7000 - F 574-258-7450 info@lebermuth.com - www.lebermuth.	com			
1.4. Emergency telephone num	ber			
Emergency number	: CHEMTREC CCN 13010	- USA: 800-424-9300 Intern	ational: +1 703-527-3887 / 1-8	300-424-9300
SECTION 2: Hazard(s) identifi	cation			
2.1. Classification of the substa	nce or mixture			
GHS US classification				
Acute toxicity (oral) Category 4 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 Skin sensitization, category 1B Reproductive toxicity Category 2 Specific target organ toxicity – Single ex 3, Narcosis Aspiration hazard Category 1	gory 2A Caus May Susp kposure, Category May	es skin irritation ses serious eye irritation cause an allergic skin reaction rected of damaging fertility or th cause drowsiness or dizziness be fatal if swallowed and enter		
2.2 CHC Label elements inclus	ling proposition and states	manta		
2.2. GHS Label elements, includ	ing precautionary state	nents		
GHS US labeling				
Hazard pictograms (GHS US)	GHS02	GHS07 GHS08	$\succ$	
Signal word (GHS US)	: Danger	000/100/100/100/00		
Hazard statements (GHS US)	: Flammable li Harmful if sw May be fatal Causes skin May cause a Causes seric May cause d	if swallowed and enters airway		
Precautionary statements (GHS US)	Obtain speci Do not handl Keep away fi smoking. Keep contair Ground/Bond Use explosio Use only nor	al instructions before use. e until all safety precautions ha rom heat, hot surfaces, sparks, her tightly closed. d container and receiving equip n-proof electrical/ventilating/lig n-sparking tools.	ave been read and understood open flames and other ignition ment. hting equipment.	
	Take precau	tionary measures against statio	discharge.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center or doctor. If swallowed: Call a poison center or doctor if you feel unwell. If on skin (Vash with plenty of water. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Call a poison center or doctor if you feel unwell. Specific treatment (see supplemental first aid instruction on this label). Rinse mouth. Do NOT induce vomiting. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store io a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances			
Name	Product identifier	%	GHS US classification
TEA TREE OIL	(CAS-No.) 68647-73-4	100	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317 Repr. 2, H361 STOT SE 3, H336 Asp. Tox. 1, H304

Full text of hazard classes and H-statements : see section 16

## 3.2. Mixtures

Not applicable	
SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	<ul> <li>Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.</li> </ul>
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.
4.2. Most important symptoms and effe	ects (acute and delayed)
Symptoms/effects	: May cause drowsiness or dizziness.
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.

# Safety Data Sheet

Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.	
Symptoms/effects after eye contact	: Eye irritation.	
Symptoms/effects after ingestion	: Risk of lung edema.	
	, ,	
4.3. Immediate medical attention an Treat symptomatically.	d special treatment, if necessary	
5. 5		
SECTION 5: Fire-fighting measu		
5.1. Suitable (and unsuitable) exting		
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.	
Unsuitable extinguishing media	: Do not use a heavy water stream.	
5.2. Specific hazards arising from the second secon		
Fire hazard	: Flammable liquid and vapor.	
Explosion hazard	: No direct explosion hazard.	
Reactivity	<ul> <li>Flammable liquid and vapor. The product is non-reactive under normal conditions of use, storage and transport.</li> </ul>	
5.3. Special protective equipment a		
Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper	
	protective equipment, including respiratory protection.	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	
SECTION 6: Accidental release n	neasures	
6.1. Personal precautions, protectiv	re equipment and emergency procedures	
General measures	: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.	
6.1.1. For non-emergency personnel		
Protective equipment	: Wear recommended personal protective equipment.	
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures	: Evacuate unnecessary personnel. Stop leak if safe to do so.	
6.2. Environmental precautions		
Avoid release to the environment.		
6.3. Methods and material for conta	inment and cleaning up	
For containment	: Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk.	
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.	
Other information	: Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		
For further information refer to section 13.		
SECTION 7: Handling and storag	e	
7.1. Precautions for safe handling		
Additional hazards when processed	: Not expected to present a significant hazard under anticipated conditions of normal use.	
Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.	

04/12/2024

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, incl	uding any incompatibilities
Technical measures	: Ground/bond container and receiving equipment.
Storage conditions	: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.
Packaging materials	: Store always product in container of same material as original container.

## SECTION 8: Exposure controls/personal protection

8.1. Control parameters

TEA TREE OIL (68647-73-4)	
No additional information available	

## 8.2. Appropriate engineering controls

Appropriate engineering controls Environmental exposure controls : Ensure good ventilation of the work station.: Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

### **Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment. [In case of inadequate ventilation] wear respiratory protection.



## **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Color	: COLORLESS TO PALE YELLOW LIQUID	
Odor	: POWERFUL, FRESH, WARM, SPICY-EARTHY ODOR	
Odor threshold	: No data available	
pH	: No data available	
Melting point	: Not applicable	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: 59 °C	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability	: Not applicable.	
Vapor pressure	: No data available	

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5 5 , 5	
Relative vapor density at 20°C	: No data available
Relative density	: 0.8944 (0.89 – 0.904)
Solubility	: Insoluble.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	
VOC content	: 48.5 %
Refractive index	: 1.477 (1.467 – 1.487)

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Flammable liquid and vapor. The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition. None under recommended storage and handling conditions (see section 7).

## 10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# SECTION 11: Toxicological information 11.1. Information on toxicological effects Acute toxicity (oral) : Harmful if swallowed. Acute toxicity (dermal) Not classified

Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	
ATE US (oral)	1900 mg/kg body weight	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitization	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.	
STOT-single exposure	: May cause drowsiness or dizziness.	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: May be fatal if swallowed and enters airways.	
Viscosity, kinematic	: No data available	
Symptoms/effects	: May cause drowsiness or dizziness.	
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.	
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.	

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: Risk of lung edema.
SECTION 12: Ecological info	ormation
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
12.2. Persistence and degradab	bility
No additional information available	
12.3. Bioaccumulative potential	I construction of the second
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	

No additional information available

<b>SECTION 13: Disposal consideration</b>	15
13.1. Disposal methods	
Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.
Additional information	: Flammable vapors may accumulate in the container. Do not re-use empty containers.

# **SECTION 14: Transport information**

## Department of Transportation (DOT)

: UN2319 Terpene hydrocarbons, n.o.s. (Tea Tree Oil) - Regulated for Bulk only, 3, III
: UN2319
: Terpene hydrocarbons, n.o.s.
(Tea Tree Oil) - Regulated for Bulk only
: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
: III - Minor Danger
: 3 - Flammable liquid
PLANEARE LIQUID

DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) : 203 : 242

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	<ul> <li>B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.</li> <li>IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).</li> <li>T4 - 2.65 178.274(d)(2) Normal</li></ul>
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Emergency Response Guide (ERG) Number	: 128
Other information	: No supplementary information available.
Transportation of Dangerous Goods	
Transport document description (TDG)	: UN2319 TERPENE HYDROCARBONS, N.O.S. (Tea Tree Oil) - Regulated for Bulk only, 3, III
UN-No. (TDG)	: UN2319
Proper Shipping Name (TDG)	: TERPENE HYDROCARBONS, N.O.S.
TDG Primary Hazard Classes	: 3 - Class 3 - Flammable Liquids
Packing group (TDG)	: III - Minor Danger
Explosive Limit and Limited Quantity Index	: 5L
Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index	: 60 L
Transport by sea	
Transport document description (IMDG)	: UN 2319 TERPENE HYDROCARBONS, N.O.S. (Tea Tree Oil), 3, III (32°C c.c.)
UN-No. (IMDG)	: 2319
Proper Shipping Name (IMDG)	: TERPENE HYDROCARBONS, N.O.S.
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: III - substances presenting low danger : 5 L
Limited quantities (IMDG)	. JL
Air transport	
Transport document description (IATA)	: UN 2319 Terpene hydrocarbons, n.o.s. (Tea Tree Oil), 3, III
UN-No. (IATA)	: 2319
Proper Shipping Name (IATA)	: Terpene hydrocarbons, n.o.s.
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: III - Low danger
SECTION 15: Regulatory information	
15.1. US Federal regulations	

## 15.1. US Federal regulations TEA TREE OIL (68647-73-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 15.2. International regulations

### CANADA

### TEA TREE OIL (68647-73-4)

Listed on the Canadian DSL (Domestic Substances List)

### **EU-Regulations**

No additional information available

#### **National regulations**

No additional information available

### 15.3. US State regulations

This product can expose you to methyl eugenol, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

This product can expose you to beta-myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

### **SECTION 16: Other information**

### Revision date : 04/12/2024 Full text of H-phrases: H226 Flammable liquid and vapor H302 Harmful if swallowed H304 May be fatal if swallowed and enters airways H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H336 May cause drowsiness or dizziness H361 Suspected of damaging fertility or the unborn child

SDS US (GHS HazCom 2012) - Lebermuth

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.