

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 12/18/2018 Revision date: 12/17/2024 Supersedes: 05/21/2020

SECTION 1: Identification Identification 1.1. Product form : Mixture Product name **OIL, JAPANESE CITRON*** CAS-No. N/A Product code : 90-3031-82 1.2. Recommended use and restrictions on use 1.3. **Supplier** The Lebermuth Company 4004 Technology Drive South Bend, IN 46628 - United States T 574-259-7000 - F 574-258-7450 info@lebermuth.com - www.lebermuth.com 1.4. **Emergency telephone number** Emergency number : CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 CCN 13010 SECTION 2: Hazard(s) identification 2.1. **Classification of the substance or mixture GHS US classification** Flammable liquids Category 4 Combustible liquid Skin corrosion/irritation Category 2 Causes skin irritation Skin sensitization, Category 1 May cause an allergic skin reaction Suspected of damaging fertility or the unborn child Reproductive toxicity Category 2 Aspiration hazard Category 1 May be fatal if swallowed and enters airways 22 GHS Label elements, including precautionary statements **GHS US labeling** Hazard pictograms (GHS US) GHS07 GHS08 Signal word (GHS US) · Danger Hazard statements (GHS US) Combustible liquid May be fatal if swallowed and enters airways Causes skin irritation May cause an allergic skin reaction Suspected of damaging fertility or the unborn child Obtain special instructions before use. Precautionary statements (GHS US) Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands, forearms and face thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center or doctor. If on skin: Wash with plenty of water. If exposed or concerned: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). Do NOT induce vomiting. If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

Version: 1.2

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Wash contaminated clothing before reuse. In case of fire: Use media other than water to extinguish. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

- **Substances** 3.1.
- Not applicable

3.2. **Mixtures**

Name	Product identifier	%	GHS US classification
BENZYL BENZOATE	(CAS-No.) 120-51-4	25 – 50	Acute Tox. 4 (Oral), H302
D-LIMONENE	(CAS-No.) 5989-27-5	10 – 25	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
LINALOOL	(CAS-No.) 78-70-6	1 – 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317
GAMMA-TERPINENE	(CAS-No.) 99-85-4	0.1 – 1	Flam. Liq. 3, H226 Repr. 2, H361 Asp. Tox. 1, H304
CITRAL	(CAS-No.) 5392-40-5	0.1 – 1	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317
GERANIOL	(CAS-No.) 106-24-1	0.1 – 1	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Do not induce vomiting. Call a physician immediately.
4.2. Most important symptoms and effect	ts (acute and delayed)
Symptoms/effects after inhalation	: No data available.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: None under normal conditions.
Symptoms/effects after ingestion	: Risk of lung edema.
4.3. Immediate medical attention and special treatment, if necessary	
Treat symptomatically.	
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguish	ing media
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2.	Specific hazards arising from the che	mical	
Fire haza	rd	: Combustible liquid.	
Explosion	hazard	: No direct explosion hazard.	
12/17/2024		EN (English US)	2/9

EN (English US)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Reactivity : The product is non-reactive under normal conditions of use, storage and transport. 5.3. Special protective equipment and precautions for fire-fighters **Firefighting instructions** : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb General measures spillage to prevent material-damage. 6.1.1. For non-emergency personnel : Wear recommended personal protective equipment. Protective equipment Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. 6.1.2. For emergency responders Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". : Evacuate unnecessary personnel. Stop leak if safe to do so. Emergency procedures 62 **Environmental precautions** Avoid release to the environment. 63 Methods and material for containment and cleaning up For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk. Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public Methods for cleaning up waters Other information Dispose of materials or solid residues at an authorized site. 64 **Reference to other sections** For further information refer to section 13. SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed Hygiene measures

 7.2.
 Conditions for safe storage, including any incompatibilities

 Technical measures
 :
 Keep in a cool, well-ventilated place away from heat.

 Storage conditions
 :
 Store in a well-ventilated place. Keep cool. Store locked up.

 Packaging materials
 :
 Store always product in container of same material as original container.

out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

OIL, JAPANESE CITRON* (N/A)	
No additional information available	
BENZYL BENZOATE (120-51-4)	
No additional information available	
GAMMA-TERPINENE (99-85-4)	
No additional information available	
10/17/0001	2/2

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

LINALOOL (78-70-6)	
No additional information available	
CITRAL (5392-40-5)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Citral
ACGIH OEL TWA	5 ppm (IFV - Inhalable fraction and vapor)
Remark (ACGIH)	TLV® Basis: Body weight eff; URT irr; eye dam. Notations: Skin; DSEN; A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2024
GERANIOL (106-24-1)	
No additional information available	
D-LIMONENE (5989-27-5)	
No additional information available	

8.2. Appropriate engineering controls

Appropriate engineering controls Environmental exposure controls : Ensure good ventilation of the work station. : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Protective gloves

Eye protection:

Chemical goggles or safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.



SECTION 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties Physical state : Liquid Color : GOLDEN YELLOW TO AMBER Odor : CHARACTERISTIC, MATCHING RETAINER SAMPLE Odor threshold : No data available pН : No data available Melting point : Not applicable Freezing point : No data available : No data available Boiling point : 61 °C Flash point Relative evaporation rate (butyl acetate=1) : No data available Flammability : Not applicable. Vapor pressure : No data available Relative vapor density at 20°C : No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative density: 0.948 (0.938 – 0.958)Solubility: Insoluble.Partition coefficient n-octanol/water (Log Pow): No data availableAuto-ignition temperature: No data availableDecomposition temperature: No data availableViscosity, kinematic: No data availableViscosity, dynamic: No data availableExplosion limits: No data availableExplosive properties: No data availableOther information: No data available9.2. Other information: 1.482 (1.472 – 1.492)		
Partition coefficient n-octanol/water (Log Pow):No data availableAuto-ignition temperature:No data availableDecomposition temperature:No data availableViscosity, kinematic:No data availableViscosity, dynamic:No data availableExplosion limits:No data availableExplosive properties:No data availableOxidizing properties:No data available9.2.Other information:	Relative density	: 0.948 (0.938 – 0.958)
Auto-ignition temperature : No data available Decomposition temperature : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available Explosion limits : No data available Explosive properties : No data available Oxidizing properties : No data available 9.2. Other information	Solubility	: Insoluble.
Decomposition temperature: No data availableViscosity, kinematic: No data availableViscosity, dynamic: No data availableExplosion limits: No data availableExplosive properties: No data availableOxidizing properties: No data available9.2.Other information	Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic: No data availableViscosity, dynamic: No data availableExplosion limits: No data availableExplosive properties: No data availableOxidizing properties: No data available9.2.Other information	Auto-ignition temperature	: No data available
Viscosity, dynamic : No data available Explosion limits : No data available Explosive properties : No data available Oxidizing properties : No data available 9.2. Other information	Decomposition temperature	: No data available
Explosion limits : No data available Explosive properties : No data available Oxidizing properties : No data available 9.2. Other information	Viscosity, kinematic	: No data available
Explosive properties : No data available Oxidizing properties : No data available 9.2. Other information	Viscosity, dynamic	: No data available
Oxidizing properties : No data available 9.2. Other information	Explosion limits	: No data available
9.2. Other information	Explosive properties	: No data available
	Oxidizing properties	: No data available
Refractive index : 1.482 (1.472 – 1.492)	9.2. Other information	
	Refractive index	: 1.482 (1.472 – 1.492)

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological in	nformation
11.1. Information on toxicologic	al effects
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
BENZYL BENZOATE (120-51-4)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 2000 mg/kg bw/day (Modification of Draize 1959 method, 4 h, Rabbit, Experimental value, Dermal)
ATE US (oral)	1160 mg/kg body weight
GAMMA-TERPINENE (99-85-4)	
ATE US (oral)	3650 mg/kg body weight
LINALOOL (78-70-6)	
ATE US (oral)	2790 mg/kg body weight
CITRAL (5392-40-5)	
LD50 oral rat	≈ 6800 mg/kg body weight Animal: rat
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Remarks on results: other:
GERANIOL (106-24-1)	
ATE US (oral)	3600 mg/kg body weight
D-LIMONENE (5989-27-5)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 5000 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Read-across, Dermal, 7 day(s))

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

cording to Federal Register / Vol. 77, No. 58 / Monda	ay, March 26, 2012 / Rules and Regulations
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
CITRAL (5392-40-5)	
NOAEL (chronic,oral,animal/male,2 years)	60 mg/kg body weight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:
D-LIMONENE (5989-27-5)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: May be fatal if swallowed and enters airways.
/iscosity, kinematic	No data available
Symptoms/effects after inhalation	: No data available.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: None under normal conditions.
Symptoms/effects after ingestion	: Risk of lung edema.
SECTION 12: Ecological information	on
SECTION 12: Ecological informatio	on
SECTION 12: Ecological information 12.1. Toxicity Ecology - general	 The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
2.1. Toxicity	: The product is not considered harmful to aquatic organisms or to cause long-term adverse
I2.1. Toxicity Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse
2.1. Toxicity Scology - general BENZYL BENZOATE (120-51-4)	 The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. 2.32 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental
2.1. Toxicity cology - general BENZYL BENZOATE (120-51-4) LC50 - Fish [1] EC50 - Crustacea [1]	 The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. 2.32 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP) 3.09 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static
2.1. Toxicity cology - general BENZYL BENZOATE (120-51-4) LC50 - Fish [1] EC50 - Crustacea [1] CITRAL (5392-40-5)	 The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. 2.32 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP) 3.09 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static
2.1. Toxicity cology - general BENZYL BENZOATE (120-51-4) LC50 - Fish [1] EC50 - Crustacea [1] CITRAL (5392-40-5)	 The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. 2.32 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP) 3.09 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
2.1. Toxicity Ecology - general BENZYL BENZOATE (120-51-4) LC50 - Fish [1] EC50 - Crustacea [1] CITRAL (5392-40-5) LC50 - Fish [1] EC50 - Crustacea [1] EC50 - Crustacea [1]	 The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. 2.32 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP) 3.09 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP) 6.78 mg/l Test organisms (species): Leuciscus idus
2.1. Toxicity Ecology - general BENZYL BENZOATE (120-51-4) LC50 - Fish [1] EC50 - Crustacea [1] CITRAL (5392-40-5) LC50 - Fish [1]	 The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. 2.32 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP) 3.09 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP) 6.78 mg/l Test organisms (species): Leuciscus idus
Z.1. Toxicity Ecology - general Ecology - general BENZYL BENZOATE (120-51-4) LC50 - Fish [1] EC50 - Crustacea [1] EC50 - Crustacea [1] CITRAL (5392-40-5) LC50 - Fish [1] EC50 - Crustacea [1] EC50 - Crustacea [1] D-LIMONENE (5989-27-5) EC50 - Crustacea [1]	 The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. 2.32 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP) 3.09 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP) 6.78 mg/l Test organisms (species): Leuciscus idus 6.8 mg/l Test organisms (species): Daphnia magna 720 µg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through
2.1. Toxicity icology - general Icology - general BENZYL BENZOATE (120-51-4) Icology - general LC50 - Fish [1] Icology - general EC50 - Crustacea [1] Icology - general CITRAL (5392-40-5) Icology - general Icology - Fish [1] Icology - Grustacea [1] D-LIMONENE (5989-27-5) Icology - Fish [1] Icology - Fish [1] Icology - Grustacea [1]	 The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. 2.32 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP) 3.09 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP) 6.78 mg/l Test organisms (species): Leuciscus idus 6.8 mg/l Test organisms (species): Daphnia magna 720 µg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value) 0.307 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semistatic system, Fresh water, Experimental value) 720 µg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value) 720 µg/l (DECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semistatic system, Fresh water, Experimental value, GLP)
2.1. Toxicity Ecology - general BENZYL BENZOATE (120-51-4) LC50 - Fish [1] EC50 - Crustacea [1] CITRAL (5392-40-5) LC50 - Fish [1] EC50 - Crustacea [1] EC50 - Crustacea [1] D-LIMONENE (5989-27-5) LC50 - Fish [1]	 The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. 2.32 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP) 3.09 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP) 6.78 mg/l Test organisms (species): Leuciscus idus 6.8 mg/l Test organisms (species): Daphnia magna 720 µg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value) 0.307 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi-static system, Fresh water, Experimental value)
2.1. Toxicity Ecology - general BENZYL BENZOATE (120-51-4) LC50 - Fish [1] EC50 - Crustacea [1] CITRAL (5392-40-5) LC50 - Fish [1] EC50 - Crustacea [1] D-LIMONENE (5989-27-5) LC50 - Fish [1] EC50 - Crustacea [1] LC50 - Fish [2] EC50 - Crustacea [2]	 The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. 2.32 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP) 3.09 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP) 6.78 mg/l Test organisms (species): Leuciscus idus 6.8 mg/l Test organisms (species): Daphnia magna 720 µg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value) 0.307 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semistatic system, Fresh water, Experimental value) 720 µg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value) 720 µg/l (DECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semistatic system, Fresh water, Experimental value, GLP)
2.1. Toxicity Ecology - general BENZYL BENZOATE (120-51-4) LC50 - Fish [1] EC50 - Crustacea [1] CITRAL (5392-40-5) LC50 - Fish [1] EC50 - Crustacea [1] D-LIMONENE (5989-27-5) LC50 - Fish [1] EC50 - Crustacea [1] LC50 - Fish [2] EC50 - Crustacea [2]	 The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. 2.32 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP) 3.09 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP) 6.78 mg/l Test organisms (species): Leuciscus idus 6.8 mg/l Test organisms (species): Daphnia magna 720 µg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value) 0.307 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semistatic system, Fresh water, Experimental value) 720 µg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value) 720 µg/l (DECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semistatic system, Fresh water, Experimental value, GLP)
2.1. Toxicity Ecology - general BENZYL BENZOATE (120-51-4) LC50 - Fish [1] EC50 - Crustacea [1] CITRAL (5392-40-5) LC50 - Fish [1] EC50 - Crustacea [1] D-LIMONENE (5989-27-5) LC50 - Fish [1] EC50 - Crustacea [1] D-LIMONENE (5989-27-5) LC50 - Fish [1] EC50 - Crustacea [1] EC50 - Crustacea [1] EC50 - Crustacea [2] EC50 - Prish [2] EC50 - Crustacea [2]	 The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. 2.32 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP) 3.09 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP) 6.78 mg/l Test organisms (species): Leuciscus idus 6.8 mg/l Test organisms (species): Daphnia magna 720 µg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value) 0.307 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semistatic system, Fresh water, Experimental value) 720 µg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value) 720 µg/l (DECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semistatic system, Fresh water, Experimental value, GLP)
2.1. Toxicity Ecology - general BENZYL BENZOATE (120-51-4) LC50 - Fish [1] EC50 - Crustacea [1] CITRAL (5392-40-5) LC50 - Fish [1] EC50 - Crustacea [1] D-LIMONENE (5989-27-5) LC50 - Fish [1] EC50 - Crustacea [1] LC50 - Fish [2] EC50 - Crustacea [2] 2.2. Persistence and degradability BENZYL BENZOATE (120-51-4) Persistence and degradability	 The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. 2.32 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP) 3.09 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP) 6.78 mg/l Test organisms (species): Leuciscus idus 6.8 mg/l Test organisms (species): Daphnia magna 720 µg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value) 0.307 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semistatic system, Fresh water, Experimental value) 0.307 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semistatic system, Fresh water, Experimental value, GLP) 702 µg/l Test organisms (species): Pimephales promelas 0.51 mg/l Test organisms (species): Daphnia magna
Image: 2.1. ToxicityEcology - generalBENZYL BENZOATE (120-51-4)LC50 - Fish [1]EC50 - Crustacea [1]CITRAL (5392-40-5)LC50 - Fish [1]EC50 - Crustacea [1]D-LIMONENE (5989-27-5)LC50 - Fish [1]EC50 - Crustacea [1]D-LIMONENE (5989-27-5)LC50 - Fish [2]EC50 - Crustacea [2]I.2. Persistence and degradabilityBENZYL BENZOATE (120-51-4)	 The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. 2.32 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP) 3.09 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP) 6.78 mg/l Test organisms (species): Leuciscus idus 6.8 mg/l Test organisms (species): Daphnia magna 720 µg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value) 0.307 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semistatic system, Fresh water, Experimental value) 0.307 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semistatic system, Fresh water, Experimental value, GLP) 702 µg/l Test organisms (species): Pimephales promelas 0.51 mg/l Test organisms (species): Daphnia magna

12.3. Bioaccumulative potential

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

BENZYL BENZOATE (120-51-4)	
BCF - Fish [1]	193.4 I/kg (BCFBAF v3.01, Pisces, Calculated value)
Partition coefficient n-octanol/water (Log Pow)	3.97 (Experimental value, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

D-LIMONENE (5989-27-5)	
BCF - Fish [1]	864.8 l/kg (BCFBAF v3.01, Pisces, QSAR, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	4.38 (Experimental value, Equivalent or similar to OECD 117, 37 °C)
Bioaccumulative potential	Potential for bioaccumulation ($4 \le Log \text{ Kow} \le 5$).

12.4. Mobility in soil

BENZYL BENZOATE (120-51-4)	
Surface tension	27 mN/m (210 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)
Ecology - soil	Low potential for mobility in soil.

D-LIMONENE (5989-27-5)	
Surface tension	No data available in the literature
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.049 – 3.801 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Low potential for mobility in soil.

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal consideration	ns
13.1. Disposal methods	
Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.
Additional information	: Do not re-use empty containers.
SECTION 14: Transport information	
Department of Transportation (DOT) In accordance with DOT	
Transport document description (DOT)	· UN1266 Perfumery products (Regulated for Bulk only). Comb Lig. III

Transport document description (DOT)	-	UN1266 Perfumery products (Regulated for Bulk only), Comb Liq, III
UN-No.(DOT)	:	UN1266
Proper Shipping Name (DOT)	:	Perfumery products
		(Regulated for Bulk only)
Class (DOT)	:	Comb Liq - Combustible liquid
Packing group (DOT)	:	III - Minor Danger
DOT Packaging Non Bulk (49 CFR 173.xxx)	:	203
DOT Packaging Bulk (49 CFR 173.xxx)	:	242

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	 B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T2 - 1.5 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Emergency Response Guide (ERG) Number	: 127
Other information	: No supplementary information available.

Transportation of Dangerous Goods

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

SECTION 15: Regulatory information	
15.1. US Federal regulations	

BENZYL BENZOATE (120-51-4)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

15.2. International regulations

CANADA

BENZYL BENZOATE (120-51-4)
Listed on the Canadian DSL (Domestic Substances List)
GAMMA-TERPINENE (99-85-4)
Listed on the Canadian DSL (Domestic Substances List)
LINALOOL (78-70-6)
Listed on the Canadian DSL (Domestic Substances List)
CITRAL (5392-40-5)
Listed on the Canadian DSL (Domestic Substances List)
D-LIMONENE (5989-27-5)
Listed on the Canadian DSL (Domestic Substances List)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

EU-Regulations

No additional information available

National regulations

GAMMA-TERPINENE (99-85-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

LINALOOL (78-70-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

CITRAL (5392-40-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

D-LIMONENE (5989-27-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. US State regulations

This product can expose you to furocoumarines (e. g. trioxysalen (inn), 8-methoxypsoralen, 5-methoxypsoralen) except for normal content in natural essences used. in sunprotection and in bronzing products, furocoumarines shall be below 1 mg/kg, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

WARNING:

This product can expose you to pulegone, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

This product can expose you to beta-myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information

Revision date	: 12/17/2024
Full text of H-phrases:	
H226	Flammable liquid and vapor
H227	Combustible liquid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H361	Suspected of damaging fertility or the unborn child

SDS US (GHS HazCom 2012) - Lebermuth

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.