

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 11/21/2018 Revision date: 05/01/2024 Supersedes: 04/06/2023 Version: 1.3

SECTION 1: Identification Identification 1.1. Product form : Mixture Product name : OIL, MANGO MADNESS* CAS-No. N/A Product code : 90-3040-07 1.2. Recommended use and restrictions on use 1.3. **Supplier** The Lebermuth Company 4004 Technology Drive South Bend, IN 46628 - United States T 574-259-7000 - F 574-258-7450 info@lebermuth.com - www.lebermuth.com **Emergency telephone number** 1.4. Emergency number : CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 CCN 13010 SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixture **GHS US classification** Skin sensitization, Category 1 May cause an allergic skin reaction 2.2. GHS Label elements, including precautionary statements **GHS US labeling** Hazard pictograms (GHS US) GHS07 Signal word (GHS US) Warning Hazard statements (GHS US) : May cause an allergic skin reaction : Avoid breathing dust/fume/gas/mist/vapors/spray. Precautionary statements (GHS US) Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If on skin: Wash with plenty of water. Specific treatment (see supplemental first aid instruction on this label). If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. 2.3. Other hazards which do not result in classification No additional information available 2.4. Unknown acute toxicity (GHS US) Not applicable

SECTI	SECTION 3: Composition/Information on ingredients			
3.1.	Substances			
Not appli	icable			
3.2.	Mixtures			

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS US classification
D-LIMONENE	(CAS-No.) 5989-27-5	1 – 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
2-Methyl-3-(p-isopropylphenyl)propionaldehyde	(CAS-No.) 103-95-7	1 – 5	Skin Irrit. 2, H315 Skin Sens. 1B, H317
PHENYLETHYL ALCOHOL	(CAS-No.) 60-12-8	1 – 5	Acute Tox. 4 (Oral), H302 Eye Irrit. 2A, H319

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
1.1. Description of first aid measure	IS Contraction of the second se
irst-aid measures general	: If you feel unwell, seek medical advice.
irst-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
irst-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
irst-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.
.2. Most important symptoms and	effects (acute and delayed)
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
Symptoms/effects after eye contact	: None under normal conditions.
symptoms/effects after ingestion	: None under normal conditions.
.3. Immediate medical attention an	d special treatment, if necessary
reat symptomatically.	
SECTION 5: Fire-fighting measur	
1. Suitable (and unsuitable) exting	-
uitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
nsuitable extinguishing media	: Do not use a heavy water stream.
2. Specific hazards arising from the	ne chemical
ire hazard	: No fire hazard.
xplosion hazard	: No direct explosion hazard.
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
.3. Special protective equipment a	nd precautions for fire-fighters
irefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release n	neasures
	e equipment and emergency procedures
General measures	 Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.
.1.1. For non-emergency personnel	
Protective equipment	: Wear recommended personal protective equipment.
mergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.
.1.2. For emergency responders	
rotective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
mergency procedures	: Evacuate unnecessary personnel. Stop leak if safe to do so.
.2. Environmental precautions	
void release to the environment.	
5/01/2024	EN (English US) 2/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	-	-
6.3.	Methods and material for contain	ment and cleaning up
For co	ntainment	: Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk.
Metho	ds for cleaning up	: Take up liquid spill into absorbent material.
Other	information	: Dispose of materials or solid residues at an authorized site.
6.4.	Reference to other sections	
For fur	ther information refer to section 13.	
SEC	FION 7: Handling and storage	
7.1.	Precautions for safe handling	
Additic	nal hazards when processed	: Not expected to present a significant hazard under anticipated conditions of normal use.
Precautions for safe handling		: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Wear personal protective equipment.
Hygiene measures		: Contaminated work clothing should not be allowed out of the workplace. Wash contaminated

7.2. Conditions for safe storage, including any incompatibilities Technical measures : Keep in a cool, well-ventilated place away from heat. Storage conditions : Keep cool. Protect from sunlight. Packaging materials : Store always product in container of same material as original container.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

OIL, MANGO MADNESS* (N/A)		
No additional information available		
2-Methyl-3-(p-isopropylphenyl)propionaldehyde (103-95-7)		
No additional information available		
D-LIMONENE (5989-27-5)		
No additional information available		
PHENYLETHYL ALCOHOL (60-12-8)		
No additional information available		

8.2. Appropriate engineering controls

- Appropriate engineering controls
- : Ensure good ventilation of the work station.
- Environmental exposure controls
- : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations



SECTION 9: Physical and chemical	properties		
9.1. Information on basic physical and			
Physical state	: Liquid		
Color	: COLORLESS TO YELLOW		
Odor	: CHARACTERISTIC, MATCHING RETAINER SAMPLE		
Odor threshold	: No data available		
pН	: No data available		
Melting point	: Not applicable		
Freezing point	: No data available		
Boiling point	: No data available		
Flash point	: 94 °C		
Relative evaporation rate (butyl acetate=1)	: No data available		
Flammability	: Not applicable.		
Vapor pressure	: No data available		
Relative vapor density at 20°C	: No data available		
Relative density	: 0.928 (0.918 – 0.938)		
Solubility	: Insoluble.		
Partition coefficient n-octanol/water (Log Pow)	: No data available		
Auto-ignition temperature	: No data available		
Decomposition temperature	: No data available		
Viscosity, kinematic	: No data available		
Viscosity, dynamic	: No data available		
Explosion limits	: No data available		
Explosive properties	: No data available		
Oxidizing properties	: No data available		
9.2. Other information			
Refractive index	: 1.453 (1.443 – 1.463)		
SECTION 10: Stability and reactivit	y .		
10.1. Reactivity			
The product is non-reactive under normal cond	itions of use, storage and transport.		
10.2. Chemical stability			
Stable under normal conditions.			
10.3. Possibility of hazardous reactions			
No dangerous reactions known under normal conditions of use.			
10.4. Conditions to avoid			
None under recommended storage and handlin	ig conditions (see section 7).		
10.5. Incompatible materials			
No additional information available			
10.6. Hazardous decomposition product			
Under normal conditions of storage and use, ha	azardous decomposition products should not be produced.		
SECTION 11: Toxicological informa	tion		

11.1.	Information on toxicological effects	
Acute to	kicity (oral)	: Not classified
Acute to	kicity (dermal)	: Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Serious eye damage/irritation: Not classifiedRespiratory or skin sensitization: May cause an allergic skin reaction.Germ cell mutagenicity: Not classifiedCarcinogenicity: Not classifiedReproductive toxicity: Not classifiedSTOT-single exposure: Not classifiedSTOT-repeated exposure: Not classifiedAspiration hazard: Not classifiedViscosity, kinematic: Not classifiedSymptoms/effects after inhalation: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.Symptoms/effects after eye contact: May cause an allergic skin reaction.Symptoms/effects after eye contact: None under normal conditions.	Acute toxicity (inhalation)	: Not classified
LD50 dermal rat > 5000 mg/kg (Rat, Male, Experimental value, Dermal, 14 day(s)) ATE US (oral) 3810 mg/kg body weight D-LIMONENE (5989-27-5) - LD50 oral rat > 2000 mg/kg body weight (CeCD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 14 day(s)) LD50 oral rat > 2000 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Read-across, Dermal, 7 day(s)) PHENYLETHYL ALCOHOL (60-12-8) - LD50 oral rat 1603 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s)) LD50 dermal rabbit 2535 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Oral, 14 day(s)) LD50 dermal rabbit 2535 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Oral, 14 day(s)) LD50 dermal rabbit 2535 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Oral, 14 day(s)) LD50 dermal rabbit 2535 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Oral, 14 day(s)) LD50 dermal rabbit 2535 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Oral, 14 day(s)) LC50 Inhalation - Rat > 4.63 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experime	2-Methyl-3-(p-isopropylphenyl)propion	aldehyde (103-95-7)
ATE US (oral) 3810 mg/kg body weight DLIMONENE (5989-27-5) LD50 oral rat > 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Fernale, Experimental value, Oral, 14 day(s)) LD50 dermal rabbit > 5000 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Read-across, Dermal, 7 day(s)) PHENYLETHYL ALCOHOL (60-12-8) 1603 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s)) LD50 dermal rabbit 2535 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s)) LD50 dermal rabbit 2535 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Oral, 14 day(s)) LD50 dermal rabbit 2535 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Oral, 14 day(s)) LC50 Inhalation - Rat > 4.63 mg/l (4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s)) ATE US (oral) 500 mg/kg body weight Skin corosion/irritation : Not classified Respiratory or skin sensitization : Mot classified Respiratory or skin sensitization : Mot classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard	LD50 oral rat	3810 mg/kg (Rat, Male / female, Weight of evidence, Oral, 14 day(s))
D-LIMONENE (5989-27-5) LD50 oral rat > 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 14 day(s)) > 5000 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Read-across, Dermal, 7 day(s)) PHENYLETHYL ALCOHOL (60-12-8) LD50 dermal rabbit 1603 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s)) LD50 dermal rabbit 2535 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Oral, 14 day(s)) LD50 dermal rabbit 2535 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s)) LC50 Inhalation - Rat > 4.63 mg/l (4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s)) Stin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Carcinogenicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Striation hazard : Not classified Viscosity, kinematic : Not classified Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this mate	LD50 dermal rat	> 5000 mg/kg (Rat, Male, Experimental value, Dermal, 14 day(s))
LD50 oral rat > 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Fernale, Experimental value, Oral, 14 day(s)) LD50 dermal rabbit > 5000 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Read-across, Dermal, 7 day(s)) PHENYLETHYL ALCOHOL (60-12-8) I603 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s)) LD50 dermal rabbit 2535 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Oral, 14 day(s)) LD50 dermal rabbit 2535 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Oral, 14 day(s)) LD50 dermal rabbit 2535 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s)) LD50 dermal rabbit 2535 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s)) LD50 dermal rabbit 2535 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s)) LD50 toral rat > 4.63 mg/l (4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s)) Stin corrosion/irritation : Not classified Respiratory or skin sensitization : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified STOT-single exposur	ATE US (oral)	3810 mg/kg body weight
Female, Experimental valué, Oral, 14 day(s)) LD50 dermal rabbit > 5000 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Read-across, Dermal, 7 day(s)) PHENYLETHYL ALCOHOL (60-12-8) 1603 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s)) LD50 dermal rabbit 2535 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Oral, 14 day(s)) LD50 dermal rabbit 2535 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Oral, 14 day(s)) LC50 Inhalation - Rat > 4.63 mg/l (4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s)) ATE US (oral) 500 mg/kg body weight Serious eye damage/irritation : Not classified Respiratory or skin sensitization : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Caroinogenicity : Not classified STOT-single exposure : Not classified STOT-single exposure : Not classified Viscosity, kinematic : Not classified Strot-single exposure : Not classified Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this material	D-LIMONENE (5989-27-5)	
Dermal, 7 day(s)) Dermal, 7 day(s)) PHENYLETHYL ALCOHOL (60-12-8) LD50 oral rat 1603 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s)) LD50 dermal rabbit 2535 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s)) LC50 Inhalation - Rat > 4.63 mg/ (4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s)) ATE US (oral) 500 mg/kg body weight Skin corrosion/irritation : Not classified Respiratory or skin sensitization : Not classified Carcinogenicity : Not classified Carcinogenicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Striation hazard : Not classified Viscosity, kinematic : Not classified Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard. Symptoms/effects after skin contact : May cause an allergic skin reaction.	LD50 oral rat	
LD50 oral rat 1603 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s)) LD50 dermal rabbit 2535 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s)) LC50 Inhalation - Rat > 4.63 mg/l (4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s)) ATE US (oral) 500 mg/kg body weight Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard. Symptoms/effects after exponent : May cause an allergic skin reaction. Symptoms/effects after exponent : Mot classified Symptoms/effects after exponent : Not classified Symptoms/effects after exponent : Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard. Symptoms/effects after explored : May cause an allergic skin reaction. <t< td=""><td>LD50 dermal rabbit</td><td></td></t<>	LD50 dermal rabbit	
value, Oral, 14 day(s)) LD50 dermal rabbit 2535 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s)) LC50 Inhalation - Rat > 4.63 mg/l (4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s)) ATE US (oral) 500 mg/kg body weight Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Stort to toxicity : Not classified STOT-single exposure : Not classified Storo-single exposure : Not classified Storo-single exposure : Not classified Story, kinematic : Not classified Story, kinematic : Not classified Story - sequence : Not classified Symptoms/effects after inhalation : Although no	PHENYLETHYL ALCOHOL (60-12-8)	
Experimental value, Dermal, 14 day(s))LC50 Inhalation - Rat> 4.63 mg/l (4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s))ATE US (oral)500 mg/kg body weightSkin corrosion/irritation: Not classifiedSerious eye damage/irritation: Not classifiedRespiratory or skin sensitization: May cause an allergic skin reaction.Gern cell mutagenicity: Not classifiedCarcinogenicity: Not classifiedReproductive toxicity: Not classifiedSTOT-single exposure: Not classifiedSTOT-repeated exposure: Not classifiedStor, viscosity, kinematic: Not classifiedViscosity, kinematic: Not classifiedSymptoms/effects after inhalation: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.Symptoms/effects after eye contact: May cause an allergic skin reaction.Symptoms/effects after eye contact: None under normal conditions.	LD50 oral rat	
ATE US (oral) 500 mg/kg body weight Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitization : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Viscosity, kinematic : Not classified Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard. Symptoms/effects after eye contact : May cause an allergic skin reaction.	LD50 dermal rabbit	
Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitization : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Viscosity, kinematic : Not classified Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard. Symptoms/effects after eye contact : May cause an allergic skin reaction.	LC50 Inhalation - Rat	> 4.63 mg/l (4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s))
Serious eye damage/irritation : Not classified Respiratory or skin sensitization : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified Viscosity, kinematic : Not classified Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard. Symptoms/effects after eye contact : May cause an allergic skin reaction. Symptoms/effects after eye contact : None under normal conditions.	ATE US (oral)	500 mg/kg body weight
Respiration vor skin sensitization : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Viscosity, kinematic : Not classified Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard. Symptoms/effects after skin contact : May cause an allergic skin reaction. Symptoms/effects after eye contact : Not classified number of animalation.	Skin corrosion/irritation	: Not classified
Gern cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified Viscosity, kinematic : Not classified Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard. Symptoms/effects after skin contact : May cause an allergic skin reaction. Symptoms/effects after eye contact : None under normal conditions.	Serious eye damage/irritation	: Not classified
Carcinogenicity: Not classifiedReproductive toxicity: Not classifiedSTOT-single exposure: Not classifiedSTOT-repeated exposure: Not classifiedSTOT-repeated exposure: Not classifiedAspiration hazard: Not classifiedViscosity, kinematic: Not classifiedSymptoms/effects after inhalation: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.Symptoms/effects after skin contact: May cause an allergic skin reaction.Symptoms/effects after eye contact: None under normal conditions.	Respiratory or skin sensitization	: May cause an allergic skin reaction.
Reproductive toxicity: Not classifiedSTOT-single exposure: Not classifiedSTOT-repeated exposure: Not classifiedSTOT-repeated exposure: Not classifiedAspiration hazard: Not classifiedViscosity, kinematic: Not classifiedSymptoms/effects after inhalation: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.Symptoms/effects after skin contact: May cause an allergic skin reaction.Symptoms/effects after eye contact: None under normal conditions.	Germ cell mutagenicity	: Not classified
STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified Viscosity, kinematic : Not classified Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard. Symptoms/effects after skin contact : May cause an allergic skin reaction. Symptoms/effects after eye contact : None under normal conditions.	Carcinogenicity	: Not classified
STOT-repeated exposure : Not classified Aspiration hazard : Not classified Viscosity, kinematic : No data available Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard. Symptoms/effects after skin contact : May cause an allergic skin reaction. Symptoms/effects after eye contact : None under normal conditions.	Reproductive toxicity	: Not classified
Aspiration hazard : Not classified Viscosity, kinematic : No data available Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard. Symptoms/effects after skin contact : May cause an allergic skin reaction. Symptoms/effects after eye contact : None under normal conditions.	STOT-single exposure	: Not classified
Viscosity, kinematic : No data available Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard. Symptoms/effects after skin contact : May cause an allergic skin reaction. Symptoms/effects after eye contact : None under normal conditions.	STOT-repeated exposure	: Not classified
Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard. Symptoms/effects after skin contact : May cause an allergic skin reaction. Symptoms/effects after eye contact : None under normal conditions.	Aspiration hazard	: Not classified
expected to be an inhalation hazard.Symptoms/effects after skin contactMay cause an allergic skin reaction.Symptoms/effects after eye contactNone under normal conditions.	Viscosity, kinematic	: No data available
Symptoms/effects after eye contact : None under normal conditions.	Symptoms/effects after inhalation	
	Symptoms/effects after skin contact	: May cause an allergic skin reaction.
Symptoms/effects after ingestion : None under normal conditions.	Symptoms/effects after eye contact	: None under normal conditions.
	Symptoms/effects after ingestion	: None under normal conditions.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

2-Methyl-3-(p-isopropylphenyl)propionaldehyde (103-95-7)		
LC50 - Fish [1]	1.092 mg/l (96 h, Calculated value)	
EC50 - Crustacea [1]	1.4 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi- static system, Fresh water, Experimental value)	
LC50 - Fish [2]	2.49 mg/l Test organisms (species):	
D-LIMONENE (5989-27-5)		
LC50 - Fish [1]	720 μg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)	
EC50 - Crustacea [1]	0.307 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi- static system, Fresh water, Experimental value, GLP)	
LC50 - Fish [2]	702 μg/l Test organisms (species): Pimephales promelas	
EC50 - Crustacea [2]	0.51 mg/l Test organisms (species): Daphnia magna	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

PHENYLETHYL ALCOHOL (60-12-8)	
LC50 - Fish [1]	215 – 464 mg/l (DIN 38412: German standard methods for the examination of water, waste water and sludge, 96 h, Leuciscus idus, Static system, Fresh water, Experimental value, Nominal concentration)
EC50 - Crustacea [1]	287.17 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
ErC50 algae	1300 mg/l (DIN 38412: German standard methods for the examination of water, waste water and sludge, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)

12.2. Persistence and degradability

2-Methyl-3-(p-isopropylphenyl)propionaldehyde (103-95-7)		
Persistence and degradability	Readily biodegradable in water.	
D-LIMONENE (5989-27-5)		
Persistence and degradability	Readily biodegradable in water.	
ThOD	3.29 g O ₂ /g substance	
PHENYLETHYL ALCOHOL (60-12-8)		
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	1.45 g O ₂ /g substance	
Chemical oxygen demand (COD)	2.5 g O ₂ /g substance	
ThOD	2.6 g O ₂ /g substance	

12.3. Bioaccumulative potential

2-Methyl-3-(p-isopropylphenyl)propionaldehyde (103-95-7)			
BCF - Fish [1]	155 l/kg (Calculated value)		
Partition coefficient n-octanol/water (Log Pow)	3.4 (Practical experience/observation, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 35 °C)		
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).		
D-LIMONENE (5989-27-5)			
BCF - Fish [1]	864.8 l/kg (BCFBAF v3.01, Pisces, QSAR, Fresh weight)		
Partition coefficient n-octanol/water (Log Pow)	4.38 (Experimental value, Equivalent or similar to OECD 117, 37 °C)		
Bioaccumulative potential	Potential for bioaccumulation ($4 \le Log \text{ Kow} \le 5$).		
PHENYLETHYL ALCOHOL (60-12-8)			
Partition coefficient n-octanol/water (Log Pow)	1.3 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 20 °C)		
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).		

12.4. Mobility in soil

2-Methyl-3-(p-isopropylphenyl)propionaldehyde (103-95-7)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.05 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)	
Ecology - soil	Low potential for mobility in soil.	
D-LIMONENE (5989-27-5)		
Surface tension	No data available in the literature	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.049 – 3.801 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Ecology - soil	Low potential for mobility in soil.	
PHENYLETHYL ALCOHOL (60-12-8)		
Surface tension	59.7 mN/m (20 °C, 1 g/l, OECD 115: Surface Tension of Aqueous Solutions)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.5 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)	
Ecology - soil	Highly mobile in soil.	

12.5. Other adverse effects

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: Disposal considerations

13.1. Disposal methods	
Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations : Disposal must be done according to official regulations.	
Additional information	: Do not re-use empty containers.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Not regulated

Transportation of Dangerous Goods

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

SECTION 15: Regulatory information

15.1. US Federal regulations

No additional information available

15.2. International regulations	
CANADA	
2-Methyl-3-(p-isopropylphenyl)propionaldehyde (103-95-7)	
Listed on the Canadian DSL (Domestic Substances List)	
PHENYLETHYL ALCOHOL (60-12-8)	
Listed on the Canadian DSL (Domestic Substances List)	

EU-Regulations No additional information available

National regulations

2-Methyl-3-(p-isopropylphenyl)propionaldehyde (103-95-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

PHENYLETHYL ALCOHOL (60-12-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations

This product can expose you to toluene - impurity , which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

WARNING: This product can expose you to furocoumarines (e. g. trioxysalen (inn), 8-methoxypsoralen, 5-methoxypsoralen) except for normal content in natural essences used. in sunprotection and in bronzing products, furocoumarines shall be below 1 mg/kg, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

This product can expose you to beta-myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

formation
: 05/01/2024
Flammable liquid and vapor
Harmful if swallowed
May be fatal if swallowed and enters airways
Causes skin irritation
May cause an allergic skin reaction
Causes serious eye irritation
f

SDS US (GHS HazCom 2012) - Lebermuth

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.