



OIL, CRANBERRY II*

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 09/03/2021

Revision date: 10/24/2023

Supersedes: 03/28/2022

Version: 1.2

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Product name : OIL, CRANBERRY II*
CAS-No. : N/A
Product code : 90-3045-39

1.2. Recommended use and restrictions on use

1.3. Supplier

The Lebermuth Company
4004 Technology Drive
South Bend, IN 46628 - United States
T 574-259-7000 - F 574-258-7450
info@lebermuth.com - www.lebermuth.com

1.4. Emergency telephone number

Emergency number : CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300
CCN 13010

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquids Category 4	Combustible liquid
Skin corrosion/irritation Category 2	Causes skin irritation
Serious eye damage/eye irritation Category 2A	Causes serious eye irritation
Skin sensitization, Category 1	May cause an allergic skin reaction

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US) :



GHS07

Signal word (GHS US) :

Warning

Hazard statements (GHS US) :

Combustible liquid
Causes skin irritation
May cause an allergic skin reaction
Causes serious eye irritation

Precautionary statements (GHS US) :

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Avoid breathing dust/fume/gas/mist/vapors/spray.
Wash hands, forearms and face thoroughly after handling.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.
If on skin: Wash with plenty of water.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Specific treatment (see supplemental first aid instruction on this label).
If skin irritation occurs: Get medical advice/attention.
If skin irritation or rash occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
Wash contaminated clothing before reuse.
In case of fire: Use media other than water to extinguish.
Store in a well-ventilated place. Keep cool.
Dispose of contents/container to hazardous or special waste collection point, in accordance

OIL, CRANBERRY II*

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
DIHYDROMYRCENOL	(CAS-No.) 18479-58-8	1 – 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319
p-Anisyl acetate	(CAS-No.) 104-21-2	1 – 5	Skin Sens. 1B, H317
PIPERONAL	(CAS-No.) 120-57-0	1 – 5	Skin Sens. 1B, H317
LINALOOL	(CAS-No.) 78-70-6	1 – 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317
ALPHA TERPINEOL	(CAS-No.) 98-55-5	1 – 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319
METHYL BENZOATE	(CAS-No.) 93-58-3	1 – 5	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302
LIMONENE	(CAS-No.) 5989-27-5	1 – 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
Ethyl methylphenylglycidate	(CAS-No.) 77-83-8	1 – 5	Skin Sens. 1B, H317
1,1-Dimethyl-2-phenylethyl acetate	(CAS-No.) 151-05-3	1 – 5	Skin Irrit. 2, H315
ETHYL MALTOL	(CAS-No.) 4940-11-8	1 – 5	Acute Tox. 4 (Oral), H302
BENZALDEHYDE	(CAS-No.) 100-52-7	1 – 5	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2A, H319 STOT SE 3, H335
CITRAL	(CAS-No.) 5392-40-5	0.1 – 1	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 STOT RE 2, H373
CINNAMIC ALDEHYDE	(CAS-No.) 104-55-2	0.1 – 1	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1A, H317

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
- First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

- Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.
- Symptoms/effects after eye contact : Eye irritation.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

OIL, CRANBERRY II*

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Specific hazards arising from the chemical

Fire hazard : Combustible liquid.

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

OIL, CRANBERRY II* (N/A)
No additional information available
ETHYL MALTOL (4940-11-8)
No additional information available
Ethyl methylphenylglycidate (77-83-8)
No additional information available
ALPHA TERPINEOL (98-55-5)
No additional information available
p-Anisyl acetate (104-21-2)
No additional information available
DIHYDROMYRCENOL (18479-58-8)
No additional information available

OIL, CRANBERRY II*

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

1,1-Dimethyl-2-phenylethyl acetate (151-05-3)	
No additional information available	
METHYL BENZOATE (93-58-3)	
No additional information available	
CINNAMIC ALDEHYDE (104-55-2)	
No additional information available	
PIPERONAL (120-57-0)	
No additional information available	
CITRAL (5392-40-5)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Citral
ACGIH OEL TWA [ppm]	5 ppm (IFV - Inhalable fraction and vapor)
Remark (ACGIH)	TLV® Basis: Body weight eff; URT irr; eye dam. Notations: Skin; DSEN; A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2023
LIMONENE (5989-27-5)	
No additional information available	
LINALOOL (78-70-6)	
No additional information available	
BENZALDEHYDE (100-52-7)	
No additional information available	

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Color : COLORLESS TO YELLOW
Odor : CHARACTERISTIC, MATCHING RETAINER SAMPLE
Odor threshold : No data available
pH : No data available
Melting point : Not applicable
Freezing point : No data available

OIL, CRANBERRY II*

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Boiling point	: No data available
Flash point	: 80 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: 0.95 (0.94 – 0.96)
Solubility	: Insoluble.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

Refractive index : 1.463 (1.453 – 1.473)

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

ETHYL MALTOL (4940-11-8)	
LD50 oral rat	1220 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Experimental value, Oral)
LD50 dermal rabbit	> 5000 mg/kg body weight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: no indication of skin irritation up to the relevant limit dose level
ATE US (oral)	1200 mg/kg body weight

ALPHA TERPINEOL (98-55-5)	
LD50 oral rat	4300 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2900 - 5700
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
ATE US (oral)	4300 mg/kg body weight

DIHYDROMYRCENOL (18479-58-8)	
ATE US (oral)	3600 mg/kg body weight

OIL, CRANBERRY II*

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

1,1-Dimethyl-2-phenylethyl acetate (151-05-3)	
ATE US (oral)	3300 mg/kg body weight
METHYL BENZOATE (93-58-3)	
LD50 oral rat	1625 mg/kg (OECD 401: Acute Oral Toxicity, Rat, Male, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, Rabbit, Experimental value, 14 day(s))
ATE US (oral)	1300 mg/kg body weight
CINNAMIC ALDEHYDE (104-55-2)	
LD50 oral rat	2220 mg/kg (Rat, Oral)
LD50 dermal rabbit	1260 ml/kg (24 h, Rabbit, Male / female, Experimental value, Dermal)
LC50 Inhalation - Rat	68.88 mg/l (4 h, Rat, Male / female, QSAR, Inhalation)
ATE US (oral)	2200 mg/kg body weight
ATE US (dermal)	1100 mg/kg body weight
ATE US (vapors)	68.88 mg/l/4h
ATE US (dust, mist)	68.88 mg/l/4h
PIPERONAL (120-57-0)	
LD50 oral rat	2700 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other:, 95% CL: 2350 - 3100
LD50 dermal rat	> 5000 mg/kg body weight Animal: rat, Guideline: other:, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:
ATE US (oral)	2700 mg/kg body weight
CITRAL (5392-40-5)	
LD50 oral rat	≈ 6800 mg/kg body weight Animal: rat
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Remarks on results: other:
LIMONENE (5989-27-5)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 5000 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Read-across, Dermal, 7 day(s))
LINALOOL (78-70-6)	
ATE US (oral)	2790 mg/kg body weight
BENZALDEHYDE (100-52-7)	
ATE US (oral)	1430 mg/kg body weight
ATE US (dermal)	2500 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

CITRAL (5392-40-5)	
NOAEL (chronic,oral,animal/male,2 years)	60 mg/kg body weight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

OIL, CRANBERRY II*

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

BENZALDEHYDE (100-52-7)	
STOT-single exposure	May cause respiratory irritation.

STOT-repeated exposure : Not classified

ETHYL MALTOL (4940-11-8)	
NOAEL (oral, rat, 90 days)	≥ 200 mg/kg body weight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)

ALPHA TERPINEOL (98-55-5)	
NOAEL (oral, rat, 90 days)	≥ 314 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)

PIPERONAL (120-57-0)	
NOAEL (oral, rat, 90 days)	300 mg/kg body weight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test), Guideline: other:

CITRAL (5392-40-5)	
LOAEC (inhalation, rat, gas, 90 days)	68 ppm Animal: rat, Animal sex: female
NOAEL (oral, rat, 90 days)	100 mg/kg body weight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
NOAEC (inhalation, rat, gas, 90 days)	34 ppm Animal: rat, Animal sex: female
NOAEL (subchronic, oral, animal/male, 90 days)	60 mg/kg body weight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified
Viscosity, kinematic : No data available
Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact : Eye irritation.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

ETHYL MALTOL (4940-11-8)	
LC50 - Fish [1]	> 85 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, <i>Oncorhynchus mykiss</i> , Semi-static system, Fresh water, Experimental value)
EC50 - Crustacea [1]	27 mg/l (OECD 202: <i>Daphnia</i> sp. Acute Immobilisation Test, 48 h, <i>Daphnia magna</i> , Static system, Fresh water, Experimental value)
ErC50 algae	7.2 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, <i>Pseudokirchneriella subcapitata</i> , Static system, Fresh water, Experimental value, GLP)

ALPHA TERPINEOL (98-55-5)	
LC50 - Fish [1]	70 mg/l Test organisms (species): <i>Danio rerio</i> (previous name: <i>Brachydanio rerio</i>)
EC50 - Crustacea [1]	73 mg/l Test organisms (species): <i>Daphnia magna</i>

METHYL BENZOATE (93-58-3)	
LC50 - Fish [1]	23 mg/l (EU Method C.1, 96 h, <i>Danio rerio</i> , Semi-static system, Fresh water, Experimental value, Lethal)

CINNAMIC ALDEHYDE (104-55-2)	
LC50 - Fish [1]	4.15 mg/l (EU Method C.1, 96 h, <i>Danio rerio</i> , Semi-static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	3.21 mg/l (OECD 202: <i>Daphnia</i> sp. Acute Immobilisation Test, 48 h, <i>Daphnia magna</i> , Static system, Fresh water, Experimental value, Locomotor effect)

PIPERONAL (120-57-0)	
LC50 - Fish [1]	2.5 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, <i>Cyprinus carpio</i> , Static system, Fresh water, Experimental value, GLP)

OIL, CRANBERRY II*

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

PIPERONAL (120-57-0)	
EC50 - Crustacea [1]	52 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Nominal concentration)
ErC50 algae	31 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
CITRAL (5392-40-5)	
LC50 - Fish [1]	6.78 mg/l Test organisms (species): Leuciscus idus
EC50 - Crustacea [1]	6.8 mg/l Test organisms (species): Daphnia magna
LIMONENE (5989-27-5)	
LC50 - Fish [1]	720 µg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
EC50 - Crustacea [1]	0.307 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi-static system, Fresh water, Experimental value, GLP)
LC50 - Fish [2]	702 µg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [2]	0.51 mg/l Test organisms (species): Daphnia magna

12.2. Persistence and degradability

ETHYL MALTOL (4940-11-8)	
Persistence and degradability	Readily biodegradable in water.
DIHYDROMYRCENOL (18479-58-8)	
Persistence and degradability	Biodegradability in water: no data available.
1,1-Dimethyl-2-phenylethyl acetate (151-05-3)	
Persistence and degradability	Biodegradability in water: no data available.
ThOD	2.5 g O ₂ /g substance
METHYL BENZOATE (93-58-3)	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.
ThOD	2.11 g O ₂ /g substance
CINNAMIC ALDEHYDE (104-55-2)	
Persistence and degradability	Readily biodegradable in water.
PIPERONAL (120-57-0)	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.
ThOD	1.71 g O ₂ /g substance
LIMONENE (5989-27-5)	
Persistence and degradability	Readily biodegradable in water.
ThOD	3.29 g O ₂ /g substance

12.3. Bioaccumulative potential

ETHYL MALTOL (4940-11-8)	
Partition coefficient n-octanol/water (Log Pow)	2.9 (Practical experience/observation, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
DIHYDROMYRCENOL (18479-58-8)	
Partition coefficient n-octanol/water (Log Pow)	3.47 (Estimated value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
1,1-Dimethyl-2-phenylethyl acetate (151-05-3)	
Bioaccumulative potential	No bioaccumulation data available.
METHYL BENZOATE (93-58-3)	
Partition coefficient n-octanol/water (Log Pow)	2.12 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
CINNAMIC ALDEHYDE (104-55-2)	
Partition coefficient n-octanol/water (Log Pow)	2.107 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)

OIL, CRANBERRY II*

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

CINNAMIC ALDEHYDE (104-55-2)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
PIPERONAL (120-57-0)	
Partition coefficient n-octanol/water (Log Pow)	1.2 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 35 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
LIMONENE (5989-27-5)	
BCF - Fish [1]	864.8 l/kg (BCFBAF v3.01, Pisces, QSAR, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	4.38 (Experimental value, Equivalent or similar to OECD 117, 37 °C)
Bioaccumulative potential	Potential for bioaccumulation (4 ≤ Log Kow ≤ 5).

12.4. Mobility in soil

ETHYL MALTOL (4940-11-8)	
Ecology - soil	No (test)data on mobility of the substance available.
DIHYDROMYRCENOL (18479-58-8)	
Ecology - soil	No (test)data on mobility of the substance available.
METHYL BENZOATE (93-58-3)	
Ecology - soil	No (test)data on mobility of the substance available.
CINNAMIC ALDEHYDE (104-55-2)	
Surface tension	45.3 mN/m (20 °C, Experimental value)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.958 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
Ecology - soil	Highly mobile in soil.
PIPERONAL (120-57-0)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.1 (log Koc, Calculated value)
Ecology - soil	Highly mobile in soil.
LIMONENE (5989-27-5)	
Surface tension	No data available in the literature
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.049 – 3.801 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Low potential for mobility in soil.

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Transport document description (DOT) : NA1993 Combustible liquid, n.o.s. (Dihydromyrcenol, Linalool) - Regulated for Bulk only, Comb Liq, III

UN-No.(DOT) : NA1993

Proper Shipping Name (DOT) : Combustible liquid, n.o.s.
(Dihydromyrcenol, Linalool) - Regulated for Bulk only

Class (DOT) : Comb Liq - Combustible liquid

Packing group (DOT) : III - Minor Danger

DOT Packaging Non Bulk (49 CFR 173.xxx) : 203

DOT Packaging Bulk (49 CFR 173.xxx) : 241

OIL, CRANBERRY II*

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Symbols	: D - Proper shipping name for domestic use only, or to and from Canada, G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	: 148 - For domestic transportation, this entry directs to § 173.66 for: a. The standards for transporting a single bulk hazardous material for blasting by cargo tank motor vehicles (CTMV); and b. The standards for CTMVs capable of transporting multiple hazardous materials for blasting in bulk and non-bulk packagings (i.e. a multipurpose bulk truck (MBT)). IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T1 - 1.5 178.274(d)(2) Normal..... 178.275(d)(2) TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = $97 / 1 + a (tr - tf)$ Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.

Transportation of Dangerous Goods

Not applicable

"

Transport by sea

Not regulated

Air transport

Not regulated

SECTION 15: Regulatory information

15.1. US Federal regulations

ALPHA TERPINEOL (98-55-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

p-Anisyl acetate (104-21-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

METHYL BENZOATE (93-58-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

CINNAMIC ALDEHYDE (104-55-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

OIL, CRANBERRY II*

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ETHYL MALTOL (4940-11-8)

Listed on the Canadian DSL (Domestic Substances List)

Ethyl methylphenylglycidate (77-83-8)

Listed on the Canadian DSL (Domestic Substances List)

ALPHA TERPINEOL (98-55-5)

Listed on the Canadian DSL (Domestic Substances List)

p-Anisyl acetate (104-21-2)

Listed on the Canadian DSL (Domestic Substances List)

DIHYDROMYRCENOL (18479-58-8)

Listed on the Canadian DSL (Domestic Substances List)

1,1-Dimethyl-2-phenylethyl acetate (151-05-3)

Listed on the Canadian DSL (Domestic Substances List)

METHYL BENZOATE (93-58-3)

Listed on the Canadian DSL (Domestic Substances List)

CINNAMIC ALDEHYDE (104-55-2)

Listed on the Canadian DSL (Domestic Substances List)

PIPERONAL (120-57-0)

Listed on the Canadian DSL (Domestic Substances List)

CITRAL (5392-40-5)

Listed on the Canadian DSL (Domestic Substances List)

LINALOOL (78-70-6)

Listed on the Canadian DSL (Domestic Substances List)

BENZALDEHYDE (100-52-7)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

ETHYL MALTOL (4940-11-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on INSQ (Mexican National Inventory of Chemical Substances)

Ethyl methylphenylglycidate (77-83-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

DIHYDROMYRCENOL (18479-58-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on INSQ (Mexican National Inventory of Chemical Substances)

1,1-Dimethyl-2-phenylethyl acetate (151-05-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on INSQ (Mexican National Inventory of Chemical Substances)

PIPERONAL (120-57-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on INSQ (Mexican National Inventory of Chemical Substances)

CITRAL (5392-40-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on INSQ (Mexican National Inventory of Chemical Substances)

LINALOOL (78-70-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on INSQ (Mexican National Inventory of Chemical Substances)

OIL, CRANBERRY II*


Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

BENZALDEHYDE (100-52-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. US State regulations

 **WARNING:** This product can expose you to myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Component	State or local regulations
METHYL BENZOATE(93-58-3)	U.S. - New Jersey - Right to Know Hazardous Substance List
BENZALDEHYDE(100-52-7)	U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

Revision date : 10/24/2023

Full text of H-phrases:

H226	Flammable liquid and vapor
H227	Combustible liquid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H373	May cause damage to organs through prolonged or repeated exposure

SDS US (GHS HazCom 2012) - Lebermuth

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.