

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 01/08/2019 Revision date: 08/22/2024 Supersedes: 01/08/2019

Version: 1.2

## **SECTION 1: Identification**

1.1. Identification

Product form : Mixture

Product name : OIL, MAPLE CREAM\*

CAS-No. : N/A
Product code : 93-0100-42

1.2. Recommended use and restrictions on use

#### 1.3. Supplier

The Lebermuth Company 4004 Technology Drive South Bend, IN 46628 - United States T 574-259-7000 - F 574-258-7450 info@lebermuth.com - www.lebermuth.com

#### 1.4. Emergency telephone number

Emergency number : CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300

CCN 13010

# SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

#### **GHS US classification**

Flammable liquids Category 4

Serious eye damage/eye irritation Category 2

Skin sensitization, Category 1

Combustible liquid

Causes serious eye irritation May cause an allergic skin reaction

#### 2.2. GHS Label elements, including precautionary statements

#### **GHS US labeling**

Hazard pictograms (GHS US)



GHS07

Signal word (GHS US) : Warning

Hazard statements (GHS US) : Combustible liquid

May cause an allergic skin reaction Causes serious eye irritation

Precautionary statements (GHS US) : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Wash hands, forearms and face thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Specific treatment (see supplemental first aid instruction on this label).

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

In case of fire: Use media other than water to extinguish.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container to hazardous or special waste collection point, in accordance

with local, regional, national and/or international regulation.

08/22/2024 EN (English US) Page 1

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 2.3. Other hazards which do not result in classification

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

# **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
BENZYL ALCOHOL	(CAS-No.) 100-51-6	10 – 25	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:vapour), H332 Eye Irrit. 2A, H319
ETHYL VANILLIN	(CAS-No.) 121-32-4	5 – 10	Eye Irrit. 2B, H320
ETHYL MALTOL	(CAS-No.) 4940-11-8	5 – 10	Acute Tox. 4 (Oral), H302
Methylcyclopentenolone	(CAS-No.) 80-71-7	1 – 5	Acute Tox. 4 (Oral), H302
VANILLIN	(CAS-No.) 121-33-5	1 – 5	Eye Irrit. 2A, H319
PIPERONAL	(CAS-No.) 120-57-0	1 – 5	Skin Sens. 1B, H317
ETHYL BUTYRATE	(CAS-No.) 105-54-4	1 – 5	Flam. Liq. 3, H226 Eye Irrit. 2A, H319
DIACETYL	(CAS-No.) 431-03-8	0.1 – 1	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Inhalation:vapour), H331 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 STOT RE 2, H373

Full text of hazard classes and H-statements : see section 16

## **SECTION 4: First-aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs:

Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

## 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this material is

expected to be an inhalation hazard.

Symptoms/effects after skin contact : May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

Symptoms/effects after ingestion : None under normal conditions.

# 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

# **SECTION 5: Fire-fighting measures**

#### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Specific hazards arising from the chemical

Fire hazard : Combustible liquid.

Explosion hazard : No direct explosion hazard.

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

08/22/2024 EN (English US) 2/11

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper

protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb

spillage to prevent material-damage.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin

and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to

prevent migration and entry into sewers or streams. Stop leak, if possible without risk.

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Avoid

contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated

clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

## 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.

Storage conditions : Store in a well-ventilated place. Keep cool.

Packaging materials : Store always product in container of same material as original container.

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### OIL, MAPLE CREAM\* (N/A)

No additional information available

# ETHYL MALTOL (4940-11-8)

No additional information available

## ETHYL VANILLIN (121-32-4)

No additional information available

#### **PIPERONAL (120-57-0)**

No additional information available

08/22/2024 EN (English US) 3/11

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

VANILLIN (121-33-5)		
No additional information available		
BENZYL ALCOHOL (100-51-6)		
No additional information available		
Methylcyclopentenolone (80-71-7)		
No additional information available		
DIACETYL (431-03-8)		
USA - ACGIH - Occupational Exposure Limits		
Local name	Diacetyl	
ACGIH OEL TWA	0.01 ppm	
ACGIH OEL STEL	0.02 ppm	
Remark (ACGIH)	Lung dam	
ETHYL BUTYRATE (105-54-4)		
No additional information available		

## 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

#### 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Wear recommended personal protective equipment.

#### Hand protection:

Protective gloves

# Eye protection:

Chemical goggles or safety glasses

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment







# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : YELLOW TO AMBER/ORANGE

Odor : CHARACTERISTIC, MATCHING THE RETAINER SAMPLE.

Odor threshold : No data available pH : No data available Melting point : Not applicable Freezing point : No data available Boiling point : No data available : No data available

Flash point : 87 °C

Relative evaporation rate (butyl acetate=1) : No data available Flammability : Not applicable.

08/22/2024 EN (English US) 4/11

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Vapor pressure : No data available
Relative vapor density at 20°C : No data available
Relative density : 1.113 (1.103 – 1.123)

Solubility : Insoluble.

Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available Viscosity, kinematic : No data available : No data available Viscosity, dynamic : No data available **Explosion limits** Explosive properties : No data available Oxidizing properties : No data available

9.2. Other information

Refractive index : 1.52 (1.51 – 1.53)

# SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

ETHYL MALTOL (4940-11-8)	
LD50 oral rat	1220 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Experimental value, Oral)
LD50 dermal rabbit	> 5000 mg/kg body weight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: no indication of skin irritation up to the relevant limit dose level
ATE US (oral)	1200 mg/kg body weight
ETHYL VANILLIN (121-32-4)	
LD50 oral rat	> 3160 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other:
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
ATE US (oral)	3000 mg/kg body weight
PIPERONAL (120-57-0)	
LD50 oral rat	2700 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other:, 95% CL: 2350 - 3100
LD50 dermal rat	> 5000 mg/kg body weight Animal: rat, Guideline: other:, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:
ATE US (oral)	2700 mg/kg body weight

08/22/2024 EN (English US) 5/11

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	<u> </u>
VANILLIN (121-33-5)	
LD50 oral rat	3300 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
ATE US (oral)	3300 mg/kg body weight
ATE US (dermal)	2600 mg/kg body weight
BENZYL ALCOHOL (100-51-6)	
ATE US (oral)	1620 mg/kg body weight
ATE US (dermal)	2500 mg/kg body weight
ATE US (vapors)	11 mg/l/4h
Methylcyclopentenolone (80-71-7)	
ATE US (oral)	1067 mg/kg body weight
DIACETYL (431-03-8)	
ATE US (oral)	1580 mg/kg body weight
ATE US (gases)	700 ppmV/4h
ATE US (vapors)	3 mg/l/4h
ATE US (dust, mist)	0.5 mg/l/4h
. , ,	0.0 mg/s m
LDE0 cral ret	> 2000 mg/kg body weight Animal; ret. Animal pay; female. Cuideline: OECD Cuideline 422
LD50 oral rat	> 2000 mg/kg body weight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Remarks on results: other:
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:
LC50 Inhalation - Rat [ppm]	> 4000 ppm Animal: rat, Guideline: other:, Remarks on results: other:
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
ETHYL MALTOL (4940-11-8)	
NOAEL (oral,rat,90 days)	≥ 200 mg/kg body weight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
PIPERONAL (120-57-0)	
NOAEL (oral,rat,90 days)	300 mg/kg body weight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test), Guideline: other:
DIACETYL (431-03-8)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material
	expected to be an inhalation hazard.
Symptoms/effects after skin contact Symptoms/effects after eye contact	: May cause an allergic skin reaction. : Eye irritation.
· · · · · · · · · · · · · · · · · · ·	·
08/22/2024	EN (English US) 6/11

10/22/2024 EN (English 03)

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/effects after ingestion : None under normal conditions.

# **SECTION 12: Ecological information**

12.1		icit	

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

ETHYL MALTOL (4940-11-8)	
LC50 - Fish [1]	> 85 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value)
EC50 - Crustacea [1]	27 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)
ErC50 algae	7.2 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
ETHYL VANILLIN (121-32-4)	
LC50 - Fish [1]	87.6 mg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	26.2 mg/l Test organisms (species): Daphnia magna
LOEC (chronic)	10 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	5.9 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
PIPERONAL (120-57-0)	
LC50 - Fish [1]	2.5 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio, Static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	52 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Nominal concentration)
ErC50 algae	31 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Stati system, Fresh water, Experimental value, GLP)
VANILLIN (121-33-5)	
LC50 - Fish [1]	57 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
EC50 - Crustacea [1]	36.79 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
LC50 - Fish [2]	123 mg/l Test organisms (species): Pimephales promelas
ErC50 algae	120 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)

ETHYL BUTYRATE (105-54-4)	
LC50 - Fish [1]	≥ 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	116.6 mg/l Test organisms (species): Daphnia magna
NOEC (chronic)	28833 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	1483 mg/l Test organisms (species): other: Duration: '28 d'

10 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

5.9 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

# 12.2. Persistence and degradability

LOEC (chronic)

NOEC (chronic)

ETHYL MALTOL (4940-11-8)		
Persistence and degradability	Readily biodegradable in water.	
PIPERONAL (120-57-0)		
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.	
ThOD	1.71 g O <sub>2</sub> /g substance	
VANILLIN (121-33-5)		
Persistence and degradability	Readily biodegradable in water.	

## 12.3. Bioaccumulative potential

ETHYL MALTOL (4940-11-8)		
Partition coefficient n-octanol/water (Log Pow)	2.9 (Practical experience/observation, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	

08/22/2024 EN (English US) 7/11

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

PIPERONAL (120-57-0)		
Partition coefficient n-octanol/water (Log Pow)	1.2 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 35 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
VANILLIN (121-33-5)		
Partition coefficient n-octanol/water (Log Pow)	1.17 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	

#### 12.4. **Mobility in soil**

ETHYL MALTOL (4940-11-8)	
Ecology - soil	No (test)data on mobility of the substance available.
PIPERONAL (120-57-0)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.1 (log Koc, Calculated value)
Ecology - soil	Highly mobile in soil.
VANILLIN (121-33-5)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.438 (log Koc, Experimental value)
Ecology - soil	Low potential for mobility in soil.

#### Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

#### 13.1. **Disposal methods**

Regional waste regulation : Disposal must be done according to official regulations.

: Dispose of contents/container in accordance with licensed collector's sorting instructions. Waste treatment methods

Sewage disposal recommendations : Disposal must be done according to official regulations. Product/Packaging disposal recommendations : Disposal must be done according to official regulations.

Additional information : Do not re-use empty containers.

# **SECTION 14: Transport information**

# **Department of Transportation (DOT)**

In accordance with DOT

Transport document description (DOT) : UN1266 Perfumery products (Regulated for Bulk only), Comb Liq, III

UN-No.(DOT) : UN1266

Proper Shipping Name (DOT) : Perfumery products

(Regulated for Bulk only)

Class (DOT) : Comb Liq - Combustible liquid : III - Minor Danger

Packing group (DOT)

DOT Packaging Non Bulk (49 CFR 173.xxx) : 203 : 242 DOT Packaging Bulk (49 CFR 173.xxx)

08/22/2024 EN (English US) 8/11

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)

: B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.

IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T2 - 1.5 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.

DOT Packaging Exceptions (49 CFR 173.xxx) : 150 DOT Quantity Limitations Passenger aircraft/rail : 60 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 220 L

CFR 175.75)

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

Emergency Response Guide (ERG) Number : 127

Other information : No supplementary information available.

#### **Transportation of Dangerous Goods**

Not regulated

i vot regulatet

#### Transport by sea

Not regulated

#### Air transport

Not regulated

# **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

#### ETHYL VANILLIN (121-32-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Methylcyclopentenolone (80-71-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

# **DIACETYL (431-03-8)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### 15.2. International regulations

## CANADA

#### ETHYL MALTOL (4940-11-8)

Listed on the Canadian DSL (Domestic Substances List)

#### ETHYL VANILLIN (121-32-4)

Listed on the Canadian DSL (Domestic Substances List)

08/22/2024 EN (English US) 9/11

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **PIPERONAL (120-57-0)**

Listed on the Canadian DSL (Domestic Substances List)

#### **VANILLIN (121-33-5)**

Listed on the Canadian DSL (Domestic Substances List)

#### **BENZYL ALCOHOL (100-51-6)**

Listed on the Canadian DSL (Domestic Substances List)

#### Methylcyclopentenolone (80-71-7)

Listed on the Canadian DSL (Domestic Substances List)

#### **DIACETYL (431-03-8)**

Listed on the Canadian DSL (Domestic Substances List)

#### ETHYL BUTYRATE (105-54-4)

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

No additional information available

#### **National regulations**

#### ETHYL MALTOL (4940-11-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### **PIPERONAL (120-57-0)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

### **VANILLIN (121-33-5)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### BENZYL ALCOHOL (100-51-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

## ETHYL BUTYRATE (105-54-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

# 15.3. US State regulations

This product can expose you to methyl eugenol, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.



This product can expose you to safrole, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

This product can expose you to toluene - impurity, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Component	State or local regulations
BENZYL ALCOHOL(100-51-6)	U.S Massachusetts - Right To Know List; U.S Pennsylvania - RTK (Right to Know) List
DIACETYL(431-03-8)	U.S New Jersey - Right to Know Hazardous Substance List
ETHYL BUTYRATE(105-54-4)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

# **SECTION 16: Other information**

Revision date : 08/22/2024

08/22/2024 EN (English US) 10/11

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:

I text of H-phrases:	
H225	Highly flammable liquid and vapor
H226	Flammable liquid and vapor
H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H320	Causes eye irritation
H331	Toxic if inhaled
H332	Harmful if inhaled
H373	May cause damage to organs through prolonged or repeated exposure

SDS US (GHS HazCom 2012) - Lebermuth

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

08/22/2024 EN (English US) 11/11