

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 09/12/2019 Revision date: 07/31/2024 Supersedes: 09/12/2019

Version: 1.1

SECTION 1: Identification

1.1. Identification

Product form : Mixture

Product name : OIL, CEDAR LEATHER II*

CAS-No. : N/A
Product code : 93-0130-91

1.2. Recommended use and restrictions on use

1.3. Supplier

The Lebermuth Company 4004 Technology Drive South Bend, IN 46628 - United States T 574-259-7000 - F 574-258-7450 info@lebermuth.com - www.lebermuth.com

1.4. Emergency telephone number

Emergency number : CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300

CCN 13010

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquids Category 4
Skin corrosion/irritation Category 2
Serious eye damage/eye irritation Category 2

Skin sensitization, Category 1 Reproductive toxicity Category 2 Combustible liquid
Causes skin irritation
Causes serious eye irritation
May cause an allergic skin reaction

Suspected of damaging fertility or the unborn child

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)





Signal word (GHS US) : Warning

Hazard statements (GHS US) : Combustible liquid
Causes skin irritation

May cause an allergic skin reaction Causes serious eye irritation

Suspected of damaging fertility or the unborn child

Precautionary statements (GHS US) : Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands, forearms and face thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

If exposed or concerned: Get medical advice/attention.

Specific treatment (see supplemental first aid instruction on this label).

If skin irritation occurs: Get medical advice/attention.
If skin irritation or rash occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.

07/31/2024 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Take off contaminated clothing and wash it before reuse.

Wash contaminated clothing before reuse.

In case of fire: Use media other than water to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone	(CAS-No.) 54464-57-2	10 – 25	Skin Irrit. 2, H315 Skin Sens. 1B, H317
LINALYL ACETATE	(CAS-No.) 115-95-7	1 – 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2B, H320 Skin Sens. 1B, H317
2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	(CAS-No.) 28219-61-6	1 – 5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
1-(2-tertButyl cyclohexyloxy)-2-butanol	(CAS-No.) 139504-68-0	1 – 5	Eye Irrit. 2B, H320
LINALOOL	(CAS-No.) 78-70-6	1 – 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317
DIHYDROMYRCENOL	(CAS-No.) 18479-58-8	1 – 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H336
D-LIMONENE	(CAS-No.) 5989-27-5	1 – 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
CAMPHENE	(CAS-No.) 79-92-5	1 – 5	Flam. Sol. 2, H228 Eye Irrit. 2B, H320
3,7-Dimethyl-1,6-nonadien-3-ol	(CAS-No.) 10339-55-6	1 – 5	Flam. Liq. 4, H227 Eye Irrit. 2A, H319 Skin Sens. 1B, H317
COUMARIN	(CAS-No.) 91-64-5	1 – 5	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Skin Sens. 1B, H317
7-acetyl-1,1,3,4,4,6-hexamethyltetralin	(CAS-No.) 1506-02-1	1 – 5	Acute Tox. 4 (Oral), H302
DELTA-3-CARENE	(CAS-No.) 13466-78-9	0.1 – 1	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
p-t-Butyl-α-methylhydrocinnamic aldehyde	(CAS-No.) 80-54-6	0.1 – 1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Repr. 2, H361
CITRAL	(CAS-No.) 5392-40-5	0.1 – 1	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 STOT RE 2, H373

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Descrip	tion of first aid measures
--------------	----------------------------

First-aid measures general : IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

07/31/2024 EN (English US) 2/12

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs:

Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this material is

expected to be an inhalation hazard.

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

Symptoms/effects after ingestion : None under normal conditions.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard : Combustible liquid.

Explosion hazard : No direct explosion hazard.

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper

protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb

spillage to prevent material-damage.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin

and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk.

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

07/31/2024 EN (English US) 3/12

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and

understood. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapors/spray.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed

out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands

after handling the product.

Conditions for safe storage, including any incompatibilities

: Keep in a cool, well-ventilated place away from heat. Technical measures

Storage conditions : Store in a well-ventilated place. Keep cool. Store locked up.

Packaging materials : Store always product in container of same material as original container.

SECTION 8: Exposure controls/personal protection

Control parameters

OIL, CEDAR LEATHER II* (N/A)
No additional information available
CAMPHENE (79-92-5)
No additional information available
DELTA-3-CARENE (13466-78-9)
No additional information available
COUMARIN (91-64-5)
No additional information available
7-acetyl-1,1,3,4,4,6-hexamethyltetralin (1506-02-1)
No additional information available
1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone (54464-57-2)

No additional information available

1-(2-tert.-Butyl cyclohexyloxy)-2-butanol (139504-68-0)

No additional information available

2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol (28219-61-6)

No additional information available

CITDAL (5200 40 5)

CITRAL (5392-40-5)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Citral
ACGIH OEL TWA	5 ppm (IFV - Inhalable fraction and vapor)
Remark (ACGIH)	TLV® Basis: Body weight eff; URT irr; eye dam. Notations: Skin; DSEN; A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2024
DIHYDROMYRCENOL (18479-58-8)	

No additional information available

3,7-Dimethyl-1,6-nonadien-3-ol (10339-55-6)

No additional information available

p-t-Butyl-α-methylhydrocinnamic aldehyde (80-54-6)

No additional information available

LINALOOL (78-70-6)

No additional information available

LINALYL ACETATE (115-95-7)

No additional information available

D-LIMONENE (5989-27-5)

No additional information available

07/31/2024 EN (English US) 4/12

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Protective gloves

Eye protection:

Chemical goggles or safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.







SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : YELLOW TO AMBER

Odor : CHARACTERISTIC, MATCHING RETAINER SAMPLE

Odor threshold : No data available pH : No data available Melting point : Not applicable Freezing point : No data available Boiling point : No data available

Flash point : 85 °C

Relative evaporation rate (butyl acetate=1) : No data available
Flammability : Not applicable.

Vapor pressure : No data available
Relative vapor density at 20°C : No data available
Relative density : 0.935 (0.925 – 0.945)

Solubility : Insoluble.

Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : No data available : No data available Decomposition temperature Viscosity, kinematic : No data available Viscosity, dynamic : No data available **Explosion limits** : No data available : No data available Explosive properties Oxidizing properties · No data available

9.2. Other information

Refractive index : 1.475 (1.465 – 1.485)

07/31/2024 EN (English US) 5/12

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

ATE US (oral)

D-LIMONENE (5989-27-5)

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

CAMPHENE (79-92-5)		
LD50 dermal rabbit	> 2000 mg/kg body weight (Rabbit, Read-across, Skin)	
DELTA-3-CARENE (13466-78-9)		
ATE US (oral)	4800 mg/kg body weight	
ATE US (gases)	4500 ppmV/4h	
ATE US (vapors)	11 mg/l/4h	
ATE US (dust, mist)	1.5 mg/l/4h	
COUMARIN (91-64-5)		
LD50 oral rat	293 mg/kg body weight Animal: rat, Guideline: other:	
LD50 dermal rat	293 mg/kg body weight Animal: rat, Guideline: other:	
ATE US (oral)	290 mg/kg body weight	
ATE US (dermal)	293 mg/kg body weight	
7-acetyl-1,1,3,4,4,6-hexamethyltetralin (1506-02-1)		
ATE US (oral)	1000 mg/kg body weight	

CITRAL (5392-40-5)	
LD50 oral rat	≈ 6800 mg/kg body weight Animal: rat
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Remarks on results: other:
DIHYDROMYRCENOL (18479-58-8)	
ATE US (oral)	3020 mg/kg body weight
3,7-Dimethyl-1,6-nonadien-3-ol (10339-55-6)	
LD50 dermal rabbit	> 5000 mg/kg body weight Animal: rabbit, Guideline: other:
LC50 Inhalation - Rat	> 1 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Remarks on results: other:
ATE US (oral)	5000 mg/kg body weight
p-t-Butyl-α-methylhydrocinnamic aldehyde (8	0-54-6)
ATE US (oral)	1390 mg/kg body weight
LINALOOL (78-70-6)	

LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat,
	Female, Experimental value, Oral, 14 day(s))

2790 mg/kg body weight

07/31/2024 EN (English US) 6/12

OIL, CEDAR LEATHER II* Safety Data Sheet

Symptoms/effects after ingestion

D-LIMONENE (5989-27-5)	
LD50 dermal rabbit	> 5000 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Read-across, Dermal, 7 day(s))
Skin corrosion/irritation	: Causes skin irritation.
erious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
COUMARIN (91-64-5)	
IARC group	3 - Not classifiable
CITRAL (5392-40-5)	
NOAEL (chronic,oral,animal/male,2 years)	60 mg/kg body weight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.
STOT-single exposure	: Not classified
DIHYDROMYRCENOL (18479-58-8)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified
COUMARIN (91-64-5)	
NOAEL (subchronic,oral,animal/female,90 days)	> 138.3 mg/kg body weight Animal: mouse, Animal sex: female
CITRAL (5392-40-5)	
LOAEC (inhalation,rat,gas,90 days)	68 ppm Animal: rat, Animal sex: female
NOAEL (oral,rat,90 days)	100 mg/kg body weight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
NOAEC (inhalation,rat,gas,90 days)	34 ppm Animal: rat, Animal sex: female
NOAEL (subchronic,oral,animal/male,90 days)	60 mg/kg body weight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
3,7-Dimethyl-1,6-nonadien-3-ol (10339-55-6)	
NOAEL (dermal,rat/rabbit,90 days)	250 mg/kg body weight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
Aspiration hazard	: Not classified
/iscosity, kinematic	: No data available
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material expected to be an inhalation hazard.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.

07/31/2024 EN (English US) 7/12

: None under normal conditions.

Safety Data Sheet

CAMPHENE (79-92-5)

Bioaccumulative potential

Partition coefficient n-octanol/water (Log Pow)

BCF - Fish [1]

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ECTION 12: Ecological information 2.1. Toxicity	
cology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
CAMPHENE (79-92-5)	
LC50 - Fish [1]	0.72 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Brachydanio rerio, Flow-through system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	0.72 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semistatic system, Fresh water, Experimental value, GLP)
COUMARIN (91-64-5)	
LC50 - Fish [1]	2.94 mg/l Test organisms (species):
EC50 - Crustacea [1]	8012 mg/l Test organisms (species): Daphnia sp.
LC50 - Fish [2]	1324 mg/l Test organisms (species):
NOEC (chronic)	0.5 mg/l Test organisms (species): Duration: '21 d'
NOEC chronic fish	0.191 mg/l Test organisms (species): Duration: '30 d'
OLT DAT (5000 40 5)	
CITRAL (5392-40-5)	6.70 mg// Test organisms (anasiss) Lausissus idus
LC50 - Fish [1]	6.78 mg/l Test organisms (species): Leuciscus idus
EC50 - Crustacea [1]	6.8 mg/l Test organisms (species): Daphnia magna
3,7-Dimethyl-1,6-nonadien-3-ol (10339-55-6)	
LC50 - Fish [1]	24 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	23 mg/l Test organisms (species): Daphnia magna
p-t-Butyl-α-methylhydrocinnamic aldehyde (
LC50 - Fish [1]	2.04 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Flow-through system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	10.7 mg/l (Other, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)
D-LIMONENE (5989-27-5)	
LC50 - Fish [1]	720 µg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
EC50 - Crustacea [1]	0.307 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semistatic system, Fresh water, Experimental value, GLP)
LC50 - Fish [2]	702 μg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [2]	0.51 mg/l Test organisms (species): Daphnia magna
2.2. Persistence and degradability	
CAMPHENE (79-92-5)	
Persistence and degradability	Not readily biodegradable in water.
DIHYDROMYRCENOL (18479-58-8)	
Persistence and degradability	Biodegradability in water: no data available.
, , , , , , , , , , , , , , , , , , ,	
p-t-Butyl-α-methylhydrocinnamic aldehyde (and persistence and degradability	Readily biodegradable in water.
ersisterice and degradability	Treadily blodegradable iii water.
D-LIMONENE (5989-27-5)	
Persistence and degradability	Readily biodegradable in water.
ThOD	3.29 g O₂/g substance

07/31/2024 EN (English US) 8/12

Potential for bioaccumulation (500 ≤ BCF ≤ 5000).

carpio, Fresh water, Experimental value)

432 - 1290 (OECD 305: Bioconcentration: Flow-Through Fish Test, 8 week(s), Cyprinus

4.22 (Experimental value, Equivalent or similar to OECD 117, 37 °C)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DIHYDROMYRCENOL (18479-58-8)	
Partition coefficient n-octanol/water (Log Pow)	3.47 (Estimated value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

p-t-Butyl-α-methylhydrocinnamic aldehyde (80-54-6)	
Partition coefficient n-octanol/water (Log Pow)	4.2 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 24 °C)
Bioaccumulative potential	Potential for bioaccumulation (4 ≤ Log Kow ≤ 5).

D-LIMONENE (5989-27-5)	
BCF - Fish [1]	864.8 l/kg (BCFBAF v3.01, Pisces, QSAR, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	4.38 (Experimental value, Equivalent or similar to OECD 117, 37 °C)
Bioaccumulative potential	Potential for bioaccumulation (4 ≤ Log Kow ≤ 5).

12.4. Mobility in soil

CAMPHENE (79-92-5)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.081 (log Koc, SRC PCKOCWIN v1.66, Calculated value)
Ecology - soil	Low potential for mobility in soil.

Ecology - soil	No (test)data on mobility of the substance available.	
p-t-Butyl-α-methylhydrocinnamic aldehyde (80-54-6)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.11 (log Koc, PCKOCWIN v1.66, Calculated value)	
Ecology - soil	Low potential for mobility in soil.	

D-LIMONENE (5989-27-5)	
Surface tension	No data available in the literature
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.049 – 3.801 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Low potential for mobility in soil.

12.5. Other adverse effects

No additional information available

DIHYDROMYRCENOL (18479-58-8)

SECTION 13: Disposal considerations

13.1. Disposal methods

Regional waste regulation : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations : Disposal must be done according to official regulations. Product/Packaging disposal recommendations : Disposal must be done according to official regulations.

Additional information : Do not re-use empty containers.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Transport document description (DOT) : UN1266 Perfumery products (Regulated for Bulk only), Comb Liq, III

UN-No.(DOT) : UN1266

Proper Shipping Name (DOT) : Perfumery products

(Regulated for Bulk only)

Class (DOT) : Comb Liq - Combustible liquid

Packing group (DOT) : III - Minor Danger

DOT Packaging Non Bulk (49 CFR 173.xxx) : 203 DOT Packaging Bulk (49 CFR 173.xxx) : 242

07/31/2024 EN (English US) 9/12

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)

: B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.

IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T2 - 1.5 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.

DOT Packaging Exceptions (49 CFR 173.xxx) : 150 DOT Quantity Limitations Passenger aircraft/rail : 60 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 220 L

CFR 175.75)

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

Emergency Response Guide (ERG) Number : 127

Other information : No supplementary information available.

Transportation of Dangerous Goods

Not regulated

"

Transport by sea

Not regulated

Air transport

Not regulated

SECTION 15: Regulatory information

15.1. US Federal regulations

COUMARIN (91-64-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

7-acetyl-1,1,3,4,4,6-hexamethyltetralin (1506-02-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol (28219-61-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

p-t-Butyl-α-methylhydrocinnamic aldehyde (80-54-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

07/31/2024 EN (English US) 10/12

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

CAMPHENE (79-92-5)

Listed on the Canadian DSL (Domestic Substances List)

DELTA-3-CARENE (13466-78-9)

Listed on the Canadian DSL (Domestic Substances List)

COUMARIN (91-64-5)

Listed on the Canadian DSL (Domestic Substances List)

7-acetyl-1,1,3,4,4,6-hexamethyltetralin (1506-02-1)

Listed on the Canadian DSL (Domestic Substances List)

1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone (54464-57-2)

Listed on the Canadian DSL (Domestic Substances List)

2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol (28219-61-6)

Listed on the Canadian DSL (Domestic Substances List)

CITRAL (5392-40-5)

Listed on the Canadian DSL (Domestic Substances List)

DIHYDROMYRCENOL (18479-58-8)

Listed on the Canadian DSL (Domestic Substances List)

3,7-Dimethyl-1,6-nonadien-3-ol (10339-55-6)

Listed on the Canadian DSL (Domestic Substances List)

p-t-Butyl-α-methylhydrocinnamic aldehyde (80-54-6)

Listed on the Canadian DSL (Domestic Substances List)

LINALOOL (78-70-6)

Listed on the Canadian DSL (Domestic Substances List)

LINALYL ACETATE (115-95-7)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

CAMPHENE (79-92-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

DELTA-3-CARENE (13466-78-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone (54464-57-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

1-(2-tert.-Butyl cyclohexyloxy)-2-butanol (139504-68-0)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

CITRAL (5392-40-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

DIHYDROMYRCENOL (18479-58-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

3,7-Dimethyl-1,6-nonadien-3-ol (10339-55-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

07/31/2024 EN (English US) 11/12

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

LINALOOL (78-70-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

LINALYL ACETATE (115-95-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. US State regulations

WARNING:

This product can expose you to beta-myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information

Revision date : 07/31/2024

Full text of H-phrases:

H226	Flammable liquid and vapor
H227	Combustible liquid
H228	Flammable solid
H301	Toxic if swallowed
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H311	Toxic in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H320	Causes eye irritation
H332	Harmful if inhaled
H336	May cause drowsiness or dizziness
H361	Suspected of damaging fertility or the unborn child
H373	May cause damage to organs through prolonged or repeated exposure

SDS US (GHS HazCom 2012) - Lebermuth

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

07/31/2024 EN (English US) 12/12