

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 08/11/2020 Revision date: 06/21/2024 Supersedes: 01/26/2024 Version: 1.6

SECTION 1: Identification Identification 1.1. Product form : Mixture Product name : OIL, JUICY STRAWBERRY* CAS-No. N/A Product code : 93-0138-92 1.2. Recommended use and restrictions on use 1.3. Supplier The Lebermuth Company 4004 Technology Drive South Bend, IN 46628 - United States T 574-259-7000 - F 574-258-7450 info@lebermuth.com - www.lebermuth.com 1.4. **Emergency telephone number** Emergency number : CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 CCN 13010 SECTION 2: Hazard(s) identification 2.1. **Classification of the substance or mixture GHS US classification** Flammable liquids Category 4 Combustible liquid May cause an allergic skin reaction Skin sensitization, Category 1 2.2. GHS Label elements, including precautionary statements **GHS US labeling** Hazard pictograms (GHS US) GHS07 Signal word (GHS US) : Warning Combustible liquid Hazard statements (GHS US) May cause an allergic skin reaction Precautionary statements (GHS US) Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If on skin: Wash with plenty of water. Specific treatment (see supplemental first aid instruction on this label). If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. In case of fire: Use media other than water to extinguish. Store in a well-ventilated place. Keep cool. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification
No additional information available
2.4. Unknown acute toxicity (GHS US)

Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable 3.2. Mixtures

Name	Product identifier	%	GHS US classification	
ETHYL METHYLPHENYLGLYCIDATE	(CAS-No.) 77-83-8	5 – 10	Skin Sens. 1B, H317	
ETHYL MALTOL	(CAS-No.) 4940-11-8	1 – 5	Acute Tox. 4 (Oral), H302	
ETHYL BUTYRATE	(CAS-No.) 105-54-4	1 – 5	Flam. Liq. 3, H226 Eve Irrit. 2A. H319	

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: If you feel unwell, seek medical advice.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs:
	Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.
I.2. Most important symptoms and eff	ects (acute and delayed)
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
Symptoms/effects after eye contact	: None under normal conditions.
Symptoms/effects after ingestion	: None under normal conditions.
I.3. Immediate medical attention and s	special treatment, if necessary
Freat symptomatically.	
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extingui	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Insuitable extinguishing media	: Do not use a heavy water stream.
.2. Specific hazards arising from the	chemical
ire hazard	: Combustible liquid.
Explosion hazard	: No direct explosion hazard.
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
5.3. Special protective equipment and	
Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper
	protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release me	asures
	equipment and emergency procedures
General measures	: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.
6.1.1. For non-emergency personnel	
Protective equipment	: Wear recommended personal protective equipment.
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Evacuate unnecessary personnel. Stop leak if safe to do so.
06/21/2024	EN (English US) 2/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precautions	
Avoid release to the environment.	
C.2. Mothering and motorial for containing	
6.3. Methods and material for containme	ant and cleaning up
For containment	: Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk.
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	

<i>(</i> .1.	Precautions for safe handling	
Additi	onal hazards when processed	: Not expected to present a significant hazard under anticipated conditions of normal use.
Preca	utions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.
Hygie	ne measures	: Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2.	Conditions for safe storage, includi	ng any incompatibilities
Techr	nical measures	: Keep in a cool, well-ventilated place away from heat.
Storag	ge conditions	: Store in a well-ventilated place. Keep cool.

Packaging materials	: Store always product in container of same material as original container.
Packading materials	. Store always product in container of same material as original container.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DIL, JUICY STRAWBERRY* (N/A)
No additional information available
ETHYL MALTOL (4940-11-8)
No additional information available
ETHYL BUTYRATE (105-54-4)
No additional information available
ETHYL METHYLPHENYLGLYCIDATE (77-83-8)
No additional information available

8.2. Appropriate engineering controls

: Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Appropriate engineering controls

Wear recommended personal protective equipment.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

In case of insufficient ventilation, wear suitable respiratory equipment



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Color	: COLORLESS TO YELLOW/AMBER
Odor	: CHARACTERISTIC, MATCHING RETAINER SAMPLE
Odor threshold	: No data available
рН	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 82 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: 0.976 (0.966 – 0.986)
Solubility	: Insoluble.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	
Defrective index	- 1 479 (1 469 - 1 499)

Refractive index

: 1.478 (1.468 – 1.488)

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 11: Toxicological information	on
11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
- · · ·	
ETHYL MALTOL (4940-11-8)	
LD50 oral rat	1220 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Experimental value, Oral)
LD50 dermal rabbit	> 5000 mg/kg body weight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: no indication of skin irritation up to the relevant limit dose level
ATE US (oral)	1200 mg/kg body weight
ETHYL BUTYRATE (105-54-4)	
LD50 oral rat	> 2000 mg/kg body weight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Remarks on results: other:
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:
LC50 Inhalation - Rat [ppm]	> 4000 ppm Animal: rat, Guideline: other:, Remarks on results: other:
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
ETHYL MALTOL (4940-11-8)	
NOAEL (oral,rat,90 days)	≥ 200 mg/kg body weight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
Symptoms/effects after eve contact	: None under normal conditions.
Symptoms/effects after ingestion	: None under normal conditions.
SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
ETHYL MALTOL (4940-11-8)	
LC50 - Fish [1]	> 85 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value)
· · · · ·	
LC50 - Fish [1]	system, Fresh water, Experimental value)27 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static
LC50 - Fish [1] EC50 - Crustacea [1] ErC50 algae	system, Fresh water, Experimental value)27 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)7.2 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata,
LC50 - Fish [1] EC50 - Crustacea [1] ErC50 algae ETHYL BUTYRATE (105-54-4)	system, Fresh water, Experimental value) 27 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value) 7.2 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
LC50 - Fish [1] EC50 - Crustacea [1] ErC50 algae ETHYL BUTYRATE (105-54-4) LC50 - Fish [1]	system, Fresh water, Experimental value) 27 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value) 7.2 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP) ≥ 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
LC50 - Fish [1] EC50 - Crustacea [1] ErC50 algae ETHYL BUTYRATE (105-54-4) LC50 - Fish [1] EC50 - Crustacea [1]	system, Fresh water, Experimental value) 27 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value) 7.2 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP) ≥ 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) 116.6 mg/l Test organisms (species): Daphnia magna
LC50 - Fish [1] EC50 - Crustacea [1] ErC50 algae ETHYL BUTYRATE (105-54-4) LC50 - Fish [1] EC50 - Crustacea [1] NOEC (chronic)	system, Fresh water, Experimental value) 27 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value) 7.2 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP) ≥ 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) 116.6 mg/l Test organisms (species): Daphnia magna 28833 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
LC50 - Fish [1] EC50 - Crustacea [1] ErC50 algae ETHYL BUTYRATE (105-54-4) LC50 - Fish [1] EC50 - Crustacea [1]	system, Fresh water, Experimental value) 27 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value) 7.2 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP) ≥ 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) 116.6 mg/l Test organisms (species): Daphnia magna

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ETHYL MALTOL (4940-11-8)	
Persistence and degradability	Readily biodegradable in water.
12.3. Bioaccumulative potential	
ETHYL MALTOL (4940-11-8)	
Partition coefficient n-octanol/water (Log Pow)	2.9 (Practical experience/observation, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
12.4. Mobility in soil	
ETHYL MALTOL (4940-11-8)	
Ecology - soil	No (test)data on mobility of the substance available.

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal consideration	9
13.1. Disposal methods	
Regional waste regulation Waste treatment methods Sewage disposal recommendations Product/Packaging disposal recommendations Additional information	 Disposal must be done according to official regulations. Dispose of contents/container in accordance with licensed collector's sorting instructions. Disposal must be done according to official regulations. Disposal must be done according to official regulations. Disposal must be done according to official regulations. Do not re-use empty containers.
SECTION 14: Transport information	
Department of Transportation (DOT) In accordance with DOT Transport document description (DOT)	: UN1266 Perfumery products (Regulated for Bulk only), Comb Liq, III
UN-No.(DOT) Proper Shipping Name (DOT)	 UN1266 Perfumery products (Regulated for Bulk only)
Class (DOT)	: Comb Liq - Combustible liquid
Packing group (DOT)	: III - Minor Danger
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Special Provisions (49 CFR 172.102)	 B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T2 - 1.5 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Emergency Response Guide (ERG) Number	: 127
Other information	: No supplementary information available.

Transportation of Dangerous Goods

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

SECTION 15: Regulatory information	
15.1. US Federal regulations	

ETHYL BUTYRATE (105-54-4)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

15.2. International regulations

CANADA

ETHYL MALTOL (4940-11-8)			
Listed on the Canadian DSL (Domestic Substances List)			
ETHYL BUTYRATE (105-54-4)			
Listed on the Canadian DSL (Domestic Substances List)			
ETHYL METHYLPHENYLGLYCIDATE (77-83-8)			
Listed on the Canadian DSL (Domestic Substances List)			

EU-Regulations

No additional information available

National regulations

ETHYL MALTOL (4940-11-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
ETHYL BUTYRATE(105-54-4)	U.S New Jersey - Right to Know Hazardous Substance List

	SECTION	16: Other	information
--	---------	-----------	-------------

: 06/21/2024

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:	
H226	Flammable liquid and vapor
H302	Harmful if swallowed
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation

SDS US (GHS HazCom 2012) - Lebermuth

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.